S6445-1

1907

OKLAHOMA HEALTH STATISTICS

1984

OKLAHOMA STATE DEPARTMENT OF HEALTH
DIVISION OF DATA MANAGEMENT
1000 N.E. 10th STREET
P.O. BOX 53551
OKLAHOMA CITY, OKLAHOMA 73152

Joan K. Leavitt, M.D., Commissioner of Health

This publication printed by the Statistics Section of the Division of Data Management, as authorized by Joan K. Leavitt, M.D., Commissioner of Health, is issued by the Oklahoma State Department of Health. Seven hundred and fifty copies were prepared, printed and distributed an an estimated cost of $6,384.48.

This publication is required by Oklahoma Statutes 1971, Title 63, Section 1-301 (b) and Section 1-303.

PREFACE

The 1984 edition of Oklahoma Health Statistics is designed to acquaint the public with health data for the State. The publication is a final summary of vital statistics for the calendar year of 1984. Emphasis was placed on several selected causes of death in order that their impact upon the State is fully realized.

In addition to this annual publication, the Public Health Statistics Section publishes a Monthly Vital Statistics Report which is a summary of provisional and statistical studies of special interest to persons in health related fields. This report is available to interested persons free of charge upon written request.

Any comments or suggestions for additional information are welcomed and should be directed to:

Supervisor of Statistics
Public Health Statistics Section
Division of Data Management
N.E. 10th and Stonewall
P.O. Box 53551
Oklahoma City, OK 73152
(405) 271-4542

ACKNOWLEDGEMENT

This publication of Oklahoma Health Statistics has resulted from the combined efforts of the following members of the staff of Public Health Statistics, of the Data Management Division, Oklahoma State Department of Health:

Lawrence Claxton, Supervisor, Statistical Analyst III
Beverly Donley, Clerk III
Raymond Gulick, Clerk III
David Hayes, Typist Clerk II
Janice Johnson, Clerk IV
Deborah Morgan, Typist Clerk II
Leath Palmer, Clerk IV
Dave Rapino, Clerk IV
Gary Wesselhoft, Statistical Analyst I

We appreciate the assistance of the Oklahoma State Employment Securities Commission in providing the population figures for this volume. We are grateful to Data Processing, Data Management Section, for suppling us with the needed computer expertise. Also, we are grateful for the cooperation and assistance of the State Registrar of Vital Statistics whose organization works so closely with ours.

G. E. Landry
Director
Division of Data Management

CONFIDENTIALITY OF VITAL STATISTICS

Oklahoma law assures confidentiality of Vital Statistics as indicated by Oklahoma Statutes Title 63 (Public Health Code) Section 1-323 below:

> Vital statistics records confidential - Exceptions. -
>
> (a) To protect the integrity of vital statistics records, to insure their proper use, and to insure the efficient and proper administration of the vital statistics system, it shall be unlawful for any person to permit inspection of, or to disclose information contained in, vital statistics records, or to copy or issue a copy of all or part of any such record except to the person himself or in his interest unless ordered to do so by a court of competent jurisdiction; provided, however, that death certificates shall be issued upon request and the payment of applicable fees as provided in Section 1-325 of this Code.
>
> (b) The State Commissioner of Health may authorize the disclosure of data contained in vital statistics records for research purposes.
>
> (c) Information in vital statistics records indicating that a birth occurred out of wedlock shall not be disclosed except as provided by regulations or upon order of a court of competent jurisdiction. Laws 1963, c. 325, art. 3, Section 323; Laws 1968, c. 44, Section 1. Emerg. Eff. March 7, 1968.

The State Department of Health observes the attached policies in determining when vital statistics may be released.

POLICIES

1. The State Department of Health may agree to joint participation in agency research projects, stipulating work to be carried out by the parties to such agreement.

2. Distribution may be made of lists of certain confidential events to approved agencies.

3. Copies of portions of confidential records may be furnished to Oklahoma agencies upon specific request, with acceptable justification for such request and assurance that such copies will be returned as soon as essential information is extracted.

4. No non-specific searches will be made. Accredited individuals or representatives or inter-state agencies may be granted permission to search indices if justification is adequate.

5. Costs of research data furnished governmental or non-profit agencies or individuals, other than under joint agreement with the State Health Department, must be borne by the researching agency.

6. Copies of Death Certificates may be provided at a cost of five (5) dollars for each copy to anyone upon request.

7. Industrial firms may not receive copies of confidential data unless they are engaged in research in cooperation with a government or non-profit health agency, in which case policies for governmental or non-profit agencies shall apply.

8. Except under conditions outlined above, no copies of vital records will be furnished unless authorized by persons named in such records or, if deceased, by their nearest of kin.

9. Official records shall not be removed from the security storage area.

10. To obtain data from confidential records, please contact one of the following persons, the State Registrar, the Director of Data Management, or the Assistant Commissioner for Administration, State Department of Health, Northeast Tenth and Stonewall, P.O. Box 53551, Oklahoma City, Oklahoma 73152

TABLE OF CONTENTS

METHODOLOGY 1

CAUSE OF DEATH CLASSIFICATION 2

HOW TO OBTAIN A COPY OF A CERTIFICATE 3

REFERENCE TABLES 4

Table I — Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes, Number and Rate, Oklahoma, 1930-1984 5-23

Table II — Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes, Number and Rate, By Race, Oklahoma, 1984..............24-25

Table III — Births and Deaths, Number and Rate, Oklahoma, 1984...26

Table IV — Resident Live Births by Age of Mother, Race Number and Percent of Low-Weight Births, Oklahoma, 1984 27

Table V — Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes, Number and Rate, and County, Oklahoma, 1984...........28-66

Table VI — Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes, Number and Rate, by Race for MSA's Oklahoma, 1984.....67-68

Table VII — Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes, Number and Rate, by Race for Cities Of 2500 Or More, Oklahoma, 1984 69-134

Table VIII — Resident Births, by County, Race and Sex, Oklahoma, 1984 135

Table IX — Resident Deaths, by County, Race and Sex, Oklahoma, 1984 136

Table X — Resident Deaths, by 34 Selected Causes by Month of Death, Oklahoma, 1984.......................137-138

Table XI — Resident Deaths, by 34 Selected Causes, by Age, by Race and Sex, Oklahoma, 1984 139-186

Table XII — Leading Causes of Death, Number and Rank, by Race and Sex, Oklahoma, 1984.................187

Table XIII Leading Cause of Death, Number and Rank, by Age, Oklahoma, 1984 188

Table XIV Resident Deaths, by Three-Digit ICDA Codes, Number and Rate, and Race, Oklahoma, 1984 189-212

Table XV Fetal Deaths (Stillbirths), by ICDA, by Race, Oklahoma, 1984 213

Table XVI Birth and Deaths of Oklahoma Residents, by State of Occurrence and Births and Deaths of Out-of-State Residents Occurring in Oklahoma, by State of Residence, Oklahoma, 1984 214

Table XVII Births, Fetal Deaths (Stillbirths), Deaths, Infant and Neonatal Deaths, by County of Residence and Occurrence, Oklahoma, 1984 215

Table XVIII Marriages and Divorces, Number and Rate, by County, Oklahoma, 1984 216

Explanation of the Life Expectancy Tables 217-218

Table XIX Estimated Average Expected Lifetime, Oklahoma, 1984 219

Table XX Estimated Average Expected Lifetime, by County, Oklahoma, 1984 220-221

TECHNICAL APPENDIX 222

DEFINITIONS 222

RATES AND RATIOS 223

NOTE ON THE USE OF RATES 224

GENERAL PATTERN OF VITAL STATISTICS REGISTRATION IN OKLAHOMA 225

Examples of Certificates in Use in Oklahoma

Figure 1. Certificate of Live Birth 226

Figure 2. Certificate of Death-Attending Physician 227

Figure 3. Certificate of Death-Medical Examiner 227

Figure 4. Certificate of Fetal Deaths (Stillbirth) 228

METHODOLOGY

In order to facilitate understanding of the various tables presented throughout this volume, the mode by which the data is compiled is discussed.

Sources of Vital Statistics Data

The source documents for the natality and mortality data were the certificates of live births, deaths, and fetal deaths which were received in the Oklahoma State Department of Health prior to April 15, 1985.

Since most birth and death statistics are tabulated according to place of residence rather than where the event occurred, Oklahoma participates in a record exchange with other states so that those Oklahoma residents who give birth or die out-of-state can be included in the Oklahoma figures. Births and deaths are also reallocated within the state to the county of residence for statistical purposes.

Data relating to marriages and divorces was tabulated from monthly reports received from the court clerks of the county where the event occurred. Marriage and divorce data are tabulated by county of occurrence only.

Information obtained from the Certificates

The staff of Public Health Statistics code the information on the certificates in order that the data can be computerized for ease of retrieval. The data coded on the birth certificates incorporates various Socio-demographic characteristics of the parents and information about the infant (e. g., birth weight). The data coded on the death certificates includes socio-demographic data about the deceased, the underlying cause of death, and the National Safety Council accident codes if the cause of death was an accident.

Cause of Death Classification

The underlying cause of death is determined from the medical certification section of the death certificates in accordance with procedures established by the National Center for Health Statistics. Codes are assigned from the Ninth Revision, International Classification of Diseases, Adapted for the International Community, 1975 (ICDA).

In several tables, individual causes of death have been grouped into 34 causes. The leading causes were selected by a further grouping of the 34 causes.

HOW TO OBTAIN A COPY OF YOUR BIRTH CERTIFICATE

Births are recorded in the State where the birth occurs. For persons born outside Oklahoma, the State of Birth should be contacted in order to obtain copies of the Birth record.

For the Oklahoma born, application for a certified copy of the Birth is made by writing to the Vital Records Section, State Department of Health, Northeast 10th & Stonewall, P.O. Box 53551, Oklahoma City, Oklahoma 73152. A fee of five ($5.00) dollars must be enclosed to cover the cost of a search of the files and the issuing of a certified copy of birth certificate if a record is found. A self-addressed stamped envelope is helpful also.

If the birth has not been recorded for a child, please contact the State Department of Health, Vital Records Section.

Birth certificates were first recorded by the Division of Vital Statistics in 1908.

DEATH CERTIFICATES

The certificate of Death must be filed with the local registrar within 3 days after the occurrence is known. The funeral director or other person in charge of interment is responsible for completing the non-medical portion before filling the certificate with the local registrar. The physician, coroner. or county health officer, as appropriate, has the responsibility for completing the medical portion of the certificate of Death within twenty-four hours after receipt of the certificate.

The medical portion of the certificate contains such information as the cause of death, antecedent conditions leading to the cause of death, place and time of death, and other medical information necessary to properly classify the death.

For persons who die in Oklahoma, application for a certified copy of the death is made by writing to the Vital Records Section, State Department of Health, Northeast 10th & Stonewall, P.O. Box 53551, Oklahoma City, Oklahoma 73152. A fee of five ($5.00) dollars must be enclosed to cover the cost of a search of the files and the issuing of a certified copy of the death certificate if a record is found. A self-addressed stamped envelope is helpful also.

Death Certificates were first recorded by the Division of Vital Statistics in 1908.

MARRIAGES AND DIVORCES

All marriages and divorce records are on file with the Court Clerk of each county in which the Marriage or Divorce was granted.

REFERENCE TABLES

Symbols Used in Tables

-	Number or rate is zero
---	Data not available
0.0	Rate is more than zero but is less than 0.05
...	Item not applicable

The rates in the following tables are expressed per 100,000 population.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930- 1984

	1930		1931		1932	
POPULATION	2,396,040		2,390,100		2,384,100	
	Number	Rate	Number	Rate	Number	Rate
Live Births	42,505	1774.0	43,269	1810.3	41,039	1721.4
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths (Fetal Deaths)	1283	29.3	1057	23.8	1056	25.1
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	19,646	819.9	18,802	786.7	19,285	808.9
Deaths under 1 year	2581	60.7	2228	51.5	2052	50.0
Deaths under 1 month	1381	32.5	1234	28.5	1132	27.6
Tuberculosis (010-018)	1222	51.0	1232	51.5	1090	45.7
Syphilis (090-097)	73	3.0	70	2.9	73	3.1
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	922	38.5	640	26.8	590	24.7
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	1197	50.0	1250	52.3	1365	57.3
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	147	6.1	166	6.9	196	8.2
Major cardiovascular diseases (390-448)	4312	180.0	4479	187.4	4847	203.3
Diseases of the heart (390-398,402,404-448)	2538	105.9	2666	111.5	2839	119.1
Rheumatic fever & rheumatic hrt. disease (390-398)	231	9.6	223	9.3	259	10.9
Hypertensive heart disease with or without renal disease (402,404)	224	9.3	237	9.9	251	10.5
Ischemic heart disease (410-414)	1728	72.0	1833	76.7	1939	81.3
Other heart diseases (415-429)	355	14.8	373	15.6	390	16.4
Hypertension with/without renal disease (401,403)	87	3.6	135	5.6	126	5.3
Cerebrovascular disease (430-438)	1471	61.4	1500	62.8	1640	68.8
Atheriosclerosis (440)	164	6.8	135	5.6	184	7.7
Other diseases of arteries, arterioles & capillaries (441-448)	52	2.2	43	1.8	58	2.4
Pneumonia & influenza (480-487)	1895	79.1	2219	92.8	2692	112.9
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	127	5.3	122	5.1	103	4.3
Ulcer of stomach & duodenum (531-533)	124	5.2	121	5.1	113	4.7
Chronic liver disease & cirrhosis	85	3.5	80	3.3	76	3.2
Nephritis, nephrotic syndrome & nephrosis (580-589)	438	18.3	396	16.6	421	17.7
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	258	10.8	222	9.3	217	9.1
Certain conditions originating in the perinatal period (760-779)	958	39.7	822	34.4	802	33.6
Symptoms, signs & ill-defined conditions (780-799)	1086	45.3	807	33.8	691	29.0
All other diseases (Residual)	4731	197.3	4364	182.7	4155	173.9
Motor vehicle accidents (E810-E825)	511	21.[illegible]	442	18.5	463	19.4
All other accidents (E800-E807, E826-E949)	994	41.5	779	32.6	803	33.7
Suicide (E950-E959)	222	9.3	253	10.6	264	11.1
Homicide & legal intervention (E960-E978)	267	11.1	271	11.3	264	11.1
All other external causes (E979-E999)	86	3.6	67	2.8	70	2.9

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1933		1934		1935	
POPULATION	2,378,200		2,372,200		2,366,200	
	Number	Rate	Number	Rate	Number	Rate
Live Births	43,697	1837.4	47,302	1994.0	43,691	1846.5
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths (Fetal Deaths)	1126	25.1	1301	26.8	1269	28.2
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	20,309	854.0	21,373	901.0	21,091	891.3
Deaths under 1 year	2466	56.4	2864	60.5	2384	54.6
Deaths under 1 month	1291	29.5	1528	32.3	1277	29.2
Tuberculosis (010-018)	1134	47.7	1089	45.9	83	45.8
Syphilis (090-097)	73	3.1	84	3.5	66	3.6
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	828	34.8	855	36.0	696	29.4
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	1505	63.3	1569	66.1	1517	64.1
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	180	7.6	206	8.7	212	9.0
Major cardiovascular diseases (390-448)	5317	223.6	5341	225.1	5670	239.6
Diseases of the heart (390-398,402,404-448)	3161	132.9	3119	131.5	3457	146.1
Rheumatic fever & rheumatic hrt. disease (390-398)	263	11.1	256	10.8	260	11.0
Hypertensive heart disease with or without renal disease (402,404)	282	11.9	279	11.8	313	13.2
Ischemic heart disease (410-414)	2182	91.8	2159	91.0	2414	102.0
Other heart diseases (415-429)	434	18.2	425	17.9	470	19.8
Hypertension with/without renal disease (401,403)	142	6.0	155	6.5	161	6.8
Cerebrovascular disease (430-438)	1732	72.8	1757	74.1	1793	75.8
Atheriosclerosis (440)	214	9.0	235	9.9	197	8.3
Other diseases of arteries, arterioles & capillaries (441-448)	68	2.9	75	3.2	62	2.6
Pneumonia & influenza (480-487)	2575	108.3	2309	97.3	2661	112.5
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	122	5.1	128	5.4	126	5.3
Ulcer of stomach & duodenum (531-533)	120	5.0	126	5.3	120	5.1
Chronic liver disease & cirrhosis	89	3.7	88	3.7	91	3.8
Nephritis, nephrotic syndrome & nephrosis (580-589)	399	16.8	443	18.7	477	20.2
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	232	9.8	293	12.4	235	9.9
Certain conditions originating in the perinatal period (760-779)	858	36.1	1081	45.6	868	36.7
Symptoms, signs & ill-defined conditions (780-799)	742	31.2	799	33.7	729	30.8
All other diseases (Residual)	4225	177.5	4900	206.5	4410	186.4
Motor vehicle accidents (E810-E825)	511	21.5	613	25.8	683	28.9
All other accidents (E800-E807, E826-E949)	789	33.2	857	36.1	887	37.5
Suicide (E950-E959)	230	9.7	214	9.0	240	10.1
Homicide & legal intervention (E960-E978)	312	13.1	304	12.4	224	9.5
All other external causes (E979-E999)	68	2.9	74	3.1	76	3.2

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1936		1937		1938	
POPULATION	2,360,300		2,354,300		2,348,400	
	Number	Rate	Number	Rate	Number	Rate
Live Births	41,815	1771.6	41,223	1751.0	44,190	1881.7
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths (Fetal Deaths)	1182	27.5	1170	27.6	1215	26.8
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	23,250	985.0	21,399	908.9	20,422	869.6
Deaths under 1 year	2509	60.0	2354	57.1	2202	49.8
Deaths under 1 month	1368	32.7	1329	32.2	1285	29.1
Tuberculosis (010-018)	1212	51.3	1163	49.4	1054	44.9
Syphilis (090-097)	95	4.0	87	3.7	99	4.2
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	843	35.7	687	29.2	549	23.4
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	1709	72.4	1846	78.4	1816	77.3
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	253	10.7	220	9.3	232	9.9
Major cardiovascular diseases (390-448)	6199	262.6	5777	245.4	5970	254.2
Diseases of the heart (390-398,402,404-448)	3824	162.0	3629	154.1	3751	159.7
Rheumatic fever & rheumatic hrt. disease (390-398)	284	12.0	248	10.5	261	11.1
Hypertensive heart disease with or without renal disease (402,404)	347	14.7	332	14.1	343	14.6
Ischemic heart disease (410-414)	2678	113.5	2562	108.8	2649	112.8
Other heart diseases (415-429)	515	21.8	487	20.6	498	21.3
Hypertension with/without renal disease (401,403)	168	7.1	110	4.7	97	4.1
Cerebrovascular disease (430-438)	1870	79.2	1738	73.8	1807	76.9
Atherosclerosis (440)	256	10.8	228	9.7	239	10.2
Other diseases of arteries, arterioles & capillaries (441-448)	81	3.4	72	3.1	76	3.2
Pneumonia & influenza (480-487)	3411	144.5	2752	116.9	1816	77.3
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	127	5.4	111	4.7	112	4.8
Ulcer of stomach & duodenum (531-533)	114	4.8	110	4.7	107	4.6
Chronic liver disease & cirrhosis (571)	95	4.0	81	3.4	79	3.4
Nephritis, nephrotic syndrome & nephrosis (580-589)	531	22.5	571	24.3	535	22.8
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-		-	-
Congenital anomalies (740-759)	256	10.8	261	11.1	252	10.7
Certain conditions originating in the perinatal period (760-779)	946	40.1	963	40.9	931	39.6
Symptoms, signs & ill-defined conditions (780-799)	786	33.3	865	36.7	939	40.0
All other diseases (Residual)	4384	186.1	3979	169.1	3962	168.7
Motor vehicle accidents (E810-E825)	656	27.8	632	26.8	588	25.0
All other accidents (E800-E807, E826-E949)	1081	45.8	802	34.1	878	37.4
Suicide (E950-E959)	225	9.5	254	10.8	252	10.7
Homicide & legal intervention (E960-E978)	222	9.4	169	7.2	175	7.5
All other external causes (E979-E999)	93	3.9	69	2.9	76	3.2

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1939		1940		1941	
POPULATION	2,342,400		2,336,434		2,326,100	
	Number	Rate	Number	Rate	Number	Rate
Live Births	42,760	1825.5	44,258	1894.3	45,313	1948.0
Physician in hospital	-	-	17,740	40.1	20,999	46.3
Physician not in hospital	-	-	25,216	57.0	22,677	50.0
Midwife, other, or unknown	-	-	1302	2.9	1637	3.6
Stillbirths (Fetal Deaths)	1277	29.0	1298	28.5	1252	26.9
Physician in hospital	-	-	583	44.9	553	44.2
Physician not in hospital	-	-	661	50.9	648	51.8
Midwife, other, or unknown	-	-	54	4.2	51	4.1
Total deaths, all causes	20,657	881.9	20,618	882.5	20,097	864.0
Deaths under 1 year	2187	51.1	2236	50.5	2181	48.1
Deaths under 1 month	1377	32.2	1319	29.8	1377	30.4
Tuberculosis (010-018)	1066	42.9	1054	45.1	996	42.8
Syphilis (090-097)	90	3.8	88	3.8	75	3.2
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	610	26.1	557	23.8	363	15.6
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	1863	79.5	1962	84.0	1960	84.3
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	232	9.9	228	9.8	235	10.1
Major cardiovascular diseases (390-448)	6491	277.1	6731	288.1	6934	298.1
Diseases of the heart (390-398,402,404-429)	3871	165.3	4255	182.1	4636	199.3
Rheumatic fever & rheumatic hrt. disease (390-398)	282	12.0	335	14.3	343	14.7
Hypertensive heart disease with or without renal disease (402,404)	353	15.1	387	16.6	424	18.2
Ischemic heart disease (410-414)	2729	116.5	2985	127.8	3275	140.8
Other heart diseases (415-429)	507	21.6	548	23.4	594	25.6
Hypertension with/without renal disease (401,403)	161	6.9	181	7.7	119	5.1
Cerebrovascular disease (430-438)	2066	88.2	1986	85.0	1904	81.9
Atheriosclerosis (440)	299	12.8	235	10.1	209	9.0
Other diseases of arteries, arterioles & capillaries (441-448)	94	4.0	74	3.2	66	2.8
Pneumonia & influenza (480-487)	1821	77.7	1889	80.8	1636	70.3
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	115	4.9	100	4.3	94	4.0
Ulcer of stomach & duodenum (531-533)	128	5.5	95	4.1	87	3.7
Chronic liver disease & cirrhosis (571)	86	3.7	99	4.2	79	3.4
Nephritis, nephrotic syndrome & nephrosis (580-589)	459	19.6	531	22.7	476	20.5
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	265	11.3	277	11.9	295	12.7
Certain conditions originating in the perinatal period (760-779)	980	41.8	1022	43.7	1088	46.8
Symptoms, signs & ill-defined conditions (780-799)	977	41.7	971	41.6	887	38.1
All other diseases (Residual)	3723	158.9	3399	145.4	3174	136.2
Motor vehicle accidents (E810-E825)	518	22.1	473	20.2	510	21.9
All other accidents (E800-E807, E826-E949)	837	35.7	741	31.7	803	34.5
Suicide (E950-E959)	211	9.0	188	8.0	198	8.5
Homicide & legal intervention (E960-E978)	172	7.3	149	6.4	137	5.9
All other external causes (E979-E999)	73	3.1	64	2.7	70	3.0

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930- 1984

	1942		1943		1944	
POPULATION	2,315,800		2,305,500		2,295,200	
	Number	Rate	Number	Rate	Number	Rate
Live Births	45,277	1955.1	47,800	2073.3	46,885	2042.7
Physician in hospital	24,812	54.8	29,180	61.0	31,580	67.4
Physician not in hospital	18,985	41.9	17,064	35.7	13,510	28.8
Midwife, other, or unknown	1480	3.3	1556	3.3	1795	3.8
Stillbirths (Fetal Deaths)	911	19.7	928	19.0	964	20.1
Physician in hospital	511	56.1	575	62.0	631	65.5
Physician not in hospital	383	42.0	311	33.5	313	32.5
Midwife, other, or unknown	17	1.9	42	4.5	20	2.1
Total deaths, all causes	18,985	819.8	19,765	857.3	18,796	818.9
Deaths under 1 year	1901	42.0	2071	43.3	1874	40.0
Deaths under 1 month	1156	25.5	1273	26.6	1131	24.1
Tuberculosis (010-018)	912	39.4	870	37.7	836	36.4
Syphilis (090-097)	57	2.5	70	3.0	61	2.7
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	363	15.6	392	17.0	373	16.2
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	1967	84.9	1958	84.9	2054	89.5
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	230	9.9	263	11.4	224	9.8
Major cardiovascular diseases (390-448)	6962	300.6	7467	323.9	7096	309.2
Diseases of the heart (390-398,402,404- 429)	4518	195.1	4768	206.8	4631	201.8
Rheumatic fever & rheumatic hrt. disease (390-398)	330	14.2	351	15.2	339	14.8
Hypertensive heart disease with or without renal disease (402,404)	414	17.9	438	19.0	426	18.6
Ischemic heart disease (410-414)	3200	138.2	3381	146.6	3291	143.4
Other heart diseases (415-429)	574	24.8	598	26.0	575	25.0
Hypertension with/without renal disease (401,403)	123	5.3	203	8.8	200	8.7
Cerebrovascular disease (430-438)	2017	87.1	2142	92.9	1948	84.9
Atheriosclerosis (440)	231	10.0	269	11.7	241	10.5
Other diseases of arteries, arterioles & capillaries (441-448)	73	3.2	85	3.7	76	3.3
Pneumonia & influenza (480-487)	1137	49.1	1224	53.1	1225	53.4
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	99	4.3	103	4.5	121	5.3
Ulcer of stomach & duodenum (531-533)	90	3.9	87	3.8	104	4.5
Chronic liver disease & cirrhosis (571)	85	3.7	95	4.1	70	3.0
Nephritis, nephrotic syndrome & nephrosis (580-589)	420	18.1	455	19.7	415	18.1
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	237	10.2	271	11.8	250	10.9
Certain conditions originating in the perinatal period (760-779)	874	37.7	1000	43.4	924	40.3
Symptoms, signs & ill-defined conditions (780-799)	931	40.2	1049	45.5	477	20.8
All other diseases (Residual)	2951	127.9	2889	125.3	3040	132.4
Motor vehicle accidents (E810-E825)	342	14.8	293	12.7	329	14.3
All other accidents (E800-E807, E826-E949)	947	40.9	953	41.3	887	38.6
Suicide (E950-E959)	161	7.0	144	6.2	142	6.2
Homicide & legal intervention (E960-E978)	129	5.6	100	4.3	92	4.0
All other external causes (E979-E999)	81	3.5	82	3.6	76	3.3

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930- 1984

	1945		1946		1947	
POPULATION	2,284,900		2,274,600		2,264,300	
	Number	Rate	Number	Rate	Number	Rate
Live Births	43,405	1889.6	50,043	2200.1	52,691	2327.0
Physician in hospital	39,194	71.9	38,786	77.5	41,424	78.6
Physician not in hospital	10,729	24.7	9752	19.5	9832	18.7
Midwife, other, or unknown	1482	3.4	1505	3.0	1435	2.7
Stillbirths (Fetal Deaths)	1097	24.7	1093	21.4	1043	19.4
Physician in hospital	730	66.5	789	72.2	756	72.5
Physician not in hospital	339	30.9	273	25.0	254	24.4
Midwife, other, or unknown	28	2.6	31	2.8	33	3.2
Total deaths, all causes	18,731	819.8	18,420	809.8	19,101	843.6
Deaths under 1 year	1727	39.8	1641	32.8	1716	32.6
Deaths under 1 month	1100	25.3	1135	22.7	1190	22.6
Tuberculosis (010-018)	771	33.7	660	29.0	663	29.3
Syphilis (090-097)	58	2.5	64	2.8	59	2.6
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	301	13.1	210	9.2	205	9.0
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	2212	96.8	2224	97.8	2354	104.0
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	245	10.7	237	10.4	243	10.7
Major cardiovascular diseases (390-448)	7208	315.5	7495	329.5	7980	352.4
Diseases of the heart (390-398,402,404-448)	4605	201.5	4831	212.4	5215	230.3
Rheumatic fever & rheumatic hrt. disease (390-398)	287	12.6	286	12.6	237	10.5
Hypertensive heart disease with or without renal disease (402,404)	429	18.8	453	19.9	497	21.9
Ischemic heart disease (410-414)	3316	145.1	3497	153.7	3836	169.4
Other heart diseases (415-429)	573	25.0	595	26.2	645	28.5
Hypertension with/without renal disease (401,403)	271	11.9	245	10.8	293	12.9
Cerebrovascular disease (430-438)	2006	87.8	2090	91.9	2118	93.5
Atheriosclerosis (440)	247	10.8	250	11.0	269	11.9
Other diseases of arteries, arterioles & capillaries (441-448)	79	3.5	79	3.5	85	3.8
Pneumonia & influenza (480-487)	1023	44.8	896	39.4	928	41.0
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	98	4.3	87	3.8	94	4.2
Ulcer of stomach & duodenum (531-533)	68	3.0	79	3.5	89	3.9
Chronic liver disease & cirrhosis	84	3.7	109	4.8	94	4.2
Nephritis, nephrotic syndrome & nephrosis (580-589)	403	17.6	369	16.2	366	16.2
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	213	9.3	267	11.7	263	11.6
Certain conditions originating in the perinatal period (760-779)	844	36.9	929	40.8	933	41.2
Symptoms, signs & ill-defined conditions (780-799)	813	35.6	694	30.5	713	31.5
All other diseases (Residual)	2650	116.0	2391	105.0	2318	102.4
Motor vehicle accidents (E810-E825)	428	18.7	530	23.3	526	23.2
All other accidents (E800-E807, E826-E949)	948	41.5	824	36.2	907	40.1
Suicide (E950-E959)	147	6.4	156	6.9	137	6.1
Homicide & legal intervention (E960-E978)	135	5.9	128	5.6	150	6.6
All other external causes (E979-E999)	82	3.6	71	3.1	79	3.5

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I

RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1948		1949		1950	
POPULATION	2,254,000		2,243,700		2,233,351	
	Number	Rate	Number	Rate	Number	Rate
Live Births	50,428	2237.3	49,971	2227.2	50,472	2259.9
Physician in hospital	40,545	80.4	41,078	82.2	42,543	84.3
Physician not in hospital	8426	16.7	7507	15.0	6567	13.0
Midwife, other, or unknown	1457	2.9	1386	2.8	1362	2.7
Stillbirths (Fetal Deaths)	914	17.8	860	16.9	825	16.1
Physician in hospital	702	76.8	655	76.2	669	81.1
Physician not in hospital	179	19.6	167	19.4	124	15.0
Midwife, other, or unknown	33	3.6	38	4.4	32	3.9
Total deaths, all causes	19,074	846.2	19,346	862.2	19,431	870.0
Deaths under 1 year	1721	34.1	1529	30.6	1509	29.9
Deaths under 1 month	1184	23.5	1090	21.8	1067	21.1
Tuberculosis (010-018)	583	25.9	514	22.9	487	21.8
Syphilis (090-097)	54	2.4	47	2.1	42	1.9
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	227	10.1	215	9.6	185	8.3
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	2490	110.5	2588	114.0	2682	120.1
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	270	12.0	305	13.6	315	14.1
Major cardiovascular diseases (390-448)	8161	362.1	8533	380.3	8820	394.9
Diseases of the heart (390-398,402,404-448)	5456	242.1	5656	252.1	5849	261.9
Rheumatic fever & rheumatic hrt. disease (390-398)	257	11.4	260	11.6	245	11.0
Hypertensive heart disease with or without renal disease (402,404)	520	23.1	540	24.1	518	23.1
Ischemic heart disease (410-414)	4013	178.0	4173	186.0	4290	192.1
Other heart diseases (415-429)	665	29.5	683	30.5	796	35.6
Hypertension with/without renal disease (401,403)	248	11.0	258	11.5	257	11.5
Cerebrovascular disease (430-438)	2114	93.8	2204	98.2	2253	100.9
Atherosclerosis (440)	260	11.5	315	14.0	350	15.7
Other diseases of arteries, arterioles & capillaries (441-448)	83	3.7	100	4.5	111	5.0
Pneumonia & influenza (480-487)	773	34.3	652	29.1	813	36.4
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	86	3.8	83	3.7	104	4.7
Ulcer of stomach & duodenum (531-533)	71	3.1	89	4.0	111	5.0
Chronic liver disease & cirrhosis	127	5.6	118	5.3	142	6.4
Nephritis, nephrotic syndrome & nephrosis (580-589)	374	16.6	386	17.2	348	15.6
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	235	10.4	244	10.9	245	11.0
Certain conditions originating in the perinatal period (760-779)	957	42.5	888	39.6	903	40.4
Symptoms, signs & ill-defined conditions (780-799)	657	29.1	580	25.9	512	22.9
All other diseases (Residual)	2304	102.2	2351	104.8	2058	92.2
Motor vehicle accidents (E810-E825)	539	23.9	549	24.5	521	23.3
All other accidents (E800-E807, E826-E949)	802	35.6	859	38.3	777	34.8
Suicide (E950-E959)	169	7.5	172	7.7	185	8.3
Homicide & legal intervention (E960-E978)	126	5.6	129	5.7	114	5.1
All other external causes (E979-E999)	69	3.1	74	3.3	67	3.0

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1951		1952		1953	
POPULATION	2,242,800		2,252,300		2,261,800	
	Number	Rate	Number	Rate	Number	Rate
Live Births	50,597	2256.0	50,146	2226.4	51,275	2267.0
Physician in hospital	43,971	86.9	44,796	89.3	46,633	90.9
Physician not in hospital	5466	10.8	4300	8.6	3567	7.0
Midwife, other, or unknown	1160	2.3	1050	2.1	1075	2.1
Stillbirths (Fetal Deaths)	764	14.9	767	15.1	817	15.7
Physician in hospital	662	86.6	650	84.7	685	83.8
Physician not in hospital	82	10.7	98	12.8	110	13.5
Midwife, other, or unknown	20	2.6	19	2.5	22	2.7
Total deaths, all causes	20,082	895.4	19,645	872.2	19,820	876.3
Deaths under 1 year	1560	30.8	1441	28.7	1466	28.6
Deaths under 1 month	1120	22.2	1033	20.6	1025	20.0
Tuberculosis (010-018)	411	18.3	310	13.8	241	10.7
Syphilis (090-097)	39	1.7	33	1.5	32	1.4
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	167	7.4	191	8.5	179	7.9
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	2843	126.8	3040	135.0	2939	129.9
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	319	14.2	307	13.6	348	15.4
Major cardiovascular diseases (390-448)	9340	416.4	9103	404.2	9267	1.3
Diseases of the heart (390-398,402,404-429)	6077	271.0	6015	267.1	6080	268.8
Rheumatic fever & rheumatic hrt. disease (390-398)	254	11.3	230	10.2	175	7.7
Hypertensive heart disease with or without renal disease (402,404)	513	22.9	473	21.0	436	19.3
Ischemic heart disease (410-414)	4571	203.8	4679	207.7	4774	211.1
Other heart diseases (415-429)	739	33.0	633	28.1	695	30.8
Hypertension with/without renal disease (401,403)	230	10.3	213	9.5	235	10.4
Cerebrovascular disease (430-438)	2544	113.4	2450	108.8	2473	109.3
Atherosclerosis (440)	390	17.4	337	15.0	370	16.4
Other diseases of arteries, arterioles & capillaries (441-448)	99	4.4	88	3.9	109	4.8
Pneumonia & influenza (480-487)	635	28.3	703	31.2	863	38.2
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	89	4.0	97	4.3	118	5.2
Ulcer of stomach & duodenum (531-533)	94	4.2	99	4.4	98	4.3
Chronic liver disease & cirrhosis (571)	152	6.8	128	5.7	133	5.9
Nephritis, nephrotic syndrome & nephrosis (580-589)	348	15.5	305	13.5	291	12.9
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	275	12.3	244	10.8	246	10.9
Certain conditions originating in the perinatal period (760-779)	891	39.7	832	36.9	860	38.0
Symptoms, signs & ill-defined conditions (780-799)	537	23.9	499	22.2	609	26.9
All other diseases (Residual)	2144	95.7	1971	87.4	1838	81.3
Motor vehicle accidents (E810-E825)	576	25.7	615	27.3	606	26.8
All other accidents (E800-E807, E826-E949)	856	38.2	810	36.0	777	34.4
Suicide (E950-E959)	176	7.8	163	7.2	186	8.2
Homicide & legal intervention (E960-E978)	116	5.2	126	5.6	122	5.4
All other external causes (E979-E999)	74	3.3	69	3.1	67	3.0

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1954		1955		1956	
POPULATION	2,271,300		2,280,000		2,290,300	
	Number	Rate	Number	Rate	Number	Rate
Live Births	51,457	2265.5	50,636	2220.1	51,894	2265.8
Physician in hospital	47,259	91.8	47,262	93.3	48,980	94.4
Physician not in hospital	3289	6.4	2594	5.1	2222	4.3
Midwife, other, or unknown	909	1.8	780	1.5	692	1.3
Stillbirths (Fetal Deaths)	787	15.1	732	14.3	720	13.7
Physician in hospital	696	88.4	660	90.2	659	91.5
Physician not in hospital	71	9.0	55	7.5	48	6.7
Midwife, other, or unknown	20	2.5	17	2.3	13	1.8
Total deaths, all causes	20,121	885.9	19,705	864.0	20,954	914.9
Deaths under 1 year	1394	27.1	1338	26.4	1376	26.5
Deaths under 1 month	1011	19.6	1006	19.9	971	18.7
Tuberculosis (010-018)	228	10.0	181	7.9	189	8.3
Syphilis (090-097)	31	1.4	16	0.7	17	0.7
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	205	9.0	176	7.7	190	8.3
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	3043	134.0	3122	136.9	3232	141.1
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	323	14.2	322	14.1	289	12.6
Major cardiovascular diseases (390-448)	9667	425.6	9636	422.5	10,524	459.5
Diseases of the heart (390-398,402,404-448)	6305	277.6	6521	285.9	6924	302.3
Rheumatic fever & rheumatic hrt. disease (390-398)	204	9.0	201	8.8	182	7.9
Hypertensive heart disease with or without renal disease (402,404)	476	21.0	417	18.3	429	18.7
Ischemic heart disease (410-414)	4953	218.1	5236	229.6	5649	246.6
Other heart diseases (415-429)	672	29.6	667	29.3	664	28.9
Hypertension with/without renal disease (401,403)	212	9.3	183	8.0	216	9.4
Cerebrovascular disease (430-438)	2616	115.2	2404	105.4	2780	121.4
Atheriosclerosis (440)	420	18.5	433	19.0	436	19.0
Other diseases of arteries, arterioles & capillaries (441-448)	114	5.0	95	4.2	168	7.3
Pneumonia & influenza (480-487)	599	26.4	600	26.3	637	27.8
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	96	4.2	105	4.6	155	6.8
Ulcer of stomach & duodenum (531-533)	90	4.0	128	5.6	120	5.2
Chronic liver disease & cirrhosis (571)	154	6.8	132	5.8	141	6.2
Nephritis, nephrotic syndrome & nephrosis (580-589)	288	12.7	209	9.2	244	10.7
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	240	10.6	251	11.0	273	11.9
Certain conditions originating in the perinatal period (760-779)	829	36.5	821	36.0	768	33.5
Symptoms, signs & ill-defined conditions (780-799)	631	27.8	553	24.2	684	29.9
All other diseases (Residual)	1928	84.8	1722	75.5	1729	75.6
Motor vehicle accidents (E810-E825)	607	26.7	621	27.2	689	30.1
All other accidents (E800-E807, E826-E949)	827	36.4	738	32.4	741	32.4
Suicide (E950-E959)	159	7.0	205	9.0	163	7.1
Homicide & legal intervention (E960-E978)	104	4.6	103	4.5	105	4.6
All other external causes (E979-E999)	72	3.2	64	2.8	64	2.8

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1957		1958		1959	
POPULATION	2,299,800		2,309,300		2,318,800	
	Number	Rate	Number	Rate	Number	Rate
Live Births	51,349	2232.8	50,552	2189.1	51,141	2205.5
Physician in hospital	48,929	95.3	48,472	95.9	49,311	96.4
Physician not in hospital	1765	3.4	1468	2.9	1262	2.5
Midwife, other, or unknown	655	1.3	612	1.2	568	1.1
Stillbirths (Fetal Deaths)	665	12.8	671	13.1	684	13.2
Physician in hospital	614	92.3	627	93.4	628	91.8
Physician not in hospital	36	5.4	35	5.2	42	6.1
Midwife, other, or unknown	15	2.3	9	1.3	14	2.0
Total deaths, all causes	21,568	937.8	21,812	944.5	21,996	948.6
Deaths under 1 year	1307	25.5	1373	27.2	1235	24.1
Deaths under 1 month	934	18.2	1008	19.9	887	17.3
Tuberculosis (010-018)	155	6.7	160	6.9	133	5.7
Syphilis (090-097)	22	1.0	14	0.6	19	0.8
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	230	10.0	165	7.1	198	8.6
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	3307	143.8	3223	139.6	3418	147.4
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	323	14.0	278	12.0	345	14.9
Major cardiovascular diseases (390-448)	10,697	465.1	10,882	471.2	11,012	474.9
Diseases of the heart (390-398,402,404-448)	7101	308.8	7299	316.1	7318	315.6
Rheumatic fever & rheumatic hrt. disease (390-398)	183	8.0	188	8.1	179	7.7
Hypertensive heart disease with or without renal disease (402,404)	422	18.3	371	16.1	356	15.4
Ischemic heart disease (410-414)	5865	255.0	6086	263.5	6157	265.5
Other heart diseases (415-429)	631	27.5	654	28.3	626	27.0
Hypertension with/without renal disease (401,403)	201	8.7	192	8.3	188	8.1
Cerebrovascular disease (430-438)	2804	121.9	2845	123.2	2928	126.3
Atherioscleresis (440)	427	18.6	393	17.0	397	17.1
Other diseases of arteries, arterioles & capillaries (441-448)	164	7.1	153	6.6	181	7.8
Pneumonia & influenza (480-487)	821	35.7	748	32.4	628	27.1
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	164	7.1	171	7.4	216	9.3
Ulcer of stomach & duodenum (531-533)	127	5.5	127	5.5	117	5.0
Chronic liver disease & cirrhosis (571)	167	7.3	177	7.7	146	6.3
Nephritis, nephrotic syndrome & nephrosis (580-589)	242	10.5	216	9.4	206	8.9
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	236	10.3	257	11.1	260	11.2
Certain conditions originating in the perinatal period (760-779)	746 787	32.4	793	34.3	708	30.5
Symptoms, signs & ill-defined conditions (780-799)	1720	34.2	836	36.2	890	38.4
All other diseases (Residual)	722	74.9	1925	83.4	1856	80.0
Motor vehicle accidents (E810-E825)	758	31.4	695	30.1	647	27.9
All other accidents (E800-E807, E826-E949)	176	33.0	764	33.1	806	34.8
Suicide (E950-E959)	102	7.7	196	8.5	202	8.7
Homicide & legal intervention (E960-E978)	65	4.4	119	5.2	120	5.2
All other external causes (E979-E999)		2.8	66	2.9	69	3.0

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1960		1961		1962	
POPULATION	2,328,284		2,351,400		2,374,500	
	Number	Rate	Number	Rate	Number	Rate
Live Births	50,900	2186.2	50,859	2162.9	51,351	2162.6
Physician in hospital	49,318	96.9	49,422	97.2	50,119	97.6
Physician not in hospital	1087	2.1	1007	2.0	824	1.6
Midwife, other, or unknown	495	1.0	430	0.8	408	0.8
Stillbirths (Fetal Deaths)	684	13.3	643	12.5	629	12.1
Physician in hospital	655	95.8	603	93.8	606	96.3
Physician not in hospital	20	2.9	36	5.6	19	3.0
Midwife, other, or unknown	9	1.3	4	0.6	4	0.6
Total deaths, all causes	22,932	984.9	22,973	977.0	24,005	1010.9
Deaths under 1 year	1297	25.5	1226	24.1	1219	23.7
Deaths under 1 month	939	18.4	882	17.3	933	18.2
Tuberculosis (010-018)	157	6.7	130	5.5	147	6.2
Syphilis (090-097)	13	0.6	11	0.5	15	0.6
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	204	8.8	199	8.5	182	7.7
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	3463	148.7	3600	153.1	3692	155.5
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	399	17.1	380	16.2	409	17.2
Major cardiovascular diseases (390-448)	11,348	487.4	11,639	495.0	12,489	526.0
Diseases of the heart (390-398,402,404-429)	7522	323.1	7944	337.8	8520	358.8
Rheumatic fever & rheumatic hrt. disease (390-398)	152	6.5	134	5.7	148	6.2
Hypertensive heart disease with or without renal disease (402,404)	362	15.5	337	14.3	331	13.9
Ischemic heart disease (410-414)	6367	273.5	6821	290.1	7428	312.8
Other heart diseases (415-429)	641	27.6	652	27.7	613	25.8
Hypertension with/without renal disease (401,403)	155	6.7	161	6.8	147	6.2
Cerebrovascular disease (430-438)	3040	130.6	2908	123.7	3171	133.5
Atheriosclerosis (440)	443	19.0	422	17.9	465	19.6
Other diseases of arteries, arterioles & capillaries (441-448)	188	8.1	204	8.7	186	7.8
Pneumonia & influenza (480-487)	817	35.1	601	25.6	767	32.3
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	219	9.4	256	10.9	267	11.2
Ulcer of stomach & duodenum (531-533)	125	5.4	151	6.4	146	6.1
Chronic liver disease & cirrhosis	182	7.8	186	7.9	203	8.5
Nephritis, nephrotic syndrome & nephrosis (580-589)	182	7.8	181	7.7	202	8.5
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	256	11.0	259	11.0	238	10.0
Certain conditions originating in the perinatal period (760-779)	740	31.8	688	29.3	740	31.2
Symptoms, signs & ill-defined conditions (780-799)	973	41.8	990	42.1	571	24.0
All other diseases (Residual)	1890	81.2	1807	76.9	1989	83.8
Motor vehicle accidents (E810-E825)	686	29.5	742	31.6	708	29.8
All other accidents (E800-E807, E826-E949)	842	36.2	783	33.3	847	35.7
Suicide (E950-E959)	228	9.8	196	8.3	204	8.6
Homicide & legal intervention (E960-E978)	135	5.8	107	4.6	116	4.9
All other external causes (E979-E999)	73	3.1	67	2.8	73	3.1

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1963		1964		1965	
POPULATION	2,397,000		2,420,800		2,443,900	
	Number	Rate	Number	Rate	Number	Rate
Live Births	49,955	2083.5	47,563	1964.8	42,806	1751.5
Physician in hospital	48,787	97.7	46,681	98.1	42,080	98.3
Physician not in hospital	775	1.6	520	1.1	423	1.0
Midwife, other, or unknown	393	0.8	362	0.8	303	0.7
Stillbirths (Fetal Deaths)	606	12.0	647	13.4	564	13.0
Physician in hospital	577	95.2	618	95.5	543	96.3
Physician not in hospital	26	4.3	25	3.9	18	3.2
Midwife, other, or unknown	3	0.5	4	0.6	3	0.5
Total deaths, all causes	24,458	1020.1	24,194	999.4	24,304	994.5
Deaths under 1 year	1218	24.4	1077	22.6	1028	24.0
Deaths under 1 month	900	18.0	794	16.7	716	16.7
Tuberculosis (010-018)	154	6.4	128	5.3	112	4.6
Syphilis (090-097)	16	0.7	15	0.6	13	0.5
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	168	7.0	171	7.1	135	5.5
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	3715	154.9	3850	159.0	3860	157.9
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	397	16.6	374	15.4	427	17.5
Major cardiovascular diseases (390-448)	12,803	534.0	12,659	522.9	12,878	526.9
Diseases of the heart (390-398,402,404-448)	8760	365.4	8684	358.7	8753	358.2
Rheumatic fever & rheumatic hrt. disease (390-398)	145	6.0	141	5.8	103	4.2
Hypertensive heart disease with or without renal disease (402,404)	302	12.6	281	11.6	268	11.0
Ischemic heart disease (410-414)	7644	318.8	7621	314.8	7713	315.6
Other heart diseases (415-429)	669	27.9	641	26.4	669	27.3
Hypertension with/without renal disease (401,403)	155	6.5	158	6.5	145	5.9
Cerebrovascular disease (430-438)	3180	132.6	3135	129.5	3237	132.5
Atheriosclerosis (440)	498	20.8	445	18.4	491	20.1
Other diseases of arteries, arterioles & capillaries (441-448)	210	8.8	237	9.8	252	10.3
Pneumonia & influenza (480-487)	841	35.1	709	29.3	760	31.1
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	336	14.0	327	13.5	423	17.3
Ulcer of stomach & duodenum (531-533)	146	6.1	150	6.2	137	5.6
Chronic liver disease & cirrhosis	253	10.6	242	10.0	240	9.4
Nephritis, nephrotic syndrome & nephrosis (580-589)	195	8.1	181	7.5	201	8.2
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	253	10.6	250	10.3	223	9.1
Certain conditions originating in the perinatal period (760-779)	709	29.6	628	25.9	568	23.2
Symptoms, signs & ill-defined conditions (780-799)	550	22.9	598	24.7	582	23.8
All other diseases (Residual)	1972	82.3	1896	78.4	1789	73.1
Motor vehicle accidents (E810-E825)	711	29.7	798	33.0	777	31.8
All other accidents (E800-E807, E826-E949)	848	35.4	813	33.6	756	30.9
Suicide (E950-E959)	197	8.2	202	8.2	233	9.5
Homicide & legal intervention (E960-E978)	121	5.0	132	5.5	124	5.1
All other external causes (E979-E999)	73	3.0	71	2.9	66	2.7

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1966		1967		1968	
POPULATION	2,467,000		2,490,100		2,513,200	
	Number	Rate	Number	Rate	Number	Rate
Live Births	39,993	1621.1	40,102	1610.5	40,973	1630.3
Physician in hospital	39,477	98.7	39,721	99.0	40,641	99.2
Physician not in hospital	303	0.8	225	0.6	195	0.5
Midwife, other, or unknown	213	0.5	156	0.4	137	0.3
Stillbirths (Fetal Deaths)	488	12.1	470	11.6	504	12.2
Physician in hospital	470	96.3	454	96.6	494	98.0
Physician not in hospital	17	3.5	13	2.8	9	1.8
Midwife, other, or unknown	1	0.2	3	0.6	1	0.2
Total deaths, all causes	24,806	1005.5	24,859	998.3	25,708	1022.9
Deaths under 1 year	934	23.4	834	20.8	821	20.0
Deaths under 1 month	664	16.6	615	15.3	608	14.8
Tuberculosis (010-018)	87	3.5	98	3.9	76	3.0
Syphilis (090-097)	12	0.5	11	0.4	9	0.4
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	137	5.5	138	5.3	142	5.6
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	3938	159.6	3966	159.3	4155	165.3
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	468	19.0	440	17.7	469	18.7
Major cardiovascular diseases (390-448)	13,199	535.0	13,165	528.7	13,742	546.8
Diseases of the heart (390-398,402,404-429)	9180	372.1	9163	368.0	9547	379.9
Rheumatic fever & rheumatic hrt. disease (390-398)	116	4.7	94	3.8	113	4.5
Hypertensive heart disease with or without renal disease (402,404)	267	10.8	261	10.5	220	8.8
Ischemic heart disease (410-414)	8139	329.9	8119	326.1	8528	339.3
Other heart diseases (415-429)	653	26.8	689	27.7	686	27.3
Hypertension with/without renal disease (401,403)	143	5.8	126	5.1	157	6.2
Cerebrovascular disease (430-438)	3181	128.9	3159	126.9	3285	130.7
Atheriosclerosis (440)	486	19.7	489	19.6	492	19.6
Other diseases of arteries, arterioles & capillaries (441-448)	209	8.5	228	9.2	261	10.4
Pneumonia & influenza (480-487)	695	28.2	707	28.4	910	36.2
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	395	16.0	442	17.8	502	20.0
Ulcer of stomach & duodenum (531-533)	118	4.8	122	4.9	148	5.9
Chronic liver disease & cirrhosis	229	9.3	282	11.3	323	12.9
Nephritis, nephrotic syndrome & nephrosis (580-589)	204	8.3	155	6.2	184	7.3
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	205	8.3	223	9.0	177	7.0
Certain conditions originating in the perinatal period (760-779)	528	21.4	465	18.7	469	18.7
Symptoms, signs & ill-defined conditions (780-799)	623	25.3	568	22.8	470	18.7
All other diseases (Residual)	1899	77.1	1934	77.5	1841	73.2
Motor vehicle accidents (E810-E825)	807	32.7	893	35.9	820	32.6
All other accidents (E800-E807, E826-E949)	840	34.0	751	30.2	777	30.9
Suicide (E950-E959)	215	8.7	256	10.3	261	10.4
Homicide & legal intervention (E960-E978)	134	5.4	185	7.4	166	6.6
All other external causes (E979-E999)	73	3.0	65	2.6	67	2.7

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I

RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1969		1970		1971	
POPULATION	2,536,300		2,559,463		2,609,800	
	Number	Rate	Number	Rate	Number	Rate
Live Births	42,737	1685.0	44,991	1757.8	45,353	1744.3
Physician in hospital	42,450	99.3	44,798	99.6	45,091	99.4
Physician not in hospital	167	0.4	82	0.2	136	0.3
Midwife, other, or unknown	120	0.3	111	0.2	126	0.3
Stillbirths (Fetal Deaths)	520	12.0	516	11.3	509	11.1
Physician in hospital	513	98.7	515	99.8	498	97.8
Physician not in hospital	6	1.2	-	-	10	2.0
Midwife, other, or unknown	1	0.2	1	0.2	1	0.2
Total deaths, all causes	25,972	1024.0	26,750	1045.1	25,682	987.8
Deaths under 1 year	874	20.5	953	21.2	832	18.3
Deaths under 1 month	675	15.8	727	16.2	613	13.5
Tuberculosis (010-018)	75	3.0	70	2.7	70	2.7
Syphilis (090-097)	14	0.6	12	0.5	8	0.3
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	111	4.3	148	5.8	151	5.8
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	4298	169.5	4608	180.0	4371	168.1
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	466	18.4	513	20.0	459	17.7
Major cardiovascular diseases (390-448)	13,364	546.6	14,183	554.1	13,821	531.6
Diseases of the heart (390-398,402,404-448)	9801	386.4	9923	387.7	9790	376.5
Rheumatic fever & rheumatic hrt. disease (390-398)	117	4.6	97	3.8	110	4.2
Hypertensive heart disease with or without renal disease (402,404)	289	11.4	243	9.5	210	8.1
Ischemic heart disease (410-414)	8807	347.2	8971	350.5	8785	337.9
Other heart diseases (415-429)	588	23.2	612	23.9	685	26.4
Hypertension with/without renal disease (401,403)	108	4.3	139	5.4	125	4.8
Cerebrovascular disease (430-438)	3140	123.8	3292	128.6	3150	121.2
Atherioscleroeis (440)	472	18.6	491	19.2	463	17.8
Other diseases of arteries, arterioles & capillaries (441-448)	343	13.5	338	13.2	293	11.3
Pneumonia & influenza (480-487)	794	31.3	743	29.0	694	26.7
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	502	19.8	466	18.2	408	15.7
Ulcer of stomach & duodenum (531-533)	138	5.4	129	5.0	113	4.3
Chronic liver disease & cirrhosis	315	12.4	348	13.6	343	13.2
Nephritis, nephrotic syndrome & nephrosis (580-589)	164	6.5	158	6.2	117	4.5
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	185	7.3	198	7.7	228	8.8
Certain conditions originating in the perinatal period (760-779)	534	21.1	586	22.9	464	17.8
Symptoms, signs & ill-defined conditions (780-799)	400	15.8	397	15.5	362	13.9
All other diseases (Residual)	1931	76.2	1993	77.9	1946	74.8
Motor vehicle accidents (E810-E825)	890	35.1	852	33.3	831	32.0
All other accidents (E800-E807, E826-E949)	766	30.2	826	32.3	750	28.8
Suicide (E950-E959)	256	10.1	273	10.7	283	10.9
Homicide & legal intervention (E960-E978)	180	7.1	181	7.1	189	7.3
All other external causes (E979-E999)	89	3.5	66	2.6	74	2.8

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I
RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930–1984

	1972		1973		1974	
POPULATION	2,633,000		2,669,000		2,681,000	
	Number	Rate	Number	Rate	Number	Rate
Live Births	42,303	1606.6	40,765	1527.4	42,363	1580.1
Physician in hospital	42,075	99.5	40,537	99.4	42,110	99.4
Physician not in hospital	96	0.2	92	0.2	107	0.3
Midwife, other, or unknown	132	0.3	136	0.3	146	0.3
Stillbirths (Fetal Deaths)	505	11.8	524	12.7	465	10.9
Physician in hospital	497	98.4	514	98.1	453	97.4
Physician not in hospital	8	1.6	8	1.5	8	1.7
Midwife, other, or unknown	-	-	2	0.4	4	0.9
Total deaths, all causes	26,935	1023.0	27,357	1025.0	27,228	1015.6
Deaths under 1 year	802	19.0	666	16.3	738	17.4
Deaths under 1 month	551	13.0	477	11.7	526	12.4
Tuberculosis (010-018)	77	2.9	54	2.0	54	2.0
Syphilis (090-097)	6	0.2	5	0.2	5	0.2
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	136	5.2	169	6.4	189	7.0
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	4579	173.9	4779	179.1	4789	178.6
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	473	18.0	474	17.8	413	15.4
Major cardiovascular diseases (390-448)	14,377	546.0	14,694	550.5	14,545	542.5
Diseases of the heart (390-398,402,404-448)	10,173	386.4	10,420	390.4	10,182	379.8
Rheumatic fever & rheumatic hrt. disease (390-398)	127	4.8	135	5.1	115	4.3
Hypertensive heart disease with or without renal disease (402,404)	215	8.2	188	7.0	205	7.6
Ischemic heart disease (410-414)	9133	346.9	9339	349.9	9113	339.9
Other heart diseases (415-429)	698	26.5	758	28.4	749	27.9
Hypertension with/without renal disease (401,403)	121	4.6	125	4.7	98	3.7
Cerebrovascular disease (430-438)	3269	124.2	3298	123.6	3371	125.7
Atheriosclerosis (440)	483	18.3	470	17.6	528	19.7
Other diseases of arteries, arterioles & capillaries (441-448)	331	12.6	381	14.3	366	13.7
Pneumonia & influenza (480-487)	842	32.0	786	29.4	851	31.7
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	387	14.7	400	15.0	320	11.9
Ulcer of stomach & duodenum (531-533)	105	4.0	119	4.5	122	4.6
Chronic liver disease & cirrhosis	322	12.2	326	12.2	352	13.1
Nephritis, nephrotic syndrome & nephrosis (580-589)	163	6.2	127	4.8	148	5.5
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	195	7.4	187	7.0	178	6.6
Certain conditions originating in the perinatal period (760-779)	416	15.8	367	13.8	410	15.3
Symptoms, signs & ill-defined conditions (780-799)	387	14.7	350	13.1	324	12.1
All other diseases (Residual)	2188	83.1	2213	82.9	2181	81.3
Motor vehicle accidents (E810-E825)	863	32.8	804	30.1	764	28.5
All other accidents (E800-E807, E826-E949)	794	30.2	843	31.6	849	31.7
Suicide (E950-E959)	341	13.0	373	14.0	388	14.5
Homicide & legal intervention (E960-E978)	226	8.6	222	8.3	282	10.5
All other external causes (E979-E999)	58	2.2	65	2.4	64	2.4

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I

RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES** NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1975		1976		1977	
POPULATION	2,715,000		2,766,000		2,811,000	
	Number	Rate	Number	Rate	Number	Rate
Live Births	42,704	1572.9	43,655	1578.3	45,449	1616.8
Physician in hospital	42,421	99.3	43,412	99.4	45,138	99.3
Physician not in hospital	111	0.3	69	0.2	60	0.1
Midwife, other, or unknown	172	0.4	174	0.4	251	0.6
Stillbirths (Fetal Deaths)	419	9.7	451	10.2	448	9.8
Physician in hospital	409	97.6	432	95.8	434	96.9
Physician not in hospital	7	1.7	11	2.4	10	2.2
Midwife, other, or unknown	3	0.7	8	1.8	4	0.9
Total deaths, all causes	27,165	1000.6	27,103	979.9	26,766	952.2
Deaths under 1 year	688	16.1	731	16.7	623	13.7
Deaths under 1 month	486	11.4	493	11.3	408	9.0
Tuberculosis (010-018)	50	1.8	52	1.9	43	1.5
Syphilis (090-097)	5	0.2	3	0.1	8	0.3
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	180	6.7	228	8.2	200	7.1
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	4927	181.5	5166	186.8	5180	184.3
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory & intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149,170-173,190-203)	-	-	-	-	-	-
Diabetes Mellitus (250)	413	15.2	417	15.1	420	14.9
Major cardiovascular diseases (390-448)	14,192	522.7	13,903	502.6	13,672	486.4
Diseases of the heart (390-398,402,404-448)	10,284	378.8	9997	361.4	9966	354.5
Rheumatic fever & rheumatic hrt. disease (390-398)	144	5.3	129	4.7	109	3.9
Hypertensive heart disease with or without renal disease (402,404)	191	7.0	169	6.1	139	4.9
Ischemic heart disease (410-414)	9090	334.8	8775	317.2	8751	311.3
Other heart diseases (415-429)	859	31.6	924	33.4	967	34.4
Hypertension with/without renal disease (401,403)	72	2.7	85	3.1	77	2.7
Cerebrovascular disease (430-438)	3051	112.4	3017	109.1	2849	101.4
Atheriosclerosis (440)	450	16.6	426	15.4	430	15.3
Other diseases of arteries, arterioles & capillaries (441-448)	335	12.3	378	13.7	350	12.5
Pneumonia & influenza (480-487)	953	35.1	966	34.9	799	28.4
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	344	12.7	310	11.2	300	10.7
Ulcer of stomach & duodenum (531-533)	104	3.8	82	3.0	70	2.5
Chronic liver disease & cirrhosis	318	11.7	389	14.1	356	12.7
Nephritis, nephrotic syndrome & nephrosis (580-589)	126	4.6	134	4.8	146	5.2
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	179	6.6	169	6.1	172	6.1
Certain conditions originating in the perinatal period (760-779)	382	14.1	365	13.2	287	10.2
Symptoms, signs & ill-defined conditions (780-799)	350	12.9	353	12.8	376	13.4
All other diseases (Residual)	2334	86.1	2272	82.2	2387	85.5
Motor vehicle accidents (E810-E825)	798	29.4	877	31.7	893	31.8
All other accidents (E800-E807, E826-E949)	745	27.4	769	27.8	704	25.0
Suicide (E950-E959)	412	15.2	365	13.2	442	15.7
Homicide & legal intervention (E960-E978)	297	10.9	229	8.3	261	9.3
All other external causes (E979-E999)	56	2.1	54	2.0	50	1.8

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

TABLE I

RESIDENT BIRTHS, FETAL DEATHS (STILLBIRTHS), DEATHS AND DEATHS BY 34 SELECTED CAUSES**
NUMBER AND RATE*, OKLAHOMA, 1930-1984

	1978		1979		1980	
POPULATION	2,880,000		2,892,000		3,025,266	
	Number	Rate	Number	Rate	Number	Rate
Live Births	45,883	1593.2	49,007	1694.6	52,065	1721.0
Physician in hospital	45,574	99.3	48,675	99.3	51,594	99.1
Physician not in hospital	57	0.1	17	0.1	80	0.2
Midwife, other, or unknown	252	0.6	315	0.6	391	0.7
Stillbirths (Fetal Deaths)	438	9.5	459	9.3	475	9.0
Physician in hospital	423	96.6	457	99.6	467	98.3
Physician not in hospital	8	1.8	1	0.2	5	1.1
Midwife, other, or unknown	7	1.6	1	0.2	3	0.6
Total deaths, all causes	27,892	968.5	27,802	961.3	28,227	933.0
Deaths under 1 year	646	14.1	611	12.5	660	12.7
Deaths under 1 month	405	8.8	386	7.9	421	8.1
Tuberculosis (010-018)	46	1.6	31	1.1	37	1.2
Syphilis (090-097)	6	0.2	4	0.1	7	0.2
Residual of infectious & parasitic diseases (001-009,019-089,098-139)	225	7.8	167	6.0	192	6.3
Malignant neoplasms, including neoplasm of lymphatic & hematopoietic tissues (140-208)	5366	186.3	5407	194.5	5505	182.0
Malignant neoplasm of digestive organs & peritoneum (150-159)	-	-	1404	50.5	1332	44.0
Malignant neoplasm of respiratory ~~& intra~~thoracic organs (160-165)	-	-	1558	56.0	1615	53.4
Malignant neoplasm of breast (174-175)	-	-	368	13.2	429	14.2
Malignant neoplasm of genital organs (179-187)	-	-	620	22.3	605	20.0
Malignant neoplasm of urinary organs (188-189)	-	-	222	8.0	206	6.8
Leukemia (204-208)	-	-	229	8.2	236	7.8
Other malignant neoplasms (140-149,170-173,190-203)	-	-	1006	36.2	1082	35.8
Diabetes Mellitus (250)	428	14.9	411	14.8	421	13.9
Major cardiovascular diseases (390-448)	14,073	488.6	14,332	515.5	14,183	468.8
Diseases of the heart (390-398,402,404- 429)	10,330	358.7	10,727	385.8	10,703	353.8
Rheumatic fever & rheumatic hrt. disease (390-398)	130	4.5	71	2.6	53	1.8
Hypertensive heart disease with or without renal disease (402,404)	168	5.8	279	10.0	316	10.4
Ischemic heart disease (410-414)	8972	311.5	8240	296.4	8145	269.2
Other heart diseases (415-429)	1060	36.8	2137	76.9	2189	72.4
Hypertension with/without renal disease (401,403)	94	3.3	94	3.4	96	3.2
Cerebrovascular disease (430-438)	2857	99.2	2844	102.3	2745	90.7
Atheriosclerosis (440)	394	13.7	402	14.5	397	13.1
Other diseases of arteries, arterioles & capillaries (441-448)	398	13.8	265	9.5	242	8.0
Pneumonia & influenza (480-487)	1004	34.9	712	25.6	768	25.4
Chronic Obstructive Pulmonary Disease & allied conditions (490-496)	279	9.7	747	26.9	824	27.2
Ulcer of stomach & duodenum (531-533)	74	2.6	85	3.1	76	2.5
Chronic liver disease & cirrhosis	348	12.1	364	13.1	317	10.5
Nephritis, nephrotic syndrome & nephrosis (580-589)	173	6.0	332	11.9	352	11.6
Complications of pregnancy, childbirth & the puerperium (630-676)	-	-	5	0.2	11	0.4
Congenital anomalies (740-759)	160	5.6	200	7.2	202	6.7
Certain conditions originating in the perinatal period (760-779)	285	9.9	284	10.2	312	10.3
Symptoms, signs & ill-defined conditions (780-799)	453	15.7	307	11.0	296	9.8
All other diseases (Residual)	2487	86.9	1950	70.1	2087	69.0
Motor vehicle accidents (E810-E825)	968	33.6	909	32.7	1008	33.3
All other accidents (E800-E807, E826-E949)	788	27.4	769	27.7	836	27.6
Suicide (E950-E959)	397	13.8	412	14.8	411	13.6
Homicide & legal intervention (E960-E978)	283	9.8	325	11.7	339	11.2
All other external causes (E979-E999)	49	1.7	49	1.8	43	1.4

* Rate for Attendant at Birth is Equal to the Percent of Total.

** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

Table I

Resident Births, Fetal Deaths (Stillbirths), Deaths And Deaths By 34 Selected Causes
Number and Rate*, Oklahoma, 1930 - 1984

	1981		1982		1983	
	3,100,000		3,177,000		3,298,000	
Population	Number	Rate	Number	Rate	Number	Rate
Live births	53620	1729.7	58748	1849.2	56859	1724.0
Physician in hospital	52997	98.8	57852	98.5	56121	98.7
Physician not in hospital	85	0.2	85	0.1	90	0.2
Midwife, other, unknown	538	1.0	811	1.4	648	1.1
Stillbirths	456	8.4	495	8.4	454	7.9
Physician in hospital	448	98.2	483	97.6	445	98.0
Physician not in hospital	6	1.3	10	2.0	9	2.0
Midwife, other, or unknown	2	0.5	2	0.4	-	-
Total deaths, all causes	28568	921.5	29305	922.4	29426	892.3
Deaths under 1 year	632	11.8	721	12.3	615	10.8
Deaths under 1 month	383	7.1	433	7.4	386	6.8
Tuberculosis (010-018)	32	1.0	39	1.4	23	0.7
Syphilis (090-097)	2	0.1	2	0.1	3	0.1
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	235	7.6	249	7.8	247	7.5
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	5702	183.9	5873	184.9	6065	183.9
Malignant neoplasm of digestive organs and peritoneum (150-159)	1421	45.8	1402	44.1	1376	41.7
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1668	53.8	1774	55.8	1867	57.2
Malignant neoplasm of breast (174-175)	461	14.9	454	14.3	473	14.3
Malignant neoplasm of genital organs (179-187)	605	19.5	630	19.8	665	20.2
Malignant neoplasm of urinary organs (188-189)	246	7.9	270	8.5	228	6.9
Leukemia (204-208)	252	8.1	248	7.8	251	7.6
Other malignant neoplasms (140-149, 170-173, 190-203)	1049	33.8	1095	34.5	1185	35.9
Diabetes mellitus (250)	492	15.9	493	15.5	476	14.4
Major cardiovascular diseases (390-448)	13977	450.9	14255	448.7	14229	431.4
Diseases of the heart (390-398, 402, 404-429)	10624	342.7	10973	345.4	10934	331.5
Rheumatic fever and rheumatic heart disease (390-398)	66	2.1	73	2.3	64	1.9
Hypertensive heart disease with or without renal disease (402,404)	296	9.5	250	7.9	237	7.2
Ischemic heart disease (410-414)	8037	259.3	8094	254.8	8005	242.7
Other heart diseases (415-429)	2225	71.8	2556	80.5	2844	86.2
Hypertension with or without renal disease (401, 403)	92	3.0	91	2.9	85	2.6
Cerebrovascular disease (430-438)	2593	83.6	2544	80.1	2514	76.2
Arteriosclerosis (440)	417	13.6	383	12.1	407	12.3
Other diseases of arterioes, arterioles, and capillaries (441-448)	251	8.1	264	8.3	289	8.8
Pneumonia and influenza (480-487)	859	27.7	787	24.8	876	26.6
Chronic obstructive pulmonary disease and allied conditions (490-496)	804	25.9	884	27.8	1034	31.4
Ulcer of stomach and duodenum (531-533)	85	2.7	88	2.8	70	2.1
Chronic liver disease and cirrhosis (571)	378	12.2	312	9.8	271	8.2
Nephritis, nephrotic syndrome and nephrosis (580-589)	315	10.2	352	11.1	369	11.2
Complications of pregnancy, childbirth, and the puerperium (630-676)	7	0.2	3	0.1	4	0.1
Congenital anomalies (740-759)	191	6.2	245	7.7	206	6.2
Certain conditions originating in the perinatal period (760-779)	292	9.4	304	9.6	274	8.3
Symptoms, signs, and ill-defined conditions (780-799)	346	11.2	388	12.2	315	9.6
All other diseases (Residual)	2149	69.3	2197	69.2	2289	69.4
Motor vehicle accidents (E810-E825)	1037	33.5	1086	34.2	872	26.4
All other accidents and adverse effects (E800-E807, E825-E949)	823	26.5	881	27.7	796	24.1
Suicide (E950-E959)	474	15.3	466	14.7	449	13.6
Homicide and legal intervention (E960-E978)	324	10.5	356	11.2	294	8.9
All other external causes (E980-E999)	44	1.4	45	1.4	48	1.5

* Rate for Attendant at Birth is Equal to the Percent of Total.
** Deaths Coded Prior to 1979 are adjusted to the Ninth Revision ICDA Codes.

Table I
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate*, Oklahoma, 1930 - 1984

	1984					
	3,298,000					
Population	Number	Rate				
Live births	54323	1647.1				
Physician in hospital	53470	98.4				
Physician not in hospital	74	0.1				
Midwife, other, unknown	779	1.4				
Stillbirths	392	7.2				
Physician in hospital	385	98.2				
Physician not in hospital	6	1.5				
Midwife, other, or unknown	1	0.3				
Total deaths, all causes	28635	868.3				
Deaths under 1 year	568	10.5				
Deaths under 1 month	358	6.6				
Tuberculosis (010-018)	23	0.7				
Syphilis (090-097)	3	0.1				
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	270	8.2				
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	6085	184.5				
Malignant neoplasm of digestive organs and peritoneum (150-159)	1447	43.9				
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1910	57.9				
Malignant neoplasm of breast (174-175)	467	14.2				
Malignant neoplasm of genital organs (179-187)	646	19.6				
Malignant neoplasm of urinary organs (188-189)	257	7.8				
Leukemia (204-208)	225	6.8				
Other malignant neoplasms (140-149, 170-173, 190-203)	1133	34.4				
Diabetes mellitus (250)	424	12.9				
Major cardiovascular diseases (390-448)	13769	417.5				
Diseases of the heart (390-398, 402, 404-429)	10648	322.9				
Rheumatic fever and rheumatic heart disease (390-398)	60	1.8				
Hypertensive heart disease with or without renal disease (402,404)	208	6.3				
Ischemic heart disease (410-414)	7462	226.3				
Other heart diseases (415-429)	2918	88.5				
Hypertension with or without renal disease (401, 403)	70	2.1				
Cerebrovascular disease (430-438)	2387	72.4				
Arteriosclerosis (440)	386	11.7				
Other diseases of arterioes, arterioles, and capillaries (441-448)	278	8.4				
Pneumonia and influenza (480-487)	925	28.0				
Chronic obstructive pulmonary disease and allied conditions (490-496)	1045	31.7				
Ulcer of stomach and duodenum (531-533)	86	2.6				
Chronic liver disease and cirrhosis (571)	247	7.5				
Nephritis, nephrotic syndrome and nephrosis (580-589)	401	12.2				
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	0.1				
Congenital anomalies (740-759)	201	6.1				
Certain conditions originating in the perinatal period (760-779)	257	7.8				
Symptoms, signs, and ill-defined conditions (780-799)	286	8.7				
All other diseases (Residual)	2290	69.4				
Motor vehicle accidents (E810-E825)	857	26.0				
All other accidents and adverse effects (E800-E807, E825-E949)	703	21.3				
Suicide (E950-E959)	444	13.5				
Homicide and legal intervention (E960-E978)	282	8.6				
All other external causes (E980-E999)	34	1.0				

Table II
Resident Live Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes
Number and Rate, By Race, Oklahoma, 1984

Estimated Population, July 1	TOTAL		WHITE	
	3,298,000		2,902,240	
	Number	Rate	Number	Rate
Live Births	54323	1647.1	43952	1514.4
Physician in hospital	53470	98.4	43393	98.7
Physician not in hospital	74	0.1	59	0.1
Midwife, other, or unknown	779	1.4	500	1.1
Stillbirths	392	7.2	315	7.1
Physician in hospital	385	98.2	309	98.1
Physician not in hospital	6	1.5	5	1.6
Midwife, other, or unknown	1	0.3	1	0.3
Total deaths, all causes	28635	868.3	25828	889.9
Deaths under 1 year	568	10.5	460	10.5
Deaths under 1 month	358	6.6	293	6.7
Tuberculosis (010-018)	23	0.7	19	0.7
Syphilis (090-097)	3	0.1	3	0.1
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	270	8.2	234	8.1
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	6085	184.5	5523	190.3
Malignant neoplasm of digestive organs and peritoneum (150-159)	1447	43.9	1284	44.2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1910	57.9	1769	61.0
Malignant neoplasm of breast (174-175)	467	14.2	424	14.6
Malignant neoplasm of genital organs (179-187)	646	19.6	574	19.8
Malignant neoplasm of urinary organs (188-189)	257	7.8	230	7.9
Leukemia (204-208)	225	6.8	208	7.2
Other malignant neoplasms (140-149, 170-173, 190-203)	1133	34.4	1034	35.6
Diabetes mellitus (250)	424	12.9	320	11.0
Major cardiovascular diseases (390-448)	13769	417.5	12575	433.3
Diseases of the heart (390-398, 402, 404-429)	10648	322.9	9748	335.9
Rheumatic fever and rheumatic heart disease (390-398)	60	1.8	53	1.8
Hypertensive heart disease with or without renal disease (402, 404)	208	6.3	164	5.7
Ischemic heart disease (410-414)	7462	226.3	6899	237.7
Other heart diseases (415-429)	2918	88.5	2632	90.7
Hypertension with or without renal disease (401, 403)	70	2.1	59	2.0
Cerebrovascular disease (430-438)	2387	72.4	2156	74.3
Atherosclerosis (440)	386	11.7	357	12.3
Other diseases of arteries, arterioles and capillaries (441-448)	278	8.4	255	8.8
Pneumonia and influenza (480-487)	925	28.0	850	29.3
Chronic obstructive pulmonary disease and allied conditions (490-496)	1045	31.7	993	34.2
Ulcer of stomach and duodenum (531-533)	86	2.6	80	2.8
Chronic liver disease and cirrhosis (571)	247	7.5	207	7.1
Nephritis, nephrotic syndrome and nephrosis (580-589)	401	12.2	352	12.1
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	0.1	2	0.1
Congenital anomalies (740-759)	201	6.1	179	6.2
Certain conditions originating in the perinatal period (760-779)	257	7.8	200	6.9
Symptoms, signs and ill-defined conditions (780-799)	286	8.7	249	8.6
All other disease (Residual)	2290	69.4	2018	69.5
Motor vehicle accidents (E810-E825)	857	26.0	756	26.0
All other accidents and adverse effects (E800-E807, E826-E949)	703	21.3	615	21.2
Suicide (E950-E959)	444	13.5	416	14.3
Homicide and legal intervention (E960-E978)	282	8.6	207	7.1
All other external causes (E980-E999)	34	1.0	30	1.0

Table II
Resident Live Births, Fetal Deaths (Stillbirths), Deaths and Deaths by 34 Selected Causes
Number and Rate, By Race, Oklahoma, 1984

	BLACK		INDIAN	
	227,562		168,198	
Estimated Population July 1	Number	Rate	Number	Rate
Live Births	5259	2311.0	5112	3039.3
Physician in hospital	5175	98.4	4902	95.9
Physician not in hospital	15	0.3	-	-
Midwife, other, or unknown	69	1.3	210	4.1
Stillbirths	47	8.9	30	5.8
Physician in hospital	47	100.0	29	96.7
Physician not in hospital	-	-	1	3.3
Midwife, other, or unknown	-	-	-	-
Total deaths, all causes	1884	827.9	923	548.8
Deaths under 1 year	74	14.1	34	6.7
Deaths under 1 month	46	8.7	19	3.7
Tuberculosis (010-018)	3	1.3	1	0.6
Syphilis (090-097)	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	25	11.0	11	6.5
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	380	167.0	182	108.2
Malignant neoplasm of digestive organs and peritoneum (150-159)	113	49.7	50	29.7
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	102	44.8	39	23.2
Malignant neoplasm of breast (174-175)	33	14.5	10	5.9
Malignant neoplasm of genital organs (179-187)	52	22.9	20	11.9
Malignant neoplasm of urinary organs (188-189)	14	6.2	13	7.7
Leukemia (204-208)	11	4.8	6	3.6
Other malignant neoplasms (140-149, 170-173, 190-203)	55	24.2	44	26.2
Diabetes mellitus (250)	58	25.5	46	27.3
Major cardiovascular diseases (390-448)	826	363.0	368	218.8
Diseases of the heart (390-398, 402, 404-429)	616	270.7	284	168.8
Rheumatic fever and rheumatic heart disease (390-398)	3	1.3	4	2.4
Hypertensive heart disease with or without renal disease (402, 404)	31	13.6	13	7.7
Ischemic heart disease (410-414)	378	166.1	185	110.0
Other heart diseases (415-429)	204	89.6	82	48.8
Hypertension with or without renal disease (401, 403)	10	4.4	1	0.6
Cerebrovascular disease (430-438)	167	73.4	64	38.1
Atherosclerosis (440)	21	9.2	8	4.8
Other diseases of arteries, arterioles and capillaries (441-448)	12	5.3	11	6.5
Pneumonia and influenza (480-487)	42	18.5	33	19.6
Chronic obstructive pulmonary disease and allied conditions (490-496)	32	14.1	20	11.9
Ulcer of stomach and duodenum (531-533)	4	1.8	2	1.2
Chronic liver disease and cirrhosis (571)	11	4.8	29	17.2
Nephritis, nephrotic syndrome and nephrosis (580-589)	38	16.7	11	6.5
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	0.4	-	-
Congenital anomalies (740-759)	15	6.6	7	4.2
Certain conditions originating in the perinatal period (760-779)	40	17.6	17	10.1
Symptoms, signs and ill-defined conditions (780-799)	26	11.4	11	6.5
All other disease (Residual)	184	80.9	88	52.3
Motor vehicle accidents (E810-E825)	59	25.9	42	25.0
All other accidents and adverse effects (E800-E807, E826-E949)	59	25.9	29	17.2
Suicide (E950-E959)	17	7.5	11	6.5
Homicide and legal intervention (E960-E978)	60	26.4	15	8.9
All other external causes (E980-E999)	4	1.8	-	-

TABLE III
BIRTHS AND DEATHS, NUMBER AND RATE
OKLAHOMA, 1920-1984
PER 1000 POPULATION

YEAR	BIRTHS		DEATHS		YEAR	BIRTHS		DEATHS	
	NUMBER	RATE	NUMBER	RATE		NUMBER	RATE	NUMBER	RATE
1920	40,636	19.9	16,054	7.8	1955	50,636	22.2	19,705	8.6
1921	47,068	22.6	16,340	7.8	1956	51,894	22.6	20,954	9.1
1922	50,944	24.1	16,378	7.7	1957	51,349	22.3	21,568	9.4
1923	47,452	22.0	17,273	8.0	1958	50,552	21.9	21,812	9.4
1924	50,453	23.0	17,103	7.8	1959	51,141	22.0	21,996	9.5
1925	54,915	24.7	20,026	9.0	1960	50,900	21.9	22,932	9.8
1926	55,770	24.7	20,507	9.1	1961	50,859	21.2	22,973	9.6
1927	51,856	22.6	21,170	9.2	1962	51,351	21.0	24,005	9.8
1928	42,986	18.4	20,953	9.0	1963	49,955	20.5	24,458	10.0
1929	39,738	16.8	21,398	9.0	1964	47,563	19.3	24,194	9.8
1930	42,505	17.8	19,646	8.2	1965	42,806	17.5	24,304	9.9
1931	43,269	18.1	18,802	7.9	1966	39,993	16.1	24,806	10.0
1932	41,039	17.2	19,285	8.1	1967	40,102	16.1	24,859	10.0
1933	43,697	18.4	20,309	8.5	1968	40,973	16.3	25,708	10.2
1934	47,302	20.0	21,373	9.0	1969	42,737	16.6	25,972	10.1
1935	43,691	18.5	21,091	8.9	1970	44,991	17.6	26,750	10.5
1936	41,815	17.7	23,350	9.9	1971	45,353	17.4	25,682	9.8
1937	41,223	17.5	21,399	9.1	1972	42,303	16.1	26,935	10.2
1938	44,190	18.8	20,422	8.7	1973	40,765	15.3	27,357	10.3
1939	42,760	18.3	20,657	8.8	1974	42,363	15.8	27,228	10.2
1940	44,258	19.1	20,618	8.9	1975	42,704	15.7	27,165	10.0
1941	45,313	19.5	20,097	8.6	1976	43,655	15.8	27,103	9.8
1942	45,277	19.6	18,985	8.2	1977	45,449	16.2	26,766	9.5
1943	47,800	20.8	19,765	8.6	1978	45,883	15.9	27,892	9.7
1944	46,885	20.5	18,438	8.2	1979	49,007	16.9	27,756	9.6
1945	43,405	19.0	18,731	8.2	1980	52,065	17.2	28,227	9.3
1946	50,043	22.0	18,420	8.1	1981	53,620	17.3	28,568	9.2
1947	52,691	23.3	19,101	8.4	1982	58,748	18.5	29,305	9.2
1948	50,428	22.4	19,074	8.5	1983	56,859	17.2	29,426	8.9
1949	49,971	22.3	19,346	8.6	1984	54,323	16.5	28,635	8.7
1950	50,472	22.6	19,431	8.7					
1951	50,597	22.5	20,082	8.9					
1952	50,146	22.6	19,645	8.7					
1953	51,275	22.6	19,820	8.8					
1954	51,457	22.6	20,121	8.8					

Table IV
RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, NUMBER AND PERCENT
OF LOW-WEIGHT BIRTHS*, OKLAHOMA, 1984

AGE OF MOTHER	TOTAL			WHITE			BLACK			INDIAN		
	BIRTHS	LOW-BIRTHS	PERCENT	BIRTHS	LOW-BIRTHS	PERCENT	BIRTHS	LOW-BIRTHS	PERCENT	BIRTHS	LOW-BIRTHS	PERCENT
TOTAL	54323	3484	6.4	43952	2601	5.9	5259	614	11.7	5112	269	5.3
-13	6	2	33.3	4	1	25.0	2	1	50.0	-	-	-
13	25	5	20.0	13	1	7.7	9	4	44.4	-	-	-
14	133	14	10.5	81	7	8.6	30	4	13.3	3	-	-
15	417	43	10.3	264	26	9.8	89	13	14.6	22	3	13.6
16	941	77	8.2	628	46	7.3	171	24	14.0	64	4	6.3
17	1667	139	8.3	1207	94	7.8	227	28	12.3	142	7	4.9
18	2411	217	9.0	1783	159	8.9	286	36	12.6	233	17	7.3
19	3207	251	7.8	2401	172	7.2	398	55	13.8	342	22	6.4
20	3807	277	7.3	2945	204	6.9	453	51	11.3	408	24	5.9
21	4093	287	7.0	3175	207	6.5	453	56	12.4	409	22	5.4
22	4150	219	5.3	3314	159	4.8	428	42	9.8	465	24	5.2
23	4014	248	6.2	3261	186	5.7	372	43	11.6	408	18	4.4
24	4052	273	6.7	3357	215	6.4	354	42	11.9	381	19	5.0
25	3901	216	5.5	3253	163	5.0	346	42	12.1	341	16	4.7
26	3520	188	5.3	2949	144	4.9	293	28	9.6	302	11	3.6
27	3205	195	6.1	2745	163	5.9	251	22	8.8	278	16	5.8
28	2911	161	5.5	2496	126	5.0	208	24	11.5	209	10	4.8
29	2515	130	5.2	2152	96	4.5	181	25	13.8	207	11	5.3
30-34	7198	386	5.4	6165	311	5.0	518	54	10.4	182	9	4.9
35-39	1881	126	6.7	1558	102	6.5	155	14	9.0	515	21	4.1
40-44	249	27	10.8	185	18	9.7	32	4	12.5	168	10	6.0
45+	10	1	10.0	10	1	10.0	-	-	-	32	5	15.6
UNKNOWN	10	2	20.0	6	-	-	3	2	66.7	1	-	-

*Births with a specified weight of 5 lb. 8 oz. or less

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	ADAIR					ALFALFA				
	TOTAL		RACE			TOTAL		RACE		
Population	20,100		W	B	I	7,100		W	B	I
Live births	330	1641.8	113	-	217	77	1084.5	76	-	1
Physician in hospital	301	91.2	103	-	198	74	96.1	73	-	1
Physician not in hospital	9	2.7	9	-	-	-	-	-	-	-
Midwife, other, unknown	20	6.1	1	-	19	3	3.9	3	-	-
Stillbirths	5	14.9	3	-	2	2	25.3	2	-	-
Physician in hospital	5	100.0	3	-	2	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	181	900.5	121	-	60	87	1225.4	87	-	-
Deaths under 1 year	5	15.2	2	-	3	-	-	-	-	-
Deaths under 1 month	1	3.0	-	-	1	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	5.0	-	-	1	4	56.3	4	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	40	199.0	26	-	14	16	225.4	16	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	24.9	2	-	3	2	28.2	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	8	39.8	3	-	5	3	42.3	3	-	-
Malignant neoplasm of breast (174-175)	6	29.9	5	-	1	2	28.2	2	-	-
Malignant neoplasm of genital organs (179-187)	3	14.9	3	-	-	1	14.1	1	-	-
Malignant neoplasm of urinary organs (188-189)	3	14.9	1	-	2	-	-	-	-	-
Leukemia (204-208)	2	10.0	2	-	-	1	14.1	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	13	64.7	10	-	3	2	28.2	2	-	-
Diabetes mellitus (250)	3	14.9	1	-	2	5	70.4	5	-	-
Major cardiovascular diseases (390-448)	91	452.7	64	-	27	38	535.2	38	-	-
Diseases of the heart (390-398, 402, 404-429)	65	323.4	47	-	18	35	493.0	35	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	5.0	-	-	1	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	5.0	1	-	-	1	14.1	1	-	-
Ischemic heart disease (410-414)	34	169.2	27	-	7	26	366.2	26	-	-
Other heart diseases (415-429)	29	144.3	19	-	10	8	112.7	8	-	-
Hypertension with or without renal disease (401, 403)	1	5.0	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	22	109.5	13	-	9	3	42.3	3	-	-
Arteriosclerosis (440)	2	10.0	2	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	5.0	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	6	29.9	2	-	4	5	70.4	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	24.9	5	-	-	3	42.3	3	-	-
Ulcer of stomach and duodenum (531-533)	1	5.0	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	10.0	1	-	1	1	14.1	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	10.0	1	-	1	4	56.3	4	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	10.0	-	-	2	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	14.9	2	-	1	-	-	-	-	-
All other diseases (Residual)	9	44.8	9	-	-	10	140.8	10	-	-
Motor vehicle accidents (E810-E825)	13	64.7	7	-	6	5	70.4	5	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	10.0	1	-	1	-	-	-	-	-
Suicide (E950-E959)	1	5.0	1	-	-	1	14.1	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	ATOKA					BEAVER				
	TOTAL		RACE			TOTAL		RACE		
Population	13,600		W	B	I	7,300		W	B	I
Live births	176	1291.1	145	12	19	103	1411.0	102	-	1
Physician in hospital	173	98.3	143	11	19	103	100.0	102	-	1
Physician not in hospital	2	1.1	1	1	-	-	-	-	-	-
Midwife, other, unknown	1	0.6	1	-	-	-	-	-	-	-
Stillbirths	1	5.6	1	-	-	2	19.0	2	-	-
Physician in hospital	1	100.0	1	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	145	1063.0	130	7	8	61	835.6	61	-	-
Deaths under 1 year	1	5.7	1	-	-	1	9.7	1	-	-
Deaths under 1 month	1	5.7	1	-	-	1	9.7	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	28	205.4	26	-	2	15	205.5	15	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	36.7	4	-	1	1	13.7	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	11	80.7	11	-	-	8	109.6	8	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	13.7	1	-	-
Malignant neoplasm of genital organs (179-187)	3	22.0	3	-	-	2	27.4	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	7.3	1	-	-	1	13.7	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	8	58.7	7	-	1	2	27.4	2	-	-
Diabetes mellitus (250)	-	-	-	-	-	2	27.4	2	-	-
Major cardiovascular diseases (390-448)	77	564.8	68	4	5	32	438.4	32	-	-
Diseases of the heart (390-398, 402, 404-429)	65	476.8	59	2	4	18	246.6	18	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	13.7	1	-	-
Ischemic heart disease (410-414)	29	212.7	25	2	2	10	137.0	10	-	-
Other heart diseases (415-429)	36	264.1	34	-	2	7	95.9	7	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	9	66.0	6	2	1	12	164.4	12	-	-
Arteriosclerosis (440)	1	7.3	1	-	-	2	27.4	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	14.7	2	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	14.7	2	-	-	1	13.7	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	7.3	1	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	13.7	1	-	-
Chronic liver disease and cirrhosis (571)	1	7.3	-	-	1	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	22.0	3	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	13.7	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	5	36.7	4	1	-	-	-	-	-	-
All other diseases (Residual)	11	80.7	10	1	-	4	54.8	4	-	-
Motor vehicle accidents (E810-E825)	11	80.7	10	1	-	3	41.1	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	22.0	3	-	-	-	-	-	-	-
Suicide (E950-E959)	2	14.7	2	-	-	2	27.4	2	-	-
Homicide and legal intervention (E960-E978)	1	7.3	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	BECKHAM					BLAINE				
	TOTAL		RACE			TOTAL		RACE		
Population	26,600		W	B	I	14,300		W	B	I
Live births	416	1563.9	392	11	13	230	1608.4	187	4	39
Physician in hospital	413	99.3	389	11	13	225	97.8	183	4	38
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	3	0.7	3	-	-	5	2.2	4	-	1
Stillbirths	4	9.5	4	-	-	5	21.3	4	-	1
Physician in hospital	4	100.0	4	-	-	5	100.0	4	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	257	966.2	256	1	-	194	1356.6	174	7	13
Deaths under 1 year	4	9.6	4	-	-	4	17.4	3	-	1
Deaths under 1 month	1	2.4	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	4	28.0	4	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	52	195.5	52	-	-	42	293.7	37	4	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	15	56.4	15	-	-	18	125.9	17	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	13	48.9	13	-	-	6	42.0	5	-	1
Malignant neoplasm of breast (174-175)	3	11.3	3	-	-	1	7.0	1	-	-
Malignant neoplasm of genital organs (179-187)	5	18.8	5	-	-	6	42.0	4	2	-
Malignant neoplasm of urinary organs (188-189)	1	3.8	1	-	-	4	28.0	4	-	-
Leukemia (204-208)	4	15.0	4	-	-	2	14.0	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	11	41.4	11	-	-	5	35.0	4	1	-
Diabetes mellitus (250)	1	3.8	1	-	-	3	21.0	2	-	1
Major cardiovascular diseases (390-448)	134	503.8	133	1	-	88	615.4	85	2	1
Diseases of the heart (390-398, 402, 404-429)	107	402.3	107	-	-	74	517.5	72	2	-
Rheumatic fever and rheumatic heart disease (390-398)	1	3.8	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	11	41.4	11	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	60	225.6	60	-	-	45	314.7	44	1	-
Other heart diseases (415-429)	35	131.6	35	-	-	29	202.8	28	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	7.0	1	-	-
Cerebrovascular disease (430-438)	24	90.2	23	1	-	8	55.9	8	-	-
Arteriosclerosis (440)	1	3.8	1	-	-	2	14.0	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	7.5	2	-	-	3	21.0	2	-	1
Pneumonia and influenza (480-487)	10	37.6	10	-	-	9	62.9	7	1	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	6	22.6	6	-	-	6	42.0	6	-	-
Ulcer of stomach and duodenum (531-533)	1	3.8	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	3.8	1	-	-	5	35.0	2	-	3
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	7.5	2	-	-	4	28.0	4	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	3.8	1	-	-	2	14.0	2	-	-
Certain conditions originating in the perinatal period (760-779)	1	3.8	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	15	56.4	15	-	-	2	14.0	1	-	1
All other diseases (Residual)	11	41.4	11	-	-	18	125.9	17	-	1
Motor vehicle accidents (E810-E825)	6	22.6	6	-	-	5	35.0	4	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	9	33.8	9	-	-	5	35.0	3	-	2
Suicide (E950-E959)	1	3.8	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	5	18.8	5	-	-	1	7.0	-	-	1
All other external causes (E980-E999)	1	3.8	1	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	BRYAN					CADDO				
	TOTAL		RACE			TOTAL		RACE		
Population	31,900		W	B	I	34,200		W	B	I
Live births	450	1410.7	413	8	29	614	1795.3	366	18	230
Physician in hospital	450	100.0	413	8	29	610	99.3	364	18	228
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	4	0.7	2	-	2
Stillbirths	2	4.4	1	-	1	3	4.9	1	-	2
Physician in hospital	2	100.0	1	-	1	3	100.0	1	-	2
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	357	1119.1	336	6	15	344	1005.8	290	10	44
Deaths under 1 year	3	6.7	3	-	-	6	9.8	2	-	4
Deaths under 1 month	3	6.7	3	-	-	1	1.6	-	-	1
Tuberculosis (010-018)	1	3.1	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	6.3	2	-	-	5	14.6	4	1	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	72	225.7	66	2	4	78	228.1	72	-	6
Malignant neoplasm of digestive organs and peritoneum (150-159)	15	47.0	13	-	2	20	58.5	19	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	23	72.1	21	2	-	28	81.9	25	-	3
Malignant neoplasm of breast (174-175)	7	21.9	7	-	-	6	17.5	5	-	1
Malignant neoplasm of genital organs (179-187)	9	28.2	8	-	1	11	32.2	10	-	1
Malignant neoplasm of urinary organs (188-189)	1	3.1	1	-	-	-	-	-	-	-
Leukemia (204-208)	3	9.4	3	-	-	4	11.7	4	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	14	43.9	13	-	1	9	26.3	9	-	-
Diabetes mellitus (250)	4	12.5	3	-	1	12	35.1	8	-	4
Major cardiovascular diseases (390-448)	205	642.6	195	4	6	138	403.5	121	6	11
Diseases of the heart (390-398, 402, 404-429)	152	476.5	145	3	4	114	333.3	101	5	8
Rheumatic fever and rheumatic heart disease (390-398)	3	9.4	3	-	-	2	5.8	1	1	-
Hypertensive heart disease with or without renal disease (402, 404)	4	12.5	4	-	-	2	5.8	1	-	1
Ischemic heart disease (410-414)	109	341.7	103	3	3	85	248.5	74	4	7
Other heart diseases (415-429)	36	112.9	35	-	1	25	73.1	25	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	30	94.0	29	1	-	18	52.6	14	1	3
Arteriosclerosis (440)	20	62.7	18	-	2	6	17.5	6	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	9.4	3	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	10	31.3	10	-	-	11	32.2	10	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	8	25.1	8	-	-	18	52.6	18	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	3	8.8	2	-	1
Chronic liver disease and cirrhosis (571)	5	15.7	3	-	2	6	17.5	1	-	5
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	15.7	5	-	-	7	20.5	7	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	2.9	1	-	-
Certain conditions originating in the perinatal period (760-779)	3	9.4	3	-	-	1	2.9	-	-	1
Symptoms, signs, and ill-defined conditions (780-799)	2	6.3	2	-	-	7	20.5	6	-	1
All other diseases (Residual)	17	53.3	17	-	-	30	87.7	20	1	9
Motor vehicle accidents (E810-E825)	8	25.1	8	-	-	13	38.0	11	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	7	21.9	5	-	2	6	17.5	4	-	2
Suicide (E950-E959)	5	15.7	5	-	-	3	8.8	2	-	1
Homicide and legal intervention (E960-E978)	3	9.4	3	-	-	4	11.7	2	-	2
All other external causes (E980-E999)	-	-	-	-	-	1	2.9	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	CANADIAN					CARTER				
	TOTAL		RACE			TOTAL		RACE		
Population	68,900		W	B	I	46,900		W	B	I
Live births	1179	1711.2	1099	29	51	735	1567.2	618	77	40
Physician in hospital	1154	97.9	1075	28	51	734	99.9	617	77	40
Physician not in hospital	3	0.3	3	-	-	1	0.1	1	-	-
Midwife, other, unknown	22	1.9	21	1	-	-	-	-	-	-
Stillbirths	10	8.4	9	-	1	2	2.7	1	1	-
Physician in hospital	10	100.0	9	-	1	2	100.0	1	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	380	551.5	362	12	6	498	1061.8	439	48	11
Deaths under 1 year	15	12.7	14	-	1	6	8.2	5	-	1
Deaths under 1 month	11	9.3	10	-	1	3	4.1	3	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	2.1	-	1	-
Syphilis (090-097)	1	1.5	1	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	4.4	2	-	1	7	14.9	5	2	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	90	130.6	83	5	2	95	202.6	87	6	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	20	29.0	19	1	-	16	34.1	14	2	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	30	43.5	28	1	1	35	74.6	32	2	1
Malignant neoplasm of breast (174-175)	8	11.6	8	-	-	7	14.9	7	-	-
Malignant neoplasm of genital organs (179-187)	12	17.4	10	2	-	8	17.1	7	1	-
Malignant neoplasm of urinary organs (188-189)	3	4.4	3	-	-	2	4.3	1	-	1
Leukemia (204-208)	3	4.4	2	-	1	9	19.2	9	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	14	20.3	13	1	-	18	38.4	17	1	-
Diabetes mellitus (250)	6	8.7	6	-	-	7	14.9	4	2	1
Major cardiovascular diseases (390-448)	169	245.3	162	6	1	256	545.8	228	21	7
Diseases of the heart (390-398, 402, 404-429)	130	188.7	125	4	1	197	420.0	176	17	4
Rheumatic fever and rheumatic heart disease (390-398)	1	1.5	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	2.9	2	-	-	4	8.5	4	-	-
Ischemic heart disease (410-414)	79	114.7	75	3	1	155	330.5	139	12	4
Other heart diseases (415-429)	48	69.7	47	1	-	38	81.0	33	5	-
Hypertension with or without renal disease (401, 403)	2	2.9	2	-	-	4	8.5	4	-	-
Cerebrovascular disease (430-438)	33	47.9	31	2	-	40	85.3	34	4	2
Arteriosclerosis (440)	1	1.5	1	-	-	6	12.8	5	-	1
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	4.4	3	-	-	9	19.2	9	-	-
Pneumonia and influenza (480-487)	11	16.0	11	-	-	12	25.6	10	2	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	13	18.9	13	-	-	22	46.9	21	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	3	4.4	3	-	-	2	4.3	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	2.9	2	-	-	9	19.2	9	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	4	5.8	4	-	-	2	4.3	2	-	-
Certain conditions originating in the perinatal period (760-779)	10	14.5	9	-	1	1	2.1	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	4.4	3	-	-	7	14.9	6	1	-
All other diseases (Residual)	31	45.0	31	-	-	35	74.6	32	2	1
Motor vehicle accidents (E810-E825)	11	16.0	10	-	1	11	23.5	11	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	10	14.5	9	1	-	14	29.9	8	6	-
Suicide (E950-E959)	9	13.1	9	-	-	9	19.2	8	1	-
Homicide and legal intervention (E960-E978)	3	4.4	3	-	-	7	14.9	4	3	-
All other external causes (E980-E999)	1	1.5	1	-	-	1	2.1	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Late, and County, Oklahoma, 1984

	CHEROKEE					CHOCTAW				
	TOTAL		RACE			TOTAL		RACE		
Population	33,800		W	B	I	16,600		W	B	I
Live births	522	1544.4	245	8	269	222	1337.3	155	34	33
Physician in hospital	500	95.8	241	8	251	222	100.0	155	34	33
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	22	4.2	4	-	18	-	-	-	-	-
Stillbirths	2	3.8	2	-	-	1	4.5	1	-	-
Physician in hospital	2	100.0	2	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	293	866.9	224	4	65	207	1247.0	175	26	6
Deaths under 1 year	4	7.7	2	-	2	[illegible]	9.0	1	-	1
Deaths under 1 month	3	5.7	2	-	1	1	4.5	1	-	-
Tuberculosis (010-018)	1	3.0	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	8.9	3	-	-	1	6.0	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	54	159.8	45	-	9	34	204.8	30	2	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	12	35.5	10	-	2	10	60.2	8	1	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	16	47.3	13	-	3	9	54.2	9	-	-
Malignant neoplasm of breast (174-175)	3	8.9	3	-	-	2	12.0	2	-	-
Malignant neoplasm of genital organs (179-187)	8	23.7	6	-	2	2	12.0	1	-	1
Malignant neoplasm of urinary organs (188-189)	4	11.8	4	-	-	-	-	-	-	-
Leukemia (204-208)	3	8.9	3	-	-	2	12.0	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	8	23.7	6	-	2	9	54.2	8	1	-
Diabetes mellitus (250)	4	11.8	1	-	3	4	24.1	1	3	-
Major cardiovascular diseases (390-448)	147	434.9	114	-	33	131	789.2	113	16	2
Diseases of the heart (390-398, 402, 404-429)	114	337.3	87	-	27	115	692.8	102	12	1
Rheumatic fever and rheumatic heart disease (390-398)	1	3.0	1	-	-	1	6.0	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	5.9	-	-	2	3	18.1	2	1	-
Ischemic heart disease (410-414)	72	213.0	57	-	15	77	463.9	69	7	1
Other heart diseases (415-429)	39	115.4	29	-	10	34	204.8	30	4	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	26	76.9	20	-	6	16	96.4	11	4	1
Arteriosclerosis (440)	3	8.9	3	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	11.8	4	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	6	17.8	5	-	1	3	18.1	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	9	26.6	7	-	2	4	24.1	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	3.0	-	1	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	8	23.7	6	1	1	7	42.2	7	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	8.9	2	-	1	2	12.0	1	1	-
Certain conditions originating in the perinatal period (760-779)	3	8.9	2	-	1	2	12.0	1	-	1
Symptoms, signs, and ill-defined conditions (780-799)	2	5.9	1	-	1	3	18.1	2	1	-
All other diseases (Residual)	30	88.8	20	2	8	6	36.1	4	1	1
Motor vehicle accidents (E810-E825)	12	35.5	9	-	3	4	24.1	3	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	5	14.8	3	-	2	2	12.0	2	-	-
Suicide (E950-E959)	2	5.9	2	-	-	2	12.0	2	-	-
Homicide and legal intervention (E960-E978)	3	8.9	3	-	-	2	12.0	1	1	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	CIMARRON					CLEVELAND				
	TOTAL		RACE			TOTAL		RACE		
Population	4,000		W	B	I	155,100		W	B	I
Live births	45	1125.0	45	-	-	2438	1571.9	2300	66	72
Physician in hospital	45	100.0	45	-	-	2385	97.8	2249	65	71
Physician not in hospital	-	-	-	-	-	1	0.0	1	-	-
Midwife, other, unknown	-	-	-	-	-	52	2.1	50	1	1
Stillbirths	2	42.6	2	-	-	21	8.5	20	-	1
Physician in hospital	2	100.0	2	-	-	20	95.2	19	-	1
Physician not in hospital	-	-	-	-	-	1	4.8	1	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	35	875.0	35	-	-	711	458.4	695	6	10
Deaths under 1 year	1	22.2	1	-	-	17	7.0	16	1	-
Deaths under 1 month	1	22.2	1	-	-	12	4.9	11	1	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	5	3.2	5	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	9	225.0	9	-	-	147	94.8	143	2	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	100.0	4	-	-	31	20.0	31	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	50.0	2	-	-	45	29.0	45	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	10	6.4	10	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	16	10.3	14	1	1
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	9	5.8	9	-	-
Leukemia (204-208)	-	-	-	-	-	8	5.2	7	1	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	75.0	3	-	-	28	18.1	27	-	1
Diabetes mellitus (250)	1	25.0	1	-	-	14	9.0	13	1	-
Major cardiovascular diseases (390-448)	12	300.0	12	-	-	315	203.1	311	1	3
Diseases of the heart (390-398, 402, 404-429)	10	250.0	10	-	-	244	157.3	240	1	3
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	9	5.8	9	-	-
Ischemic heart disease (410-414)	8	200.0	8	-	-	164	105.7	162	-	2
Other heart diseases (415-429)	2	50.0	2	-	-	71	45.8	69	1	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	0.6	1	-	-
Cerebrovascular disease (430-438)	1	25.0	1	-	-	50	32.2	50	-	-
Arteriosclerosis (440)	-	-	-	-	-	11	7.1	11	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	25.0	1	-	-	9	5.8	9	-	-
Pneumonia and influenza (480-487)	2	50.0	2	-	-	22	14.2	21	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	50.0	2	-	-	26	16.8	26	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	2	1.3	2	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	8	5.2	6	-	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	4	2.6	4	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	0.6	1	-	-
Congenital anomalies (740-759)	1	25.0	1	-	-	7	4.5	7	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	7	4.5	6	1	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	5	3.2	5	-	-
All other diseases (Residual)	3	75.0	3	-	-	66	42.6	64	1	1
Motor vehicle accidents (E810-E825)	3	75.0	3	-	-	34	21.9	33	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	25.0	1	-	-	23	14.8	23	-	-
Suicide (E950-E959)	-	-	-	-	-	19	12.3	19	-	-
Homicide and legal intervention (E960-E978)	1	25.0	1	-	-	5	3.2	5	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	0.6	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	COAL					COMANCHE				
	TOTAL		RACE			TOTAL		RACE		
Population	5,900		W	B	I	119,400		W	B	I
Live births	67	1474.6	74	1	12	2548	2134.0	1830	560	158
Physician in hospital	85	97.7	73	1	11	2539	99.6	1824	558	157
Physician not in hospital	-	-	-	-	-	1	0.0	1	-	-
Midwife, other, unknown	2	2.3	1	-	1	8	0.3	5	2	1
Stillbirths	1	11.4	1	-	-	21	8.2	13	7	1
Physician in hospital	1	100.0	1	-	-	21	100.0	13	7	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	85	1440.7	81	-	4	725	607.2	637	64	24
Deaths under 1 year	5	57.5	5	-	-	25	9.8	20	5	-
Deaths under 1 month	4	46.0	4	-	-	16	6.3	14	2	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	33.9	2	-	-	7	5.9	7	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	19	322.0	19	-	-	161	134.8	142	15	4
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	67.8	4	-	-	34	28.5	29	5	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	67.8	4	-	-	64	53.6	56	7	1
Malignant neoplasm of breast (174-175)	2	33.9	2	-	-	6	5.0	6	-	-
Malignant neoplasm of genital organs (179-187)	1	16.9	1	-	-	15	12.6	15	-	-
Malignant neoplasm of urinary organs (188-189)	1	16.9	1	-	-	4	3.4	2	-	2
Leukemia (204-208)	-	-	-	-	-	7	5.9	6	1	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	118.6	7	-	-	31	26.0	28	2	1
Diabetes mellitus (250)	2	33.9	1	-	1	12	10.1	6	3	3
Major cardiovascular diseases (390-448)	34	576.3	34	-	-	309	258.8	281	19	9
Diseases of the heart (390-398, 402, 404-429)	29	491.5	29	-	-	245	205.2	223	16	6
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	0.8	-	-	1
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	4	3.4	1	1	2
Ischemic heart disease (410-414)	13	220.3	13	-	-	186	155.8	171	12	3
Other heart diseases (415-429)	16	271.2	16	-	-	54	45.2	51	3	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	8	6.7	7	-	1
Cerebrovascular disease (430-438)	4	67.8	4	-	-	45	37.7	40	3	2
Arteriosclerosis (440)	1	16.9	1	-	-	4	3.4	4	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	7	5.9	7	-	-
Pneumonia and influenza (480-487)	4	67.8	3	-	1	22	18.4	20	1	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	50.8	2	-	1	40	33.5	36	3	1
Ulcer of stomach and duodenum (531-533)	1	16.9	1	-	-	2	1.7	1	-	1
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	12	10.1	11	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	33.9	2	-	-	5	4.2	4	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	16.9	1	-	-	10	8.4	9	1	-
Certain conditions originating in the perinatal period (760-779)	3	50.8	3	-	-	12	10.1	10	2	-
Symptoms, signs, and ill-defined conditions (780-799)	1	16.9	1	-	-	6	5.0	5	1	-
All other diseases (Residual)	9	152.5	9	-	-	57	47.7	49	6	2
Motor vehicle accidents (E810-E825)	2	33.9	1	-	1	26	21.8	20	5	1
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	17	14.2	15	2	-
Suicide (E950-E959)	1	16.9	1	-	-	9	7.5	9	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	14	11.7	9	4	1
All other external causes (E980-E999)	1	16.9	1	-	-	4	3.4	3	1	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	COTTON					CRAIG				
	TOTAL		RACE			TOTAL		RACE		
Population	7,100		W	B	I	15,300		W	B	I
Live births	87	1225.4	73	3	11	178	1163.4	114	8	56
Physician in hospital	87	100.0	73	3	11	171	96.1	114	8	49
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	7	3.9	-	-	7
Stillbirths	1	11.4	1	-	-	1	5.6	1	-	-
Physician in hospital	1	100.0	1	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	104	1464.8	96	3	5	189	1235.3	174	4	11
Deaths under 1 year	-	-	-	-	-	3	16.9	3	-	-
Deaths under 1 month	-	-	-	-	-	2	11.2	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	28.2	2	-	-	1	6.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	29	408.5	27	1	1	44	287.6	40	2	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	7	98.6	7	-	-	15	98.0	14	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	10	140.8	9	1	-	16	104.6	15	1	-
Malignant neoplasm of breast (174-175)	1	14.1	-	-	1	1	6.5	1	-	-
Malignant neoplasm of genital organs (179-187)	3	42.3	3	-	-	3	19.6	3	-	-
Malignant neoplasm of urinary organs (188-189)	1	14.1	1	-	-	2	13.1	2	-	-
Leukemia (204-208)	-	-	-	-	-	2	13.1	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	98.6	7	-	-	5	32.7	3	-	2
Diabetes mellitus (250)	-	-	-	-	-	1	6.5	1	-	-
Major cardiovascular diseases (390-448)	49	690.1	46	-	3	97	634.0	87	2	8
Diseases of the heart (390-398, 402, 404-429)	33	464.8	31	-	2	63	411.8	58	-	5
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	14.1	-	-	1	-	-	-	-	-
Ischemic heart disease (410-414)	22	309.9	21	-	1	58	379.1	53	-	5
Other heart diseases (415-429)	10	140.8	10	-	-	5	32.7	5	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	13	183.1	13	-	-	27	176.5	22	2	3
Arteriosclerosis (440)	1	14.1	1	-	-	5	32.7	5	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	28.2	1	-	1	2	13.1	2	-	-
Pneumonia and influenza (480-487)	1	14.1	1	-	-	10	65.4	10	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	8	112.7	8	-	-	4	26.1	3	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	14.1	-	-	1	4	26.1	4	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	3	19.6	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	13.1	2	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	6.5	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	3	19.6	3	-	-
All other diseases (Residual)	11	154.9	9	2	-	8	52.3	8	-	-
Motor vehicle accidents (E810-E825)	1	14.1	1	-	-	6	39.2	6	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	2	13.1	2	-	-
Suicide (E950-E959)	2	28.2	2	-	-	2	13.1	2	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	1	6.5	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	CREEK					CUSTER				
	TOTAL		RACE			TOTAL		RACE		
Population	69,500		W	B	I	34,000		W	B	I
Live births	996	1433.1	862	35	99	568	1670.6	500	20	48
Physician in hospital	981	98.5	854	35	92	567	99.8	499	20	48
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	15	1.5	8	-	7	1	0.2	1	-	-
Stillbirths	5	5.0	5	-	-	4	7.0	4	-	-
Physician in hospital	5	100.0	5	-	-	4	100.0	4	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	567	815.8	520	27	20	263	773.5	235	14	14
Deaths under 1 year	14	14.1	13	-	1	9	15.8	7	1	1
Deaths under 1 month	10	10.0	9	-	1	7	12.3	6	1	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	6	8.6	5	-	1	2	5.9	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	128	184.2	120	5	3	49	144.1	47	2	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	35	50.4	31	1	3	9	26.5	9	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	44	63.3	41	3	-	9	26.5	9	-	-
Malignant neoplasm of breast (174-175)	8	11.5	7	1	-	5	14.7	4	1	-
Malignant neoplasm of genital organs (179-187)	7	10.1	7	-	-	7	20.6	7	-	-
Malignant neoplasm of urinary organs (188-189)	3	4.3	3	-	-	2	5.9	2	-	-
Leukemia (204-208)	4	5.8	4	-	-	3	8.8	3	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	27	38.8	27	-	-	14	41.2	13	1	-
Diabetes mellitus (250)	14	20.1	11	2	1	10	29.4	6	3	1
Major cardiovascular diseases (390-448)	255	366.9	235	12	8	125	367.6	120	3	2
Diseases of the heart (390-398, 402, 404-429)	192	276.3	173	11	8	98	288.2	96	1	1
Rheumatic fever and rheumatic heart disease (390-398)	2	2.9	2	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	3	4.3	3	-	-	2	5.9	2	-	-
Ischemic heart disease (410-414)	140	201.4	127	8	5	74	217.6	72	1	1
Other heart diseases (415-429)	47	67.6	41	3	3	22	64.7	22	-	-
Hypertension with or without renal disease (401, 403)	1	1.4	1	-	-	2	5.9	2	-	-
Cerebrovascular disease (430-438)	52	74.8	51	1	-	16	47.1	14	1	1
Arteriosclerosis (440)	2	2.9	2	-	-	8	23.5	7	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	8	11.5	8	-	-	1	2.9	1	-	-
Pneumonia and influenza (480-487)	20	28.8	20	-	-	11	32.4	9	1	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	19	27.3	17	1	1	9	26.5	9	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	6	8.6	5	-	1	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	6	8.6	4	1	1	3	8.8	2	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	5	7.2	5	-	-	8	23.5	7	-	1
Certain conditions originating in the perinatal period (760-779)	8	11.5	7	-	1	3	8.8	2	1	-
Symptoms, signs, and ill-defined conditions (780-799)	6	8.6	5	-	1	1	2.9	1	-	-
All other diseases (Residual)	41	59.0	38	3	-	23	67.6	15	3	5
Motor vehicle accidents (E810-E825)	20	28.8	19	-	1	5	14.7	5	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	22	31.7	19	2	1	9	26.5	7	-	2
Suicide (E950-E959)	7	10.1	7	-	-	2	5.9	1	-	1
Homicide and legal intervention (E960-E978)	4	5.8	3	1	-	3	8.8	2	1	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	DELAWARE					DEWEY				
	TOTAL		RACE			TOTAL		RACE		
Population	27,500		W	B	I	6,600		W	B	I
Live births	347	1261.8	198	-	149	86	1303.0	75	-	11
Physician in hospital	329	94.8	193	-	136	84	97.7	74	-	10
Physician not in hospital	2	0.6	2	-	-	-	-	-	-	-
Midwife, other, unknown	16	4.6	3	-	13	2	2.3	1	-	1
Stillbirths	3	8.6	2	-	1	-	-	-	-	-
Physician in hospital	3	100.0	2	-	1	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	291	1058.2	235	-	36	78	1181.8	77	-	1
Deaths under 1 year	4	11.5	3	-	1	-	-	-	-	-
Deaths under 1 month	4	11.5	3	-	1	-	-	-	-	-
Tuberculosis (010-018)	1	3.6	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	7.3	2	-	-	1	15.2	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	74	269.1	67	-	7	16	242.4	16	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	13	47.3	11	-	2	5	75.8	5	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	23	83.6	20	-	3	3	45.5	3	-	-
Malignant neoplasm of breast (174-175)	10	36.4	10	-	-	3	45.5	3	-	-
Malignant neoplasm of genital organs (179-187)	6	21.8	6	-	-	1	15.2	1	-	-
Malignant neoplasm of urinary organs (188-189)	4	14.5	4	-	-	3	45.5	3	-	-
Leukemia (204-208)	2	7.3	2	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	16	58.2	14	-	2	1	15.2	1	-	-
Diabetes mellitus (250)	-	-	-	-	-	1	15.2	1	-	-
Major cardiovascular diseases (390-448)	144	523.6	123	-	21	37	560.6	36	-	1
Diseases of the heart (390-398, 402, 404-429)	110	400.0	95	-	15	28	424.2	27	-	1
Rheumatic fever and rheumatic heart disease (390-398)	2	7.3	2	-	-	1	15.2	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	3.6	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	76	276.4	65	-	11	21	318.2	20	-	1
Other heart diseases (415-429)	31	112.7	27	-	4	6	90.9	6	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	15.2	1	-	-
Cerebrovascular disease (430-438)	29	105.5	24	-	5	7	106.1	7	-	-
Arteriosclerosis (440)	1	3.6	1	-	-	1	15.2	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	4	14.5	3	-	1	-	-	-	-	-
Pneumonia and influenza (480-487)	11	40.0	7	-	4	3	45.5	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	13	47.3	12	-	1	5	75.8	5	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	3	45.5	3	-	-
Chronic liver disease and cirrhosis (571)	3	10.9	3	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	6	21.8	6	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	7.3	2	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	7.3	1	-	1	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	3.6	1	-	-	1	15.2	1	-	-
All other diseases (Residual)	18	65.5	17	-	1	3	45.5	3	-	-
Motor vehicle accidents (E810-E825)	4	14.5	4	-	-	4	60.6	4	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	7	25.5	7	-	-	2	30.3	2	-	-
Suicide (E950-E959)	3	10.9	2	-	1	2	30.3	2	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	ELLIS					GARFIELD				
	TOTAL		RACE			TOTAL		RACE		
Population	6,300		W	B	I	65,400		W	B	I
Live births	63	1000.0	63	-	-	1118	1709.5	1035	63	20
Physician in hospital	62	98.4	62	-	-	1111	99.4	1028	63	20
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	1.6	1	-	-	7	0.6	7	-	-
Stillbirths	-	-	-	-	-	4	3.6	4	-	-
Physician in hospital	-	-	-	-	-	4	100.0	4	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	68	1079.4	68	-	-	588	899.1	569	18	1
Deaths under 1 year	-	-	-	-	-	16	14.3	13	3	-
Deaths under 1 month	-	-	-	-	-	6	5.4	5	1	-
Tuberculosis (010-018)	-	-	-	-	-	1	1.5	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	1.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	14	222.2	14	-	-	115	175.8	114	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	47.6	3	-	-	31	47.4	31	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	15.9	1	-	-	38	58.1	38	-	-
Malignant neoplasm of breast (174-175)	1	15.9	1	-	-	10	15.3	10	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	15	22.9	14	1	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	3	4.6	3	-	-
Leukemia (204-208)	1	15.9	1	-	-	3	4.6	3	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	8	127.0	8	-	-	15	22.9	15	-	-
Diabetes mellitus (250)	-	-	-	-	-	10	15.3	10	-	-
Major cardiovascular diseases (390-448)	38	603.2	38	-	-	279	426.6	272	7	-
Diseases of the heart (390-398, 402, 404-429)	27	428.6	27	-	-	197	301.2	192	5	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	3	4.6	3	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	1.5	1	-	-
Ischemic heart disease (410-414)	17	269.8	17	-	-	135	206.4	132	3	-
Other heart diseases (415-429)	10	158.7	10	-	-	58	88.7	56	2	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	2	46.8	2	-	-
Cerebrovascular disease (430-438)	9	142.9	9	-	-	62	94.8	60	2	-
Arteriosclerosis (440)	2	31.7	2	-	-	11	16.8	11	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	7	10.7	7	-	-
Pneumonia and influenza (480-487)	2	31.7	2	-	-	14	21.4	13	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	63.5	4	-	-	29	44.3	29	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	3	4.6	3	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	1.5	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	8	12.2	7	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	15.9	1	-	-	3	4.6	2	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	6	9.2	6	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	15.9	1	-	-	7	10.7	6	1	-
All other diseases (Residual)	4	63.5	4	-	-	60	91.7	54	6	-
Motor vehicle accidents (E810-E825)	1	15.9	1	-	-	21	32.1	20	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	31.7	2	-	-	17	26.0	17	-	-
Suicide (E950-E959)	1	15.9	1	-	-	8	12.2	8	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	4	6.1	4	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	1.5	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	GARVIN					GRADY				
	TOTAL		RACE			TOTAL		RACE		
Population	30,400		W	B	I	44,900		W	B	I
Live births	438	1440.8	400	16	22	720	1603.6	658	31	31
Physician in hospital	432	98.6	395	16	21	708	98.3	646	31	31
Physician not in hospital	-	-	-	-	-	2	0.3	2	-	-
Midwife, other, unknown	6	1.4	5	-	1	10	1.4	10	-	-
Stillbirths	4	9.0	4	-	-	5	6.9	4	-	1
Physician in hospital	4	100.0	4	-	-	5	100.0	4	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	321	1055.9	311	7	3	405	902.0	385	16	4
Deaths under 1 year	3	6.8	3	-	-	10	13.9	9	1	-
Deaths under 1 month	1	2.3	1	-	-	8	11.1	7	1	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	9.9	3	-	-	3	6.7	3	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	78	256.6	76	1	1	65	144.8	62	2	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	24	78.9	23	-	1	18	40.1	16	1	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	18	59.2	18	-	-	16	35.6	16	-	-
Malignant neoplasm of breast (174-175)	7	23.0	7	-	-	3	6.7	3	-	-
Malignant neoplasm of genital organs (179-187)	4	13.2	4	-	-	11	24.5	10	1	-
Malignant neoplasm of urinary organs (188-189)	3	9.9	3	-	-	4	8.9	4	-	-
Leukemia (204-208)	5	16.4	5	-	-	2	4.5	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	17	55.9	16	1	-	11	24.5	11	-	-
Diabetes mellitus (250)	2	6.6	2	-	-	4	8.9	4	-	-
Major cardiovascular diseases (390-448)	158	519.7	152	4	2	208	463.3	197	9	2
Diseases of the heart (390-398, 402, 404-429)	125	411.2	120	3	2	155	345.2	146	7	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	2.2	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	4	13.2	4	-	-	2	4.5	2	-	-
Ischemic heart disease (410-414)	89	292.8	85	3	1	118	262.8	112	4	2
Other heart diseases (415-429)	32	105.3	31	-	1	34	75.7	31	3	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	2	4.5	2	-	-
Cerebrovascular disease (430-438)	22	72.4	22	-	-	35	78.0	33	2	-
Arteriosclerosis (440)	10	32.9	9	1	-	15	33.4	15	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	3.3	1	-	-	1	2.2	1	-	-
Pneumonia and influenza (480-487)	13	42.8	13	-	-	15	33.4	15	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	6	19.7	6	-	-	14	31.2	14	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	3	9.9	3	-	-	1	2.2	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	9.9	3	-	-	7	15.6	7	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	9.9	3	-	-	2	4.5	1	1	-
Certain conditions originating in the perinatal period (760-779)	2	6.6	2	-	-	6	13.4	6	-	-
Symptoms, signs, and ill-defined conditions (780-799)	7	23.0	6	1	-	2	4.5	2	-	-
All other diseases (Residual)	28	92.1	28	-	-	45	100.2	41	4	-
Motor vehicle accidents (E810-E825)	6	19.7	6	-	-	15	33.4	15	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	13.2	4	-	-	8	17.8	8	-	-
Suicide (E950-E959)	3	9.9	3	-	-	7	15.6	7	-	-
Homicide and legal intervention (E960-E978)	2	6.6	1	1	-	3	6.7	2	-	1
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	GRANT					GREER				
	TOTAL		RACE			TOTAL		RACE		
Population	6,700		W	B	I	7,200		W	B	I
Live births	100	1492.5	96	-	4	68	944.4	67	1	-
Physician in hospital	100	100.0	96	-	4	68	100.0	67	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	1	14.5	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	92	1373.1	92	-	-	99	1375.0	97	2	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	29.9	2	-	-	1	13.9	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	17	253.7	17	-	-	26	361.1	26	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	59.7	4	-	-	10	138.9	10	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	44.8	3	-	-	6	83.3	6	-	-
Malignant neoplasm of breast (174-175)	1	14.9	1	-	-	3	41.7	3	-	
Malignant neoplasm of genital organs (179-187)	3	44.8	3	-	-	2	27.8	2	-	-
Malignant neoplasm of urinary organs (188-189)	1	14.9	1	-	-	1	13.9	1	-	-
Leukemia (204-208)	1	14.9	1	-	-	1	13.9	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	4	59.7	4	-	-	3	41.7	3	-	-
Diabetes mellitus (250)	-	-	-	-	-	2	27.8	2	-	-
Major cardiovascular diseases (390-448)	49	731.3	49	-	-	46	638.9	45	1	-
Diseases of the heart (390-398, 402, 404-429)	38	567.2	38	-	-	35	486.1	34	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	32	477.6	32	-	-	21	291.7	20	1	-
Other heart diseases (415-429)	6	89.6	6	-	-	14	194.4	14	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	7	104.5	7	-	-	6	83.3	6	-	-
Arteriosclerosis (440)	2	29.9	2	-	-	4	55.6	4	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	29.9	2	-	-	1	13.9	1	-	-
Pneumonia and influenza (480-487)	1	14.9	1	-	-	1	13.9	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	74.6	5	-	-	7	97.2	7	-	-
Ulcer of stomach and duodenum (531-533)	1	14.9	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	14.9	1	-	-	1	13.9	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	29.9	2	-	-	4	55.6	3	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	1	13.9	1	-	-
All other diseases (Residual)	7	104.5	7	-	-	8	111.1	8	-	-
Motor vehicle accidents (E810-E825)	3	44.8	3	-	-	1	13.9	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	59.7	4	-	-	1	13.9	1	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	HARMON					HARPER				
	TOTAL		RACE			TOTAL		RACE		
Population	4,400		W	B	I	4,800		W	B	I
Live births	71	1613.6	60	9	2	60	1250.0	60	-	-
Physician in hospital	70	98.6	59	9	2	60	100.0	60	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	1.4	1	-	-	-	-	-	-	-
Stillbirths	1	13.9	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	63	1431.8	62	1	-	54	1125.0	54	-	-
Deaths under 1 year	1	14.1	1	-	-	-	-	-	-	-
Deaths under 1 month	1	14.1	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	6	136.4	6	-	-	9	187.5	9	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	45.5	2	-	-	1	20.8	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	45.5	2	-	-	5	104.2	5	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	22.7	1	-	-	1	20.8	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	22.7	1	-	-	2	41.7	2	-	-
Diabetes mellitus (250)	1	22.7	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	32	727.3	32	-	-	30	625.0	30	-	-
Diseases of the heart (390-398, 402, 404-429)	31	704.5	31	-	-	25	520.8	25	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	23	522.7	23	-	-	23	479.2	23	-	-
Other heart diseases (415-429)	8	181.8	8	-	-	2	41.7	2	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	22.7	1	-	-	3	62.5	3	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	2	41.7	2	-	-
Pneumonia and influenza (480-487)	7	159.1	7	-	-	2	41.7	2	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	113.6	4	1	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	22.7	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	22.7	1	-	-	1	20.8	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	22.7	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	22.7	1	-	-	-	-	-	-	-
All other diseases (Residual)	8	181.8	8	-	-	6	125.0	6	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	4	83.3	4	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	1	20.8	1	-	-
Suicide (E950-E959)	-	-	-	-	-	1	20.8	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	HASKELL					HUGHES				
	TOTAL		RACE			TOTAL		RACE		
Population	11,800		W	B	I	14,900		W	B	I
Live births	145	1228.8	121	3	21	167	1120.8	120	3	44
Physician in hospital	144	99.3	120	3	21	166	99.4	120	3	43
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	0.7	1	-	-	1	0.6	-	-	1
Stillbirths	1	6.8	1	-	-	2	11.8	1	-	1
Physician in hospital	1	100.0	1	-	-	2	100.0	1	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	151	1279.7	145	2	4	211	1416.1	179	10	22
Deaths under 1 year	5	34.5	4	1	-	3	18.0	1	1	1
Deaths under 1 month	3	20.7	3	-	-	1	6.0	-	1	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	8.5	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	46	389.8	45	-	1	51	342.3	42	2	7
Malignant neoplasm of digestive organs and peritoneum (150-159)	13	110.2	13	-	-	11	73.8	9	-	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	12	101.7	12	-	-	11	73.8	9	-	2
Malignant neoplasm of breast (174-175)	3	25.4	3	-	-	6	40.3	6	-	-
Malignant neoplasm of genital organs (179-187)	3	25.4	2	-	1	8	53.7	6	-	2
Malignant neoplasm of urinary organs (188-189)	3	25.4	3	-	-	3	20.1	2	-	1
Leukemia (204-208)	-	-	-	-	-	5	33.6	4	1	-
Other malignant neoplasms (140-149, 170-173, 190-203)	12	101.7	12	-	-	7	47.0	6	1	-
Diabetes mellitus (250)	2	16.9	2	-	-	8	53.7	7	1	-
Major cardiovascular diseases (390-448)	70	593.2	67	1	2	94	630.9	82	4	8
Diseases of the heart (390-398, 402, 404-429)	52	440.7	51	-	1	80	536.9	68	4	8
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	6.7	-	1	-
Ischemic heart disease (410-414)	40	339.0	40	-	-	67	449.7	60	1	6
Other heart diseases (415-429)	12	101.7	11	-	1	12	80.5	8	2	2
Hypertension with or without renal disease (401, 403)	1	8.5	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	15	127.1	13	1	1	10	67.1	10	-	-
Arteriosclerosis (440)	1	8.5	1	-	-	1	6.7	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	8.5	1	-	-	3	20.1	3	-	-
Pneumonia and influenza (480-487)	4	33.9	3	1	-	10	67.1	10	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	16.9	2	-	-	10	67.1	10	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	13.4	1	1	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	33.9	4	-	-	7	47.0	5	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	13.4	1	-	1
Certain conditions originating in the perinatal period (760-779)	3	25.4	3	-	-	1	6.7	-	1	-
Symptoms, signs, and ill-defined conditions (780-799)	2	16.9	2	-	-	-	-	-	-	-
All other diseases (Residual)	6	50.8	5	-	1	15	100.7	12	1	2
Motor vehicle accidents (E810-E825)	6	50.8	6	-	-	3	20.1	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	16.9	2	-	-	4	26.8	3	-	1
Suicide (E950-E959)	1	8.5	1	-	-	3	20.1	3	-	-
Homicide and legal intervention (E960-E978)	2	16.9	2	-	-	1	6.7	-	-	1
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	JACKSON					JEFFERSON				
	TOTAL		RACE			TOTAL		RACE		
Population	30,700		W	B	I	8,700		W	B	I
Live births	679	2211.7	587	74	18	102	1172.4	99	-	3
Physician in hospital	678	99.9	586	74	18	100	98.0	97	-	3
Physician not in hospital	-	-	-	-	-	1	1.0	1	-	-
Midwife, other, unknown	1	0.1	1	-	-	1	1.0	1	-	-
Stillbirths	3	4.4	3	-	-	-	-	-	-	-
Physician in hospital	3	100.0	3	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	246	801.3	231	13	2	111	1275.9	110	1	-
Deaths under 1 year	6	8.8	4	2	-	1	9.8	1	-	-
Deaths under 1 month	4	5.9	2	2	-	1	9.8	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	9.8	2	1	-	1	11.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	46	149.8	44	2	-	15	172.4	15	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	16	52.1	16	-	-	4	46.0	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	15	48.9	14	1	-	3	34.5	3	-	-
Malignant neoplasm of breast (174-175)	3	9.8	2	1	-	1	11.5	1	-	-
Malignant neoplasm of genital organs (179-187)	3	9.8	3	-	-	2	23.0	2	-	-
Malignant neoplasm of urinary organs (188-189)	2	6.5	2	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	2	23.0	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	22.8	7	-	-	3	34.5	3	-	-
Diabetes mellitus (250)	1	3.3	-	1	-	3	34.5	3	-	-
Major cardiovascular diseases (390-448)	131	426.7	127	4	-	66	758.6	66	-	-
Diseases of the heart (390-398, 402, 404-429)	96	312.7	93	3	-	54	620.7	54	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	3.3	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	3.3	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	66	215.0	65	1	-	34	390.8	34	-	-
Other heart diseases (415-429)	28	91.2	26	2	-	20	229.9	20	-	-
Hypertension with or without renal disease (401, 403)	2	6.5	2	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	32	104.2	31	1	-	9	103.4	9	-	-
Arteriosclerosis (440)	-	-	-	-	-	3	34.5	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	3.3	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	7	22.8	6	1	-	1	11.5	-	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	9	29.3	8	1	-	3	34.5	3	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	6.5	2	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	13.0	4	-	-	2	22.0	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	6.5	2	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	4	13.0	2	2	-	1	11.5	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	7	22.8	6	-	1	3	34.5	3	-	-
All other diseases (Residual)	17	55.4	17	-	-	11	126.4	11	-	-
Motor vehicle accidents (E810-E825)	4	13.0	3	1	-	4	46.0	4	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	13.0	3	-	1	1	11.5	1	-	-
Suicide (E950-E959)	3	9.8	3	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	2	6.5	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	JOHNSTON					KAY				
	TOTAL		RACE			TOTAL		RACE		
Population	10,800		W	B	I	53,000		W	B	I
Live births	132	1222.2	104	1	27	832	1569.8	738	11	83
Physician in hospital	132	100.0	104	1	27	831	99.9	737	11	83
Physician not in hospital	–	–	–	–	–	1	0.1	1	–	–
Midwife, other, unknown	–	–	–	–	–	–	–	–	–	–
Stillbirths	1	7.5	1	–	–	7	8.3	7	–	–
Physician in hospital	1	100.0	1	–	–	6	85.7	6	–	–
Physician not in hospital	–	–	–	–	–	1	14.3	1	–	–
Midwife, other, or unknown	–	–	–	–	–	–	–	–	–	–
Total deaths, all causes	110	1018.5	100	3	7	520	981.1	485	12	23
Deaths under 1 year	2	15.2	2	–	–	9	10.8	8	–	1
Deaths under 1 month	1	7.6	1	–	–	6	7.2	6	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	–	–	–	–	–	4	7.5	3	–	1
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	20	185.2	19	–	1	110	207.5	106	2	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	27.8	3	–	–	25	47.2	25	–	–
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	11	101.9	10	–	1	41	77.4	39	1	1
Malignant neoplasm of breast (174-175)	2	18.5	2	–	–	7	13.2	7	–	–
Malignant neoplasm of genital organs (179-187)	1	9.3	1	–	–	8	15.1	8	–	–
Malignant neoplasm of urinary organs (188-189)	1	9.3	1	–	–	10	18.9	9	–	1
Leukemia (204-208)	–	–	–	–	–	2	3.8	2	–	–
Other malignant neoplasms (140-149, 170-173, 190-203)	2	18.5	2	–	–	17	32.1	16	1	–
Diabetes mellitus (250)	3	27.8	3	–	–	17	32.1	11	1	5
Major cardiovascular diseases (390-448)	65	601.9	58	3	4	269	507.5	253	8	8
Diseases of the heart (390-398, 402, 404-429)	59	546.3	53	3	3	214	403.8	205	5	4
Rheumatic fever and rheumatic heart disease (390-398)	–	–	–	–	–	2	3.8	2	–	–
Hypertensive heart disease with or without renal disease (402, 404)	1	9.3	1	–	–	2	3.8	2	–	–
Ischemic heart disease (410-414)	46	425.9	41	2	3	177	334.0	171	3	3
Other heart diseases (415-429)	12	111.1	11	1	–	33	62.3	30	2	1
Hypertension with or without renal disease (401, 403)	–	–	–	–	–	1	1.9	1	–	–
Cerebrovascular disease (430-438)	6	55.6	5	–	1	46	86.8	41	2	3
Arteriosclerosis (440)	–	–	–	–	–	5	9.4	5	–	–
Other diseases of arterioes, arterioles, and capillaries (441-448)	–	–	–	–	–	3	5.7	1	1	1
Pneumonia and influenza (480-487)	–	–	–	–	–	9	17.0	9	–	–
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	18.5	2	–	–	19	35.8	19	–	–
Ulcer of stomach and duodenum (531-533)	–	–	–	–	–	1	1.9	1	–	–
Chronic liver disease and cirrhosis (571)	1	9.3	1	–	–	2	3.8	1	–	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	9.3	1	–	–	6	11.3	6	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	1	9.3	1	–	–	3	5.7	3	–	–
Certain conditions originating in the perinatal period (760-779)	1	9.3	1	–	–	3	5.7	3	–	–
Symptoms, signs, and ill-defined conditions (780-799)	–	–	–	–	–	4	7.5	4	–	–
All other diseases (Residual)	4	37.0	2	–	2	27	50.9	23	–	4
Motor vehicle accidents (E810-E825)	4	37.0	4	–	–	16	30.2	15	–	1
All other accidents and adverse effects (E800-E807, E826-E949)	6	55.6	6	–	–	18	34.0	17	1	–
Suicide (E950-E959)	1	9.3	1	–	–	9	17.0	9	–	–
Homicide and legal intervention (E960-E978)	1	9.3	1	–	–	3	5.7	2	–	1
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	KINGFISHER					KIOWA				
	TOTAL		RACE			TOTAL		RACE		
Population	16,300		W	B	I	12,800		W	B	I
Live births	326	2000.0	309	6	11	203	1585.9	170	15	18
Physician in hospital	326	100.0	309	6	11	202	99.5	169	15	18
Physician not in hospital	-	-	-	-	-	1	0.5	1	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	1	3.1	1	-	-	1	4.9	1	-	-
Physician in hospital	1	100.0	1	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	124	760.7	119	4	1	188	1468.8	175	7	6
Deaths under 1 year	3	9.2	3	-	-	3	14.8	2	1	-
Deaths under 1 month	3	9.2	3	-	-	2	9.9	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	5	30.7	5	-	-	4	31.3	3	-	1
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	23	141.1	23	-	-	39	304.7	35	2	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	9	55.2	9	-	-	8	62.5	7	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	8	49.1	8	-	-	9	70.3	8	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	7.8	1	-	-
Malignant neoplasm of genital organs (179-187)	1	6.1	1	-	-	4	31.3	4	-	-
Malignant neoplasm of urinary organs (188-189)	2	12.3	2	-	-	7	54.7	5	1	1
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	18.4	3	-	-	10	78.1	10	-	-
Diabetes mellitus (250)	4	24.5	4	-	-	3	23.4	2	1	-
Major cardiovascular diseases (390-448)	58	355.8	55	2	1	94	734.4	89	3	2
Diseases of the heart (390-398, 402, 404-429)	49	300.6	46	2	1	74	578.1	71	2	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	12.3	2	-	-	1	7.8	1	-	-
Ischemic heart disease (410-414)	40	245.4	37	2	1	56	437.5	54	1	1
Other heart diseases (415-429)	7	42.9	7	-	-	17	132.8	16	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	2	15.6	2	-	-
Cerebrovascular disease (430-438)	9	55.2	9	-	-	15	117.2	14	1	-
Arteriosclerosis (440)	-	-	-	-	-	1	7.8	-	-	1
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	2	15.6	2	-	-
Pneumonia and influenza (480-487)	6	36.8	6	-	-	5	39.1	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	6.1	1	-	-	6	46.9	5	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	7.8	1	-	-
Chronic liver disease and cirrhosis (571)	1	6.1	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	18.4	2	1	-	3	23.4	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	6.1	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	6.1	1	-	-	2	15.6	2	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	12.3	2	-	-	-	-	-	-	-
All other diseases (Residual)	10	61.3	9	1	-	19	148.4	18	1	-
Motor vehicle accidents (E810-E825)	3	18.4	3	-	-	5	39.1	5	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	18.4	3	-	-	5	39.1	5	-	-
Suicide (E950-E959)	3	18.4	3	-	-	2	15.6	2	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	LATIMER					LEFLORE				
	TOTAL		RACE			TOTAL		RACE		
Population	10,100		W	B	I	42,900		W	B	I
Live births	127	1257.4	99	3	25	584	1361.3	498	10	76
Physician in hospital	125	98.4	97	3	25	583	99.8	498	10	75
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	2	1.6	2	-	-	1	0.2	-	-	1
Stillbirths	1	7.8	1	-	-	7	11.8	6	1	-
Physician in hospital	1	100.0	1	-	-	7	100.0	6	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	105	1039.6	99	1	5	437	1018.6	413	12	12
Deaths under 1 year	-	-	-	-	-	4	6.8	3	-	1
Deaths under 1 month	-	-	-	-	-	3	5.1	2	-	1
Tuberculosis (010-018)	-	-	-	-	-	1	2.3	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	4	9.3	4	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	26	257.4	25	-	1	96	223.8	91	3	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	49.5	5	-	-	27	62.9	25	2	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	11	108.9	11	-	-	25	58.3	25	-	-
Malignant neoplasm of breast (174-175)	1	9.9	1	-	-	4	9.3	4	-	-
Malignant neoplasm of genital organs (179-187)	3	29.7	2	-	1	13	30.3	12	1	-
Malignant neoplasm of urinary organs (188-189)	1	9.9	1	-	-	5	11.7	5	-	-
Leukemia (204-208)	1	9.9	1	-	-	5	11.7	4	-	1
Other malignant neoplasms (140-149, 170-173, 190-203)	4	39.6	4	-	-	17	39.6	16	-	1
Diabetes mellitus (250)	1	9.9	1	-	-	8	18.6	6	1	1
Major cardiovascular diseases (390-448)	51	505.0	49	-	2	209	487.2	191	7	5
Diseases of the heart (390-398, 402, 404-429)	45	445.5	43	-	2	160	373.0	149	6	5
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	2.3	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	9.9	1	-	-	1	2.3	1	-	-
Ischemic heart disease (410-414)	29	287.1	27	-	2	131	305.4	124	3	4
Other heart diseases (415-429)	15	148.5	15	-	-	27	62.9	23	3	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	4	39.6	4	-	-	30	69.9	29	1	-
Arteriosclerosis (440)	1	9.9	1	-	-	4	9.3	4	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	9.9	1	-	-	9	21.0	9	-	-
Pneumonia and influenza (480-487)	1	9.9	1	-	-	20	46.6	20	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	6	59.4	6	-	-	19	44.3	19	-	-
Ulcer of stomach and duodenum (531-533)	1	9.9	1	-	-	1	2.3	1	-	-
Chronic liver disease and cirrhosis (571)	2	19.8	2	-	-	2	4.7	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	19.8	1	-	1	6	14.0	6	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	2.3	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	2	4.7	1	-	1
Symptoms, signs, and ill-defined conditions (780-799)	2	19.8	2	-	-	4	9.3	4	-	-
All other diseases (Residual)	5	49.5	5	-	-	40	93.2	37	1	2
Motor vehicle accidents (E810-E825)	3	29.7	2	-	1	9	21.0	8	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	9.9	-	1	-	11	25.6	11	-	-
Suicide (E950-E959)	1	9.9	1	-	-	6	14.0	6	-	-
Homicide and legal intervention (E960-E978)	2	19.8	2	-	-	4	9.3	4	-	-
All other external causes (E980-E999)	1	9.9	1	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	LINCOLN					LOGAN				
	TOTAL		RACE			TOTAL		RACE		
Population	29,800		W	B	I	30,500		W	B	I
Live births	422	1416.1	391	11	20	521	1708.2	460	48	13
Physician in hospital	409	96.9	378	11	20	509	97.7	449	47	13
Physician not in hospital	-	-	-	-	-	2	0.4	2	-	-
Midwife, other, unknown	13	3.1	13	-	-	10	1.9	9	1	-
Stillbirths	3	7.1	2	-	1	6	11.4	5	1	-
Physician in hospital	3	100.0	2	-	1	6	100.0	5	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	289	969.8	275	12	2	278	911.5	236	41	1
Deaths under 1 year	4	9.5	3	1	-	2	3.8	2	-	-
Deaths under 1 month	2	4.7	1	1	-	2	3.8	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	3.3	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	10.1	3	-	-	5	16.4	4	1	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	57	191.3	54	3	-	56	183.6	49	7	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	17	57.0	16	1	-	12	39.3	9	3	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	15	50.3	14	1	-	13	42.6	12	1	-
Malignant neoplasm of breast (174-175)	5	16.8	5	-	-	5	16.4	4	1	-
Malignant neoplasm of genital organs (179-187)	8	26.8	8	-	-	12	39.3	11	1	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	4	13.1	4	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	12	40.3	11	1	-	10	32.8	9	1	-
Diabetes mellitus (250)	3	10.1	3	-	-	2	6.6	2	-	-
Major cardiovascular diseases (390-448)	166	557.0	158	7	1	164	537.7	138	26	-
Diseases of the heart (390-398, 402, 404-429)	132	443.0	124	7	1	109	357.4	89	20	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	4	13.4	4	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	104	349.0	96	7	1	88	288.5	71	17	-
Other heart diseases (415-429)	24	80.5	24	-	-	21	68.9	18	3	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	29	97.3	29	-	-	49	160.7	44	5	-
Arteriosclerosis (440)	2	6.7	2	-	-	4	13.1	3	1	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	10.1	3	-	-	2	6.6	2	-	-
Pneumonia and influenza (480-487)	8	26.8	7	-	1	12	39.3	10	2	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	7	23.5	7	-	-	3	9.8	3	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	3.3	1	-	-
Chronic liver disease and cirrhosis (571)	1	3.4	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	6.7	2	-	-	3	9.8	1	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	6.7	1	1	-	1	3.3	1	-	-
Certain conditions originating in the perinatal period (760-779)	1	3.4	1	-	-	1	3.3	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	6.7	2	-	-	-	-	-	-	-
All other diseases (Residual)	16	53.7	15	1	-	14	45.9	12	2	-
Motor vehicle accidents (E810-E825)	12	40.3	12	-	-	8	26.2	7	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	5	16.8	5	-	-	2	6.6	1	1	-
Suicide (E950-E959)	3	10.1	3	-	-	2	6.6	2	-	-
Homicide and legal intervention (E960-E978)	1	3.4	1	-	-	2	6.6	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	3.3	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	LOVE					McCLAIN				
	TOTAL		RACE			TOTAL		RACE		
Population	8,000		W	B	I	24,300		W	B	I
Live births	107	1337.5	101	3	3	370	1522.6	357	3	10
Physician in hospital	105	98.1	99	3	3	364	98.4	351	3	10
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	2	1.9	2	-	-	6	1.6	6	-	-
Stillbirths	3	27.3	2	-	1	1	2.7	1	-	-
Physician in hospital	3	100.0	2	-	1	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	91	1137.5	84	7	-	185	761.3	182	2	1
Deaths under 1 year	2	18.7	2	-	-	4	10.8	4	-	-
Deaths under 1 month	-	-	-	-	-	2	5.4	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	12.5	1	-	-	2	8.2	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	15	187.5	13	2	-	45	185.2	43	1	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	12.5	1	-	-	4	16.5	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	6	75.0	5	1	-	11	45.3	11	-	-
Malignant neoplasm of breast (174-175)	1	12.5	1	-	-	3	12.3	3	-	-
Malignant neoplasm of genital organs (179-187)	2	25.0	2	-	-	10	41.2	9	1	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	5	20.6	5	-	-
Leukemia (204-208)	1	12.5	1	-	-	4	16.5	4	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	4	50.0	3	1	-	8	32.9	7	-	1
Diabetes mellitus (250)	2	25.0	2	-	-	2	8.2	2	-	-
Major cardiovascular diseases (390-448)	47	587.5	44	3	-	74	304.5	73	1	-
Diseases of the heart (390-398, 402, 404-429)	37	462.5	34	3	-	60	246.9	60	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	30	375.0	28	2	-	45	185.2	45	-	-
Other heart diseases (415-429)	7	87.5	6	1	-	15	61.7	15	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	8	100.0	8	-	-	11	45.3	11	-	-
Arteriosclerosis (440)	1	12.5	1	-	-	3	12.3	2	1	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	12.5	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	25.0	2	-	-	13	53.5	13	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	12.5	1	-	-	9	37.0	9	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	8.2	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	50.0	4	-	-	3	12.3	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	4.1	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	37.5	3	-	-	2	8.2	2	-	-
All other diseases (Residual)	11	137.5	9	2	-	15	61.7	15	-	-
Motor vehicle accidents (E810-E825)	5	62.5	5	-	-	6	24.7	6	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	6	24.7	6	-	-
Suicide (E950-E959)	-	-	-	-	-	3	12.3	3	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	2	8.2	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	McCURTAIN					McINTOSH				
	TOTAL		RACE			TOTAL		RACE		
Population	36,000		W	B	I	17,000		W	B	I
Live births	564	1566.7	396	80	88	225	1323.5	136	17	72
Physician in hospital	562	99.6	395	79	88	222	98.7	136	17	69
Physician not in hospital	1	0.2	-	1	-	-	-	-	-	-
Midwife, other, unknown	1	0.2	1	-	-	3	1.3	-	-	3
Stillbirths	1	1.8	1	-	-	2	8.8	1	1	-
Physician in hospital	1	100.0	1	-	-	2	100.0	1	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	359	997.2	291	52	16	191	1123.5	156	18	17
Deaths under 1 year	5	8.9	5	-	-	4	17.8	2	1	1
Deaths under 1 month	4	7.1	4	-	-	2	8.9	1	1	-
Tuberculosis (010-018)	2	5.6	2	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	5.6	2	-	-	1	5.9	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	61	169.4	50	7	4	34	200.0	27	2	5
Malignant neoplasm of digestive organs and peritoneum (150-159)	15	41.7	12	1	2	7	41.2	5	-	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	23	63.9	18	5	-	12	70.6	12	-	-
Malignant neoplasm of breast (174-175)	3	8.3	3	-	-	3	17.6	2	-	1
Malignant neoplasm of genital organs (179-187)	6	16.7	6	-	-	2	11.8	-	1	1
Malignant neoplasm of urinary organs (188-189)	2	5.6	2	-	-	-	-	-	-	-
Leukemia (204-208)	1	2.8	1	-	-	2	11.8	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	11	30.6	8	1	2	8	47.1	6	1	1
Diabetes mellitus (250)	3	8.3	1	2	-	6	35.3	4	1	1
Major cardiovascular diseases (390-448)	166	461.1	131	26	9	94	552.9	80	9	5
Diseases of the heart (390-398, 402, 404-429)	134	372.2	110	18	6	73	429.4	64	6	3
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	5.6	2	-	-	2	11.8	2	-	-
Ischemic heart disease (410-414)	99	275.0	81	14	4	35	205.9	30	2	3
Other heart diseases (415-429)	33	91.7	27	4	2	36	211.8	32	4	-
Hypertension with or without renal disease (401, 403)	1	2.8	1	-	-	1	5.9	1	-	-
Cerebrovascular disease (430-438)	28	77.8	18	7	3	15	88.2	11	3	1
Arteriosclerosis (440)	2	5.6	1	1	-	1	5.9	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	2.8	1	-	-	4	23.5	3	-	1
Pneumonia and influenza (480-487)	18	50.0	16	2	-	5	29.4	4	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	13	36.1	11	2	-	6	35.3	6	-	-
Ulcer of stomach and duodenum (531-533)	1	2.8	1	-	-	2	11.8	2	-	-
Chronic liver disease and cirrhosis (571)	6	16.7	5	1	-	2	11.8	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	7	19.4	5	2	-	3	17.6	2	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	4	11.1	4	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	2.8	1	-	-	2	11.8	1	1	-
Symptoms, signs, and ill-defined conditions (780-799)	5	13.9	4	1	-	2	11.8	2	-	-
All other diseases (Residual)	28	77.8	22	5	1	21	123.5	14	2	5
Motor vehicle accidents (E810-E825)	9	25.0	8	1	-	4	23.5	4	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	19	52.8	17	2	-	4	23.5	3	-	1
Suicide (E950-E959)	4	11.1	2	1	1	3	17.6	2	1	-
Homicide and legal intervention (E960-E978)	9	25.0	8	-	1	2	11.8	2	-	-
All other external causes (E980-E999)	1	2.8	1	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	MAJOR					MARSHALL				
	TOTAL		RACE			TOTAL		RACE		
Population	9,400		W	B	I	11,300		W	B	I
Live births	156	1659.6	151	1	4	125	1106.2	108	2	15
Physician in hospital	151	96.8	146	1	4	124	99.2	107	2	15
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	5	3.2	5	-	-	1	0.8	1	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	99	1053.2	97	-	2	139	1230.1	135	-	4
Deaths under 1 year	-	-	-	-	-	1	8.0	1	-	-
Deaths under 1 month	-	-	-	-	-	1	8.0	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	8.8	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	10.6	1	-	-	2	17.7	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	23	244.7	23	-	-	28	247.8	27	-	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	53.2	5	-	-	5	44.2	5	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	5	53.2	5	-	-	13	115.0	12	-	1
Malignant neoplasm of breast (174-175)	2	21.3	2	-	-	1	8.8	1	-	-
Malignant neoplasm of genital organs (179-187)	4	42.6	4	-	-	3	26.5	3	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	8.8	1	-	-
Leukemia (204-208)	2	21.3	2	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	53.2	5	-	-	5	44.2	5	-	-
Diabetes mellitus (250)	5	53.2	5	-	-	1	8.8	-	-	1
Major cardiovascular diseases (390-448)	42	446.8	42	-	-	66	584.1	64	-	2
Diseases of the heart (390-398, 402, 404-429)	34	361.7	34	-	-	64	566.4	62	-	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	8.8	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	8.8	1	-	-
Ischemic heart disease (410-414)	22	234.0	22	-	-	39	345.1	38	-	1
Other heart diseases (415-429)	12	127.7	12	-	-	23	203.5	22	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	5	53.2	5	-	-	2	17.7	2	-	-
Arteriosclerosis (440)	1	10.6	1	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	21.3	2	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	5	53.2	5	-	-	8	70.8	8	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	31.9	3	-	-	6	53.1	6	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	10.6	-	-	1	2	17.7	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	10.6	-	-	1	2	17.7	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	8.8	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	8.8	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	1	8.8	1	-	-
All other diseases (Residual)	11	117.0	11	-	-	13	115.0	13	-	-
Motor vehicle accidents (E810-E825)	3	31.9	3	-	-	3	26.5	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	31.9	3	-	-	3	26.5	3	-	-
Suicide (E950-E959)	1	10.6	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	8.8	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	MAYES					MURRAY				
	TOTAL		RACE			TOTAL		RACE		
Population	34,600		W	B	I	13,200		W	B	I
Live births	515	1488.4	336	-	179	177	1340.9	161	3	13
Physician in hospital	493	95.7	334	-	159	175	98.9	159	3	13
Physician not in hospital	-	-	-	-	-	1	0.6	1	-	-
Midwife, other, unknown	22	4.3	2	-	20	1	0.6	1	-	-
Stillbirths	6	11.5	4	-	2	1	5.6	-	-	1
Physician in hospital	6	100.0	4	-	2	1	100.0	-	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	347	1002.9	329	1	17	136	1030.3	130	1	5
Deaths under 1 year	3	5.8	2	-	1	-	-	-	-	-
Deaths under 1 month	2	3.9	1	-	1	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	2.9	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	71	205.2	69	-	2	30	227.3	26	1	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	19	54.9	17	-	2	8	60.6	7	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	22	63.6	22	-	-	12	90.9	10	1	1
Malignant neoplasm of breast (174-175)	4	11.6	4	-	-	2	15.2	2	-	-
Malignant neoplasm of genital organs (179-187)	11	31.8	11	-	-	2	15.2	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	2.9	1	-	-	2	15.2	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	14	40.5	14	-	-	4	30.3	3	-	1
Diabetes mellitus (250)	4	11.6	2	-	2	2	15.2	1	-	1
Major cardiovascular diseases (390-448)	187	540.5	178	1	8	68	515.2	67	-	1
Diseases of the heart (390-398, 402, 404-429)	140	404.6	132	1	7	55	416.7	54	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	7.6	1	-	-
Ischemic heart disease (410-414)	100	289.0	96	-	4	38	287.9	37	-	1
Other heart diseases (415-429)	40	115.6	36	1	3	16	121.2	16	-	-
Hypertension with or without renal disease (401, 403)	1	2.9	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	39	112.7	39	-	-	7	53.0	7	-	-
Arteriosclerosis (440)	3	8.7	3	-	-	5	37.9	5	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	11.6	3	-	1	1	7.6	1	-	-
Pneumonia and influenza (480-487)	14	40.5	13	-	1	5	37.9	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	18	52.0	17	-	1	5	37.9	5	-	-
Ulcer of stomach and duodenum (531-533)	2	5.8	2	-	-	2	15.2	2	-	-
Chronic liver disease and cirrhosis (571)	4	11.6	4	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	4	30.3	4	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	8.7	2	-	1	1	7.6	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	8.7	2	-	1	1	7.6	1	-	-
All other diseases (Residual)	19	54.9	19	-	-	11	83.3	11	-	-
Motor vehicle accidents (E810-E825)	17	49.1	16	-	1	2	15.2	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	5.8	2	-	-	2	15.2	2	-	-
Suicide (E950-E959)	2	5.8	2	-	-	2	15.2	2	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	1	7.6	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	MUSKOGEE					NOBLE				
	TOTAL		RACE			TOTAL		RACE		
Population	70,000		W	B	I	12,000		W	B	I
Live births	1195	1707.1	808	216	171	199	1658.3	174	5	20
Physician in hospital	1181	98.8	806	214	161	198	99.5	173	5	20
Physician not in hospital	3	0.3	1	2	-	-	-	-	-	-
Midwife, other, unknown	11	0.9	1	-	10	1	0.5	1	-	-
Stillbirths	12	9.9	9	1	2	-	-	-	-	-
Physician in hospital	12	100.0	9	1	2	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	774	1105.7	629	128	17	137	1141.7	128	3	6
Deaths under 1 year	12	10.0	8	4	-	3	15.1	3	-	-
Deaths under 1 month	6	5.0	3	3	-	2	10.1	2	-	-
Tuberculosis (010-018)	2	2.9	1	-	1	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	8	11.4	8	-	-	3	25.0	3	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	184	262.9	144	35	5	18	150.0	16	1	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	53	75.7	41	10	2	4	33.3	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	51	72.9	43	7	1	5	41.7	3	1	1
Malignant neoplasm of breast (174-175)	15	21.4	11	4	-	1	8.3	1	-	-
Malignant neoplasm of genital organs (179-187)	21	30.0	15	5	1	5	41.7	5	-	-
Malignant neoplasm of urinary organs (188-189)	11	15.7	6	4	1	1	8.3	1	-	-
Leukemia (204-208)	4	5.7	2	2	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	29	41.4	26	3	-	2	16.7	2	-	-
Diabetes mellitus (250)	17	24.3	6	6	5	1	8.3	1	-	-
Major cardiovascular diseases (390-448)	356	508.6	298	54	4	80	666.7	77	2	1
Diseases of the heart (390-398, 402, 404-429)	286	408.6	247	36	3	63	525.0	60	2	1
Rheumatic fever and rheumatic heart disease (390-398)	2	2.9	2	-	-	1	8.3	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	5	7.1	2	3	-	-	-	-	-	-
Ischemic heart disease (410-414)	199	284.3	176	21	2	36	300.0	33	2	1
Other heart diseases (415-429)	80	114.3	67	12	1	26	216.7	26	-	-
Hypertension with or without renal disease (401, 403)	1	1.4	-	1	-	-	-	-	-	-
Cerebrovascular disease (430-438)	64	91.4	47	16	1	16	133.3	16	-	-
Arteriosclerosis (440)	3	4.3	2	1	-	1	8.3	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	2.9	2	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	25	35.7	22	3	-	2	16.7	2	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	30	42.9	27	3	-	2	16.7	2	-	-
Ulcer of stomach and duodenum (531-533)	1	1.4	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	3	4.3	3	-	-	2	16.7	1	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	13	18.6	11	2	-	3	25.0	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1.4	1	-	-	-	-	-	-	-
Congenital anomalies (740-759)	4	5.7	2	2	-	2	16.7	2	-	-
Certain conditions originating in the perinatal period (760-779)	4	5.7	3	1	-	1	8.3	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	4	5.7	4	-	-	-	-	-	-	-
All other diseases (Residual)	68	97.1	56	10	2	11	91.7	10	-	1
Motor vehicle accidents (E810-E825)	16	22.9	12	4	-	4	33.3	3	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	20	28.6	16	4	-	2	16.7	1	-	1
Suicide (E950-E959)	8	11.4	8	-	-	4	33.3	4	-	-
Homicide and legal intervention (E960-E978)	9	12.9	5	4	-	2	16.7	2	-	-
All other external causes (E980-E999)	1	1.4	1	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	NOWATA					OKFUSKEE				
	TOTAL		RACE			TOTAL		RACE		
Population	11,500		W	B	I	11,900		W	B	I
Live births	150	1304.3	119	3	28	165	1386.6	103	22	40
Physician in hospital	145	96.7	119	3	23	165	100.0	103	22	40
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	5	3.3	-	-	5	-	-	-	-	-
Stillbirths	1	6.6	1	-	-	2	12.0	-	-	2
Physician in hospital	1	100.0	1	-	-	1	50.0	-	-	1
Physician not in hospital	-	-	-	-	-	1	50.0	-	-	1
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	131	1139.1	123	7	1	135	1134.5	93	21	21
Deaths under 1 year	-	-	-	-	-	1	6.1	-	-	1
Deaths under 1 month	-	-	-	-	-	1	6.1	-	-	1
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	8.4	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	30	260.9	28	2	-	26	218.5	17	6	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	43.5	5	-	-	9	75.6	6	3	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	10	87.0	8	2	-	8	67.2	7	1	-
Malignant neoplasm of breast (174-175)	2	17.4	2	-	-	2	16.8	-	1	1
Malignant neoplasm of genital organs (179-187)	7	60.9	7	-	-	1	8.4	-	1	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	2	16.8	2	-	-
Leukemia (204-208)	1	8.7	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	43.5	5	-	-	4	33.6	2	-	2
Diabetes mellitus (250)	3	26.1	2	1	-	2	16.8	1	-	1
Major cardiovascular diseases (390-448)	70	608.7	67	2	1	70	588.2	50	11	9
Diseases of the heart (390-398, 402, 404-429)	50	434.8	48	1	1	63	529.4	47	8	8
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	2	16.8	-	-	2
Ischemic heart disease (410-414)	32	278.3	31	-	1	48	403.4	37	6	5
Other heart diseases (415-429)	18	156.5	17	1	-	13	109.2	10	2	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	11	95.7	11	-	-	6	50.4	2	3	1
Arteriosclerosis (440)	5	43.5	5	-	-	1	8.4	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	34.8	3	1	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	26.1	3	-	-	3	25.2	2	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	43.5	5	-	-	4	33.6	3	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	8.7	1	-	-	2	16.8	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	26.1	2	1	-	2	16.8	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	8.4	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	8.4	-	-	1
Symptoms, signs, and ill-defined conditions (780-799)	1	8.7	1	-	-	1	8.4	1	-	-
All other diseases (Residual)	8	69.6	8	-	-	12	100.8	8	2	2
Motor vehicle accidents (E810-E825)	1	8.7	1	-	-	3	25.2	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	26.1	2	1	-	5	42.0	1	-	4
Suicide (E950-E959)	2	17.4	2	-	-	1	8.4	1	-	-
Homicide and legal intervention (E960-E978)	1	8.7	1	-	-	1	8.4	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	OKLAHOMA					OKMULGEE				
	TOTAL		RACE			TOTAL		RACE		
Population	622,400		W	B	J	40,200		W	B	I
Live births	11883	1909.2	9240	2104	539	645	1604.5	415	108	122
Physician in hospital	11597	97.6	9024	2046	527	638	98.9	410	108	120
Physician not in hospital	10	0.1	8	2	-	2	0.3	2	-	-
Midwife, other, unknown	276	2.3	208	56	12	5	0.8	3	-	2
Stillbirths	87	7.3	69	17	1	5	7.7	5	-	-
Physician in hospital	85	97.7	67	17	1	5	100.0	5	-	-
Physician not in hospital	1	1.1	1	-	-	-	-	-	-	-
Midwife, other, or unknown	1	1.1	1	-	-	-	-	-	-	-
Total deaths, all causes	5011	805.1	4372	592	47	494	1228.9	405	67	22
Deaths under 1 year	127	10.7	96	30	1	2	3.1	2	-	-
Deaths under 1 month	72	6.1	54	17	1	1	1.6	1	-	-
Tuberculosis (010-018)	6	1.0	4	2	-	-	-	-	-	-
Syphilis (090-097)	1	0.2	1	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	60	9.6	44	14	2	5	12.4	5	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	1079	173.4	959	112	8	101	251.2	83	13	5
Malignant neoplasm of digestive organs and peritoneum (150-159)	267	42.9	233	33	1	21	52.2	17	3	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	357	57.4	331	26	-	29	72.1	27	2	-
Malignant neoplasm of breast (174-175)	92	14.8	83	9	-	6	14.9	3	2	1
Malignant neoplasm of genital organs (179-187)	105	16.9	88	15	2	11	27.4	6	4	1
Malignant neoplasm of urinary organs (188-189)	35	5.6	30	4	1	6	14.9	6	-	-
Leukemia (204-208)	35	5.6	31	3	1	6	14.9	6	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	188	30.2	163	22	3	22	54.7	18	2	2
Diabetes mellitus (250)	78	12.5	57	20	1	11	27.4	7	3	1
Major cardiovascular diseases (390-448)	2286	367.3	2030	242	14	246	611.9	201	37	8
Diseases of the heart (390-398, 402, 404-429)	1693	272.0	1505	176	12	214	532.3	173	35	6
Rheumatic fever and rheumatic heart disease (390-398)	8	1.3	7	1	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	37	5.9	26	10	1	3	7.5	1	1	1
Ischemic heart disease (410-414)	1021	164.0	938	79	4	189	470.1	156	29	4
Other heart diseases (415-429)	627	100.7	534	86	7	22	54.7	16	5	1
Hypertension with or without renal disease (401, 403)	14	2.2	7	7	-	1	2.5	1	-	-
Cerebrovascular disease (430-438)	437	70.2	385	51	1	23	57.2	19	2	2
Arteriosclerosis (440)	89	14.3	86	3	-	4	10.0	4	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	53	8.5	47	5	1	4	10.0	4	-	-
Pneumonia and influenza (480-487)	126	20.2	112	12	2	20	49.8	17	2	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	219	35.2	205	13	1	19	47.3	19	-	-
Ulcer of stomach and duodenum (531-533)	18	2.9	17	1	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	53	8.5	43	6	4	3	7.5	3	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	60	9.6	50	10	-	8	19.9	8	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	38	6.1	33	5	-	2	5.0	1	-	1
Certain conditions originating in the perinatal period (760-779)	59	9.5	42	17	-	1	2.5	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	55	8.8	42	11	2	1	2.5	1	-	-
All other diseases (Residual)	412	66.2	355	49	8	33	82.1	20	9	4
Motor vehicle accidents (E810-E825)	148	23.8	122	24	2	9	22.4	9	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	113	18.2	94	19	-	17	42.3	15	1	1
Suicide (E950-E959)	109	17.5	103	6	-	8	19.9	8	-	-
Homicide and legal intervention (E960-E978)	82	13.2	51	28	3	9	22.4	6	2	1
All other external causes (E980-E999)	9	1.4	8	1	-	1	2.5	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	OSAGE					OTTAWA				
	TOTAL		RACE			TOTAL		RACE		
Population	42,000		W	B	I	33,700		W	B	I
Live births	589	1402.4	463	27	99	428	1270.0	298	-	130
Physician in hospital	579	98.3	458	26	95	418	97.7	296	-	122
Physician not in hospital	2	0.3	1	1	-	-	-	-	-	-
Midwife, other, unknown	8	1.4	4	-	4	10	2.3	2	-	8
Stillbirths	6	10.1	5	-	1	3	7.0	2	-	1
Physician in hospital	5	83.3	4	-	1	3	100.0	2	-	1
Physician not in hospital	1	16.7	1	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	320	761.9	277	12	31	367	1089.0	349	-	18
Deaths under 1 year	7	11.9	5	-	2	7	16.4	7	-	-
Deaths under 1 month	6	10.2	4	-	2	5	11.7	5	-	-
Tuberculosis (010-018)	1	2.4	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	4	9.5	3	-	1	3	8.9	3	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	63	150.0	55	3	5	72	213.6	67	-	5
Malignant neoplasm of digestive organs and peritoneum (150-159)	17	40.5	12	1	4	13	38.6	13	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	21	50.0	21	-	-	23	68.2	21	-	2
Malignant neoplasm of breast (174-175)	6	14.3	3	2	1	10	29.7	10	-	-
Malignant neoplasm of genital organs (179-187)	5	11.9	5	-	-	8	23.7	8	-	-
Malignant neoplasm of urinary organs (188-189)	2	4.8	2	-	-	4	11.9	4	-	-
Leukemia (204-208)	2	4.8	2	-	-	4	11.9	4	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	10	23.8	10	-	-	10	29.7	7	-	3
Diabetes mellitus (250)	5	11.9	3	-	2	1	3.0	1	-	-
Major cardiovascular diseases (390-448)	155	369.0	136	6	13	193	572.7	181	-	12
Diseases of the heart (390-398, 402, 404-429)	117	278.6	105	4	8	147	436.2	137	-	10
Rheumatic fever and rheumatic heart disease (390-398)	1	2.4	-	-	1	1	3.0	-	-	1
Hypertensive heart disease with or without renal disease (402, 404)	2	4.8	2	-	-	1	3.0	1	-	-
Ischemic heart disease (410-414)	79	188.1	73	2	4	105	311.6	97	-	8
Other heart diseases (415-429)	35	83.3	30	2	3	40	118.7	39	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	3.0	1	-	-
Cerebrovascular disease (430-438)	30	71.4	23	2	5	31	92.0	31	-	-
Arteriosclerosis (440)	3	7.1	3	-	-	6	17.8	4	-	2
Other diseases of arterioes, arterioles, and capillaries (441-448)	5	11.9	5	-	-	8	23.7	8	-	-
Pneumonia and influenza (480-487)	6	14.3	6	-	-	15	44.5	15	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	14	33.3	13	-	1	15	44.5	14	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	3.0	1	-	-
Chronic liver disease and cirrhosis (571)	2	4.8	2	-	-	2	5.9	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	4.8	2	-	-	9	26.7	9	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	4.8	2	-	-	1	3.0	1	-	-
Certain conditions originating in the perinatal period (760-779)	4	9.5	3	-	1	4	11.9	4	-	-
Symptoms, signs, and ill-defined conditions (780-799)	7	16.7	5	1	1	4	11.9	4	-	-
All other diseases (Residual)	26	61.9	22	2	2	23	68.2	23	-	-
Motor vehicle accidents (E810-E825)	12	28.6	10	-	2	7	20.8	7	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	9	21.4	8	-	1	9	26.7	9	-	-
Suicide (E950-E959)	5	11.9	4	-	1	8	23.7	8	-	-
Homicide and legal intervention (E960-E978)	3	7.1	2	-	1	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V

Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	PAWNEE					PAYNE				
	TOTAL		RACE			TOTAL		RACE		
Population	16,800		W	B	I	65,300		W	B	I
Live births	268	1595.2	227	4	37	955	1462.5	869	55	31
Physician in hospital	267	99.6	226	4	37	933	97.7	851	53	29
Physician not in hospital	-	-	-	-	-	2	0.2	2	-	-
Midwife, other, unknown	1	0.4	1	-	-	20	2.1	16	2	2
Stillbirths	-	-	-	-	-	4	4.2	4	-	-
Physician in hospital	-	-	-	-	-	4	100.0	4	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	162	964.3	156	1	5	439	672.3	422	11	6
Deaths under 1 year	-	-	-	-	-	9	9.4	9	-	-
Deaths under 1 month	-	-	-	-	-	5	5.2	5	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	11.9	2	-	-	1	1.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	37	220.2	35	1	1	93	142.4	89	3	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	11	65.5	11	-	-	25	38.3	24	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	11	65.5	10	1	-	18	27.6	18	-	-
Malignant neoplasm of breast (174-175)	1	6.0	1	-	-	4	6.1	4	-	-
Malignant neoplasm of genital organs (179-187)	1	6.0	1	-	-	14	21.4	13	1	-
Malignant neoplasm of urinary organs (188-189)	4	23.8	4	-	-	6	9.2	6	-	-
Leukemia (204-208)	1	6.0	1	-	-	4	6.1	3	-	1
Other malignant neoplasms (140-149, 170-173, 190-203)	8	47.6	7	-	1	22	33.7	21	1	-
Diabetes mellitus (250)	4	23.8	4	-	-	3	4.6	3	-	-
Major cardiovascular diseases (390-448)	75	446.4	72	-	3	235	359.9	232	1	2
Diseases of the heart (390-398, 402, 404-429)	60	357.1	59	-	1	167	255.7	164	1	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	2	3.1	2	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	3	4.6	2	1	-
Ischemic heart disease (410-414)	46	273.8	45	-	1	121	185.3	120	-	1
Other heart diseases (415-429)	14	83.3	14	-	-	41	62.8	40	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	2	3.1	2	-	-
Cerebrovascular disease (430-438)	8	47.6	7	-	1	56	85.8	56	-	-
Arteriosclerosis (440)	6	35.7	5	-	1	5	7.7	5	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	6.0	1	-	-	5	7.7	5	-	-
Pneumonia and influenza (480-487)	8	47.6	8	-	-	14	21.4	14	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	23.8	4	-	-	11	16.8	9	2	-
Ulcer of stomach and duodenum (531-533)	2	11.9	2	-	-	1	1.5	1	-	-
Chronic liver disease and cirrhosis (571)	1	6.0	1	-	-	2	3.1	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	6.0	1	-	-	3	4.6	2	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	6.0	1	-	-	6	9.2	6	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	1.5	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	6.0	1	-	-	3	4.6	3	-	-
All other diseases (Residual)	8	47.6	8	-	-	33	50.5	28	3	2
Motor vehicle accidents (E810-E825)	4	23.8	4	-	-	11	16.8	9	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	13	77.4	12	-	1	12	18.4	12	-	-
Suicide (E950-E959)	1	6.0	1	-	-	9	13.8	9	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	1	1.5	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	PITTSBURG					PONTOTOC				
	TOTAL		RACE			TOTAL		RACE		
Population	42,600		W	B	I	34,300		W	B	I
Live births	574	1347.4	492	26	56	523	1524.8	431	18	74
Physician in hospital	574	100.0	492	26	56	520	99.4	429	18	73
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	3	0.6	2	-	1
Stillbirths	2	3.5	2	-	-	5	9.5	5	-	-
Physician in hospital	2	100.0	2	-	-	5	100.0	5	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	476	1117.4	440	22	14	369	1075.8	345	8	16
Deaths under 1 year	7	12.2	7	-	-	6	11.5	6	-	-
Deaths under 1 month	2	3.5	2	-	-	5	9.6	5	-	-
Tuberculosis (010-018)	1	2.3	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	8	18.8	8	-	-	5	14.6	5	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	113	265.3	106	6	1	80	233.2	74	1	5
Malignant neoplasm of digestive organs and peritoneum (150-159)	29	68.1	27	2	-	20	58.3	19	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	36	84.5	33	2	1	25	72.9	22	1	2
Malignant neoplasm of breast (174-175)	11	25.8	10	1	-	7	20.4	6	-	1
Malignant neoplasm of genital organs (179-187)	13	30.5	12	1	-	8	23.3	8	-	-
Malignant neoplasm of urinary organs (188-189)	3	7.0	3	-	-	-	-	-	-	-
Leukemia (204-208)	4	9.4	4	-	-	2	5.8	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	17	39.9	17	-	-	18	52.5	17	-	1
Diabetes mellitus (250)	4	9.4	3	-	1	2	5.8	2	-	-
Major cardiovascular diseases (390-448)	216	507.0	200	12	4	187	545.2	177	4	6
Diseases of the heart (390-398, 402, 404-429)	160	375.6	148	10	2	141	411.1	134	3	4
Rheumatic fever and rheumatic heart disease (390-398)	1	2.3	-	1	-	1	2.9	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	3	7.0	2	-	1	1	2.9	1	-	-
Ischemic heart disease (410-414)	96	225.4	89	6	1	105	306.1	100	2	3
Other heart diseases (415-429)	60	140.8	57	3	-	34	99.1	32	1	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	36	84.5	34	1	1	39	113.7	38	1	-
Arteriosclerosis (440)	16	37.6	14	1	1	3	8.7	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	9.4	4	-	-	4	11.7	2	-	2
Pneumonia and influenza (480-487)	33	77.5	33	-	-	22	64.1	20	-	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	12	28.2	11	-	1	5	14.6	5	-	-
Ulcer of stomach and duodenum (531-533)	4	9.4	4	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	4.7	2	-	-	4	11.7	3	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	10	23.5	8	2	-	4	11.7	4	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	2.3	1	-	-	4	11.7	4	-	-
Certain conditions originating in the perinatal period (760-779)	1	2.3	1	-	-	3	8.7	3	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	4.7	2	-	-	1	2.9	1	-	-
All other diseases (Residual)	34	79.8	29	1	4	29	84.5	25	2	2
Motor vehicle accidents (E810-E825)	13	30.5	12	-	1	11	32.1	11	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	11	25.8	8	1	2	8	23.3	7	1	-
Suicide (E950-E959)	7	16.4	7	-	-	4	11.7	4	-	-
Homicide and legal intervention (E960-E978)	4	9.4	4	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	POTTAWATOMIE					PUSHMATAHA				
	TOTAL		RACE			TOTAL		RACE		
Population	61,400		W	B	I	11,900		W	B	I
Live births	997	1623.8	845	23	129	161	1352.9	140	-	21
Physician in hospital	994	99.7	843	23	128	159	98.8	138	-	21
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	3	0.3	2	-	1	2	1.2	2	-	-
Stillbirths	5	5.0	5	-	-	-	-	-	-	-
Physician in hospital	5	100.0	5	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	641	1044.0	604	9	28	146	1226.9	137	3	6
Deaths under 1 year	10	10.0	9	-	1	1	6.2	1	-	-
Deaths under 1 month	7	7.0	6	-	1	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	6	9.8	6	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	142	231.3	138	1	3	32	268.9	28	1	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	38	61.9	37	-	1	4	33.6	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	42	68.4	41	-	1	12	100.8	12	-	-
Malignant neoplasm of breast (174-175)	11	17.9	11	-	-	1	8.4	-	-	1
Malignant neoplasm of genital organs (179-187)	15	24.4	14	1	-	6	50.4	5	-	1
Malignant neoplasm of urinary organs (188-189)	8	13.0	8	-	-	1	8.4	1	-	-
Leukemia (204-208)	8	13.0	8	-	-	2	16.8	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	20	32.6	19	-	1	6	50.4	4	1	1
Diabetes mellitus (250)	6	9.8	5	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	320	521.2	299	4	17	75	630.3	71	2	2
Diseases of the heart (390-398, 402, 404-429)	239	389.3	224	-	15	59	495.8	56	1	2
Rheumatic fever and rheumatic heart disease (390-398)	2	3.3	2	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	3	4.9	3	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	186	302.9	176	-	10	41	344.5	41	-	-
Other heart diseases (415-429)	48	78.2	43	-	5	18	151.3	15	1	2
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	71	115.6	65	4	2	11	92.4	11	-	-
Arteriosclerosis (440)	4	6.5	4	-	-	2	16.8	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	6	9.8	6	-	-	3	25.2	2	1	-
Pneumonia and influenza (480-487)	23	37.5	23	-	-	9	75.6	9	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	19	30.9	18	1	-	8	67.2	8	-	-
Ulcer of stomach and duodenum (531-533)	4	6.5	4	-	-	1	8.4	1	-	-
Chronic liver disease and cirrhosis (571)	9	14.7	8	-	1	2	16.8	1	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	8	13.0	7	1	-	1	8.4	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	5	8.1	5	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	4.9	2	-	1	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	4.9	3	-	-	2	16.8	2	-	-
All other diseases (Residual)	53	86.3	51	1	1	8	67.2	8	-	-
Motor vehicle accidents (E810-E825)	19	30.9	16	1	2	2	16.8	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	6.5	3	-	1	3	25.2	3	-	-
Suicide (E950-E959)	12	19.5	11	-	1	1	8.4	1	-	-
Homicide and legal intervention (E960-E978)	5	8.1	5	-	-	1	8.4	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	8.4	1	-	-

Table 7
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	ROGER MILLS					ROGERS				
	TOTAL		RACE			TOTAL		RACE		
Population	6,100		W	B	I	54,100		W	B	I
Live births	87	1426.2	81	-	6	817	1510.2	612	8	197
Physician in hospital	85	97.7	79	-	6	788	96.5	602	8	178
Physician not in hospital	-	-	-	-	-	1	0.1	1	-	-
Midwife, other, unknown	2	2.3	2	-	-	28	3.4	9	-	19
Stillbirths	-	-	-	-	-	13	15.7	8	1	4
Physician in hospital	-	-	-	-	-	13	100.0	8	1	4
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	61	1000.0	56	-	5	339	626.6	307	6	26
Deaths under 1 year	2	23.0	2	-	-	9	11.0	7	1	1
Deaths under 1 month	-	-	-	-	-	6	7.3	5	-	1
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	1.8	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	20	327.9	17	-	3	71	131.2	65	-	6
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	32.8	1	-	1	17	31.4	13	-	4
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	6	98.4	5	-	1	20	37.0	19	-	1
Malignant neoplasm of breast (174-175)	1	16.4	1	-	-	6	11.1	6	-	-
Malignant neoplasm of genital organs (179-187)	2	32.8	2	-	-	8	14.8	8	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	3	5.5	3	-	-
Leukemia (204-208)	3	49.2	3	-	-	2	3.7	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	6	98.4	5	-	1	15	27.7	14	-	1
Diabetes mellitus (250)	1	16.4	1	-	-	4	7.4	3	-	1
Major cardiovascular diseases (390-448)	23	377.0	22	-	1	173	319.8	158	3	12
Diseases of the heart (390-398, 402, 404-429)	19	311.5	18	-	1	142	262.5	130	2	10
Rheumatic fever and rheumatic heart disease (390-398)	1	16.4	1	-	-	1	1.8	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	16.4	1	-	-	1	1.8	1	-	-
Ischemic heart disease (410-414)	10	163.9	10	-	-	104	192.2	97	2	5
Other heart diseases (415-429)	7	114.8	6	-	1	36	66.5	31	-	5
Hypertension with or without renal disease (401, 403)	1	16.4	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	2	32.8	2	-	-	26	48.1	24	1	1
Arteriosclerosis (440)	-	-	-	-	-	1	1.8	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	16.4	1	-	-	4	7.4	3	-	1
Pneumonia and influenza (480-487)	2	32.8	1	-	1	9	16.6	8	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	32.8	2	-	-	9	16.6	7	-	2
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	2	3.7	2	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	3	5.5	2	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	16.4	1	-	-	1	1.8	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	16.4	1	-	-	3	5.5	2	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	6	11.1	5	-	1
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	5	82.0	5	-	-	17	31.4	15	-	2
Motor vehicle accidents (E810-E825)	1	16.4	1	-	-	13	24.0	12	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	16.4	1	-	-	12	22.2	12	-	-
Suicide (E950-E959)	2	32.8	2	-	-	13	24.0	12	-	1
Homicide and legal intervention (E960-E978)	2	32.8	2	-	-	2	3.7	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	SEMINOLE					SEQUOYAH				
	TOTAL		RACE			TOTAL		RACE		
Population	28,800		W	B	I	33,100		W	B	I
Live births	441	1531.3	302	45	94	506	1528.7	350	11	145
Physician in hospital	438	99.3	301	44	93	495	97.8	345	11	139
Physician not in hospital	1	0.2	-	1	-	2	0.4	2	-	-
Midwife, other, unknown	2	0.5	1	-	1	9	1.8	3	-	6
Stillbirths	3	6.8	3	-	-	1	2.0	1	-	-
Physician in hospital	3	100.0	3	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	333	1156.3	264	31	38	294	888.2	260	7	27
Deaths under 1 year	5	11.3	2	2	1	6	11.9	4	-	2
Deaths under 1 month	4	9.1	2	1	1	5	9.9	3	-	2
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	4	13.9	3	1	-	3	9.1	3	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	50	173.6	40	4	6	48	145.0	41	1	6
Malignant neoplasm of digestive organs and peritoneum (150-159)	15	52.1	11	2	2	14	42.3	12	1	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	13	45.1	12	-	1	4	12.1	3	-	1
Malignant neoplasm of breast (174-175)	2	6.9	1	1	-	3	9.1	3	-	-
Malignant neoplasm of genital organs (179-187)	9	31.3	7	-	2	7	21.1	6	-	1
Malignant neoplasm of urinary organs (188-189)	2	6.9	1	1	-	6	18.1	4	-	2
Leukemia (204-208)	2	6.9	2	-	-	4	12.1	4	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	24.3	6	-	1	10	30.2	9	-	1
Diabetes mellitus (250)	6	20.8	4	-	2	4	12.1	3	-	1
Major cardiovascular diseases (390-448)	174	604.2	141	16	17	168	507.6	152	5	11
Diseases of the heart (390-398, 402, 404-429)	144	500.0	120	11	13	136	410.9	122	5	9
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	3.0	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	13	45.1	12	-	1	-	-	-	-	-
Ischemic heart disease (410-414)	90	312.5	74	7	9	68	205.4	61	1	6
Other heart diseases (415-429)	41	142.4	34	4	3	67	202.4	60	4	3
Hypertension with or without renal disease (401, 403)	1	3.5	1	-	-	1	3.0	1	-	-
Cerebrovascular disease (430-438)	24	83.3	17	4	3	25	75.5	23	-	2
Arteriosclerosis (440)	3	10.4	2	1	-	5	15.1	5	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	6.9	1	-	1	1	3.0	1	-	-
Pneumonia and influenza (480-487)	16	55.6	13	-	3	12	36.3	11	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	8	27.8	7	-	1	5	15.1	5	-	-
Ulcer of stomach and duodenum (531-533)	1	3.5	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	6.9	2	-	-	1	3.0	-	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	14	48.6	12	-	2	3	9.1	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	3.0	1	-	-
Certain conditions originating in the perinatal period (760-779)	3	10.4	1	1	1	2	6.0	-	-	2
Symptoms, signs, and ill-defined conditions (780-799)	1	3.5	-	1	-	4	12.1	4	-	-
All other diseases (Residual)	26	90.3	19	4	3	23	69.5	21	1	1
Motor vehicle accidents (E810-E825)	17	59.0	13	2	2	9	27.2	6	-	3
All other accidents and adverse effects (E800-E807, E826-E949)	8	27.8	6	2	-	6	18.1	5	-	1
Suicide (E950-E959)	3	10.4	2	-	1	3	9.1	3	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	2	6.0	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	STEPHENS					TEXAS				
	TOTAL		RACE			TOTAL		RACE		
Population	45,700		W	B	I	18,100		W	B	I
Live births	685	1498.9	643	20	22	357	1972.4	348	3	6
Physician in hospital	682	99.6	640	20	22	355	99.4	346	3	6
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	3	0.4	3	-	-	2	0.6	2	-	-
Stillbirths	3	4.4	3	-	-	5	13.8	5	-	-
Physician in hospital	3	100.0	3	-	-	5	100.0	5	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	445	973.7	432	7	6	147	812.2	147	-	-
Deaths under 1 year	10	14.6	8	1	1	5	14.0	5	-	-
Deaths under 1 month	7	10.2	5	1	1	4	11.2	4	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	6.6	3	-	-	3	16.6	3	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	89	194.7	86	1	2	33	182.3	33	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	20	43.8	19	1	-	6	33.1	6	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	35	76.6	34	-	1	10	55.2	10	-	-
Malignant neoplasm of breast (174-175)	4	8.8	4	-	-	5	27.6	5	-	-
Malignant neoplasm of genital organs (179-187)	7	15.3	7	-	-	3	16.6	3	-	-
Malignant neoplasm of urinary organs (188+189)	6	13.1	6	-	-	2	11.0	2	-	-
Leukemia (204-208)	2	4.4	2	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	15	32.8	14	-	1	7	38.7	7	-	-
Diabetes mellitus (250)	3	6.6	3	-	-	3	16.6	3	-	-
Major cardiovascular diseases (390-448)	232	507.7	226	4	2	63	348.1	63	-	-
Diseases of the heart (390-398, 402, 404-429)	192	420.1	186	4	2	51	281.8	51	-	-
Rheumatic fever and rheumatic heart disease (390-398)	2	4.4	2	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	4.4	2	-	-	1	5.5	1	-	-
Ischemic heart disease (410-414)	134	293.2	133	-	1	34	187.8	34	-	-
Other heart diseases (415-429)	54	118.2	49	4	1	16	88.4	16	-	-
Hypertension with or without renal disease (401, 403)	2	4.4	2	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	29	63.5	29	-	-	7	38.7	7	-	-
Arteriosclerosis (440)	5	10.9	5	-	-	3	16.6	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	8.8	4	-	-	2	11.0	2	-	-
Pneumonia and influenza (480-487)	20	43.8	19	1	-	4	22.1	4	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	19	41.6	19	-	-	4	22.1	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	5.5	1	-	-
Chronic liver disease and cirrhosis (571)	3	6.6	3	-	-	2	11.0	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	8.8	3	-	1	3	16.6	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	6.6	2	-	1	1	5.5	1	-	-
Certain conditions originating in the perinatal period (760-779)	5	10.9	4	1	-	2	11.0	2	-	-
Symptoms, signs, and ill-defined conditions (780-799)	5	10.9	5	-	-	2	11.0	2	-	-
All other diseases (Residual)	31	67.8	31	-	-	13	71.8	13	-	-
Motor vehicle accidents (E810-E825)	14	30.6	14	-	-	9	49.7	9	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	8.8	4	-	-	3	16.6	3	-	-
Suicide (E950-E959)	7	15.3	7	-	-	1	5.5	1	-	-
Homicide and legal intervention (E960-E978)	3	6.6	3	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	TILLMAN					TULSA				
	TOTAL		RACE			TOTAL		RACE		
Population	11,800		W	B	I	509,900		W	B	I
Live births	157	1330.5	116	32	9	8753	1716.6	6968	1175	610
Physician in hospital	155	98.7	116	30	9	8655	98.9	6911	1165	579
Physician not in hospital	2	1.3	-	2	-	14	0.2	9	5	-
Midwife, other, unknown	-	-	-	-	-	84	1.0	48	5	31
Stillbirths	3	18.8	1	2	-	57	6.5	41	15	1
Physician in hospital	3	100.0	1	2	-	56	98.2	40	15	1
Physician not in hospital	-	-	-	-	-	1	1.8	1	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	159	1347.5	137	19	3	3955	775.6	3492	413	50
Deaths under 1 year	3	19.1	3	-	-	87	9.9	68	17	2
Deaths under 1 month	2	12.7	2	-	-	63	7.2	50	12	1
Tuberculosis (010-018)	-	-	-	-	-	1	0.2	1	-	-
Syphilis (090-097)	-	-	-	-	-	1	0.2	1	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	8.5	1	-	-	30	5.9	22	5	3
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	39	330.5	28	11	-	920	180.4	821	88	11
Malignant neoplasm of digestive organs and peritoneum (150-159)	9	76.3	5	4	-	189	37.1	157	29	3
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	12	101.7	9	3	-	319	62.6	291	27	1
Malignant neoplasm of breast (174-175)	5	42.4	4	1	-	78	15.3	70	7	1
Malignant neoplasm of genital organs (179-187)	5	42.4	4	1	-	96	18.8	85	10	1
Malignant neoplasm of urinary organs (188-189)	1	8.5	-	1	-	37	7.3	33	3	1
Leukemia (204-208)	3	25.4	3	-	-	24	4.7	20	3	1
Other malignant neoplasms (140-149, 170-173, 190-203)	4	33.9	3	1	-	177	34.7	165	9	3
Diabetes mellitus (250)	2	16.9	2	-	-	45	8.8	38	6	1
Major cardiovascular diseases (390-448)	79	669.5	73	5	1	1806	354.2	1623	173	10
Diseases of the heart (390-398, 402, 404-429)	57	483.1	53	3	1	1408	276.1	1267	132	9
Rheumatic fever and rheumatic heart disease (390-398)	1	8.5	1	-	-	8	1.6	8	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	16.9	1	1	-	43	8.4	31	11	1
Ischemic heart disease (410-414)	47	398.3	44	2	1	1065	208.9	965	93	7
Other heart diseases (415-429)	7	59.3	7	-	-	292	57.3	263	28	1
Hypertension with or without renal disease (401, 403)	1	8.5	1	-	-	8	1.6	7	1	-
Cerebrovascular disease (430-438)	16	135.6	15	1	-	317	62.2	287	29	1
Arteriosclerosis (440)	4	33.9	4	-	-	36	7.1	27	9	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	8.5	-	1	-	37	7.3	35	2	-
Pneumonia and influenza (480-487)	5	42.4	4	1	-	106	20.8	94	8	4
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	33.9	3	-	1	148	29.0	142	4	2
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	18	3.5	15	3	-
Chronic liver disease and cirrhosis (571)	3	25.4	3	-	-	36	7.1	34	2	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	25.4	3	-	-	47	9.2	41	6	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	0.2	-	1	-
Congenital anomalies (740-759)	3	25.4	3	-	-	33	6.5	30	2	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	46	9.0	34	11	1
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	37	7.3	31	6	-
All other diseases (Residual)	12	101.7	11	1	-	334	65.5	280	49	5
Motor vehicle accidents (E810-E825)	6	50.8	4	1	1	108	21.2	90	12	6
All other accidents and adverse effects (E800-E807, E826-E949)	2	16.9	2	-	-	121	23.7	106	13	2
Suicide (E950-E959)	-	-	-	-	-	64	12.6	54	8	2
Homicide and legal intervention (E960-E978)	-	-	-	-	-	47	9.2	31	14	2
All other external causes (E980-E999)	-	-	-	-	-	6	1.2	4	2	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	WAGONER					WASHINGTON				
	TOTAL		RACE			TOTAL		RACE		
Population	50,000		W	B	I	52,000		W	B	I
Live births	656	1312.0	554	19	83	822	1580.8	755	25	42
Physician in hospital	647	98.6	552	18	77	815	99.1	753	25	37
Physician not in hospital	1	0.2	1	-	-	1	0.1	1	-	-
Midwife, other, unknown	8	1.2	1	1	6	6	0.7	1	-	5
Stillbirths	2	3.0	1	-	1	3	3.6	3	-	-
Physician in hospital	2	100.0	1	-	1	3	100.0	3	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	249	498.0	220	21	8	477	917.3	449	14	14
Deaths under 1 year	4	6.1	4	-	-	14	17.0	12	1	1
Deaths under 1 month	1	1.5	1	-	-	9	10.9	8	1	-
Tuberculosis (010-018)	2	4.0	2	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	4	8.0	4	-	-	6	11.5	6	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	48	96.0	41	4	3	89	171.2	83	2	4
Malignant neoplasm of digestive organs and peritoneum (150-159)	14	28.0	12	1	1	18	34.6	15	1	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	14	28.0	13	1	-	27	51.9	27	-	-
Malignant neoplasm of breast (174-175)	3	6.0	2	1	-	6	11.5	6	-	-
Malignant neoplasm of genital organs (179-187)	3	6.0	3	-	-	7	13.5	6	1	-
Malignant neoplasm of urinary organs (188-189)	4	8.0	4	-	-	2	3.8	2	-	-
Leukemia (204-208)	4	8.0	3	-	1	3	5.8	3	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	6	12.0	4	1	1	26	50.0	24	-	2
Diabetes mellitus (250)	3	6.0	3	-	-	4	7.7	4	-	-
Major cardiovascular diseases (390-448)	118	236.0	104	12	2	234	450.0	220	8	6
Diseases of the heart (390-398, 402, 404-429)	83	166.0	75	6	2	178	342.3	167	6	5
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	2	3.8	2	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	4.0	2	-	-	3	5.8	2	1	-
Ischemic heart disease (410-414)	64	128.0	58	4	2	128	246.2	122	3	3
Other heart diseases (415-429)	17	34.0	15	2	-	45	86.5	41	2	2
Hypertension with or without renal disease (401, 403)	1	2.0	-	1	-	1	1.9	1	-	-
Cerebrovascular disease (430-438)	30	60.0	26	4	-	43	82.7	41	1	1
Arteriosclerosis (440)	-	-	-	-	-	7	13.5	6	1	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	8.0	3	1	-	5	9.6	5	-	-
Pneumonia and influenza (480-487)	5	10.0	5	-	-	11	21.2	10	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	9	18.0	9	-	-	16	30.8	16	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	1.9	1	-	-
Chronic liver disease and cirrhosis (571)	2	4.0	2	-	-	5	9.6	5	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	10.0	3	2	-	4	7.7	3	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	3	5.8	3	-	-
Certain conditions originating in the perinatal period (760-779)	1	2.0	1	-	-	6	11.5	5	1	-
Symptoms, signs, and ill-defined conditions (780-799)	3	6.0	3	-	-	7	13.5	6	-	1
All other diseases (Residual)	18	36.0	16	1	1	53	101.9	50	1	2
Motor vehicle accidents (E810-E825)	15	30.0	14	-	1	10	19.2	9	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	8.0	3	1	-	16	30.8	16	-	-
Suicide (E950-E959)	7	14.0	6	-	1	8	15.4	8	-	-
Homicide and legal intervention (E960-E978)	5	10.0	4	1	-	3	5.8	3	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	1.9	1	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
Number and Rate, and County, Oklahoma, 1984

	WASHITA					WOODS				
	TOTAL		RACE			TOTAL		RACE		
Population	16,700		W	B	I	10,900		W	B	I
Live births	217	1299.4	209	-	8	137	1256.9	136	-	1
Physician in hospital	208	95.9	200	-	8	137	100.0	136	-	1
Physician not in hospital	2	0.9	2	-	-	-	-	-	-	-
Midwife, other, unknown	7	3.2	7	-	-	-	-	-	-	-
Stillbirths	6	26.9	6	-	-	2	14.4	2	-	-
Physician in hospital	6	100.0	6	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	157	940.1	157	-	-	142	1302.8	142	-	-
Deaths under 1 year	2	9.2	2	-	-	4	29.2	4	-	-
Deaths under 1 month	-	-	-	-	-	4	29.2	4	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	9.2	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	28	167.7	28	-	-	36	330.3	36	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	24.0	4	-	-	10	91.7	10	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	9	53.9	9	-	-	7	64.2	7	-	-
Malignant neoplasm of breast (174-175)	2	12.0	2	-	-	5	45.9	5	-	-
Malignant neoplasm of genital organs (179-187)	2	12.0	2	-	-	4	36.7	4	-	-
Malignant neoplasm of urinary organs (188-189)	1	6.0	1	-	-	3	27.5	3	-	-
Leukemia (204-208)	1	6.0	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	9	53.9	9	-	-	7	64.2	7	-	-
Diabetes mellitus (250)	2	12.0	2	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	87	521.0	87	-	-	59	541.3	59	-	-
Diseases of the heart (390-398, 402, 404-429)	65	389.2	65	-	-	50	458.7	50	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	52	311.4	52	-	-	27	247.7	27	-	-
Other heart diseases (415-429)	13	77.8	13	-	-	23	211.0	23	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	11	65.9	11	-	-	5	45.9	5	-	-
Arteriosclerosis (440)	7	41.9	7	-	-	3	27.5	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	24.0	4	-	-	1	9.2	1	-	-
Pneumonia and influenza (480-487)	6	35.9	6	-	-	12	110.1	12	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	24.0	4	-	-	4	36.7	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	9.2	1	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	18.3	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	10	59.9	10	-	-	2	18.3	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	9.2	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	3	27.5	3	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	12.0	2	-	-	3	27.5	3	-	-
All other diseases (Residual)	12	71.9	12	-	-	13	119.3	13	-	-
Motor vehicle accidents (E810-E825)	2	12.0	2	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	18.0	3	-	-	4	36.7	4	-	-
Suicide (E950-E959)	1	6.0	1	-	-	1	9.2	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table V
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes Number and Rate, and County, Oklahoma, 1984

	WOODWARD									
	TOTAL		RACE							
Population	22,900		W	B	I					
Live births	403	1759.8	389	2	12					
Physician in hospital	396	98.3	382	2	12					
Physician not in hospital	3	0.7	3	-	-					
Midwife, other, unknown	4	1.0	4	-	-					
Stillbirths	2	4.9	2	-	-					
Physician in hospital	2	100.0	2	-	-					
Physician not in hospital	-	-	-	-	-					
Midwife, other, or unknown	-	-	-	-	-					
Total deaths, all causes	177	772.9	177	-	-					
Deaths under 1 year	5	12.4	5	-	-					
Deaths under 1 month	4	9.9	4	-	-					
Tuberculosis (010-018)	-	-	-	-	-					
Syphilis (090-097)	-	-	-	-	-					
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-					
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	33	144.1	33	-	-					
Malignant neoplasm of digestive organs and peritoneum (150-159)	10	43.7	10	-	-					
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	8	34.9	8	-	-					
Malignant neoplasm of breast (174-175)	4	17.5	4	-	-					
Malignant neoplasm of genital organs (179-187)	3	13.1	3	-	-					
Malignant neoplasm of urinary organs (188-189)	1	4.4	1	-	-					
Leukemia (204-208)	-	-	-	-	-					
Other malignant neoplasms (140-149, 170-173, 190-203)	7	30.6	7	-	-					
Diabetes mellitus (250)	3	13.1	3	-	-					
Major cardiovascular diseases (390-448)	84	366.8	84	-	-					
Diseases of the heart (390-398, 402, 404-429)	65	283.8	65	-	-					
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-					
Hypertensive heart disease with or without renal disease (402, 404)	2	8.7	2	-	-					
Ischemic heart disease (410-414)	42	183.4	42	-	-					
Other heart diseases (415-429)	21	91.7	21	-	-					
Hypertension with or without renal disease (401, 403)	1	4.4	1	-	-					
Cerebrovascular disease (430-438)	14	61.1	14	-	-					
Arteriosclerosis (440)	4	17.5	4	-	-					
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-					
Pneumonia and influenza (480-487)	8	34.9	8	-	-					
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	17.5	4	-	-					
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-					
Chronic liver disease and cirrhosis (571)	1	4.4	1	-	-					
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	8.7	2	-	-					
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-					
Congenital anomalies (740-759)	1	4.4	1	-	-					
Certain conditions originating in the perinatal period (760-779)	2	8.7	2	-	-					
Symptoms, signs, and ill-defined conditions (780-799)	2	8.7	2	-	-					
All other diseases (Residual)	21	91.7	21	-	-					
Motor vehicle accidents (E810-E825)	7	30.6	7	-	-					
All other accidents and adverse effects (E800-E807, E826-E949)	5	21.8	5	-	-					
Suicide (E950-E959)	2	8.7	2	-	-					
Homicide and legal intervention (E960-E978)	2	8.7	2	-	-					
All other external causes (E980-E999)	-	-	-	-	-					

Table VI
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For MSA'S, Oklahoma, 1984*

	OKLAHOMA CITY 1					TULSA 2				
	TOTAL		RACE			TOTAL		RACE		
Population	962,600		W	B	I	725,600		W	B	I
Live births	17388	1806.4	14301	2273	814	11811	1627.8	9459	1264	1088
Physician in hospital	17003	97.8	13991	2212	800	11650	98.6	9377	1252	1021
Physician not in hospital	16	0.1	14	2	-	18	0.2	12	6	-
Midwife, other, unknown	369	2.1	296	59	14	143	1.2	70	6	67
Stillbirths	130	7.4	109	18	3	83	7.0	60	16	7
Physician in hospital	127	97.7	106	18	3	81	97.6	58	16	7
Physician not in hospital	2	1.5	2	-	-	2	2.4	2	-	-
Midwife, other, or unknown	1	0.8	1	-	-	-	-	-	-	-
Total deaths, all causes	7209	748.9	6454	662	93	5436	749.2	4822	479	135
Deaths under 1 year	175	10.1	141	31	3	121	10.2	97	18	6
Deaths under 1 month	106	6.1	85	18	3	86	7.3	69	12	5
Tuberculosis (010-018)	7	0.7	5	2	-	4	0.6	4	-	-
Syphilis (090-097)	2	0.2	2	-	-	1	0.1	1	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	81	0.8	63	15	3	45	6.2	35	5	5
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	1559	162.0	1415	128	16	1231	169.7	1103	100	28
Malignant neoplasm of digestive organs and peritoneum (150-159)	372	38.6	333	37	2	272	37.5	225	32	15
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	498	51.7	468	28	2	419	57.7	386	31	2
Malignant neoplasm of breast (174-175)	129	13.4	119	10	-	101	13.9	88	11	2
Malignant neoplasm of genital organs (179-187)	170	17.7	146	21	3	119	16.4	108	10	1
Malignant neoplasm of urinary organs (188-189)	64	6.6	59	4	1	49	6.8	45	3	1
Leukemia (204-208)	58	6.0	52	4	2	36	5.0	31	3	2
Other malignant neoplasms (140-149, 170-173, 190-203)	268	27.8	238	24	6	235	32.4	220	10	5
Diabetes mellitus (250)	109	11.3	86	21	2	72	9.9	59	8	5
Major cardiovascular diseases (390-448)	3329	345.8	3013	280	35	2509	345.8	2258	206	45
Diseases of the heart (390-398, 402, 404-429)	2476	257.2	2243	201	31	1999	275.5	1752	155	37
Rheumatic fever and rheumatic heart disease (390-398)	11	1.1	10	1	-	12	1.7	11	-	1
Hypertensive heart disease with or without renal disease (402, 404)	51	5.3	40	10	1	51	7.0	39	11	1
Ischemic heart disease (410-414)	1584	164.6	1467	99	17	1454	200.4	1322	109	23
Other heart diseases (415-429)	830	86.2	726	91	13	427	58.8	380	35	12
Hypertension with or without renal disease (401, 403)	17	1.8	10	7	-	10	1.4	8	2	-
Cerebrovascular disease (430-438)	651	67.6	586	62	3	455	62.7	411	37	7
Arteriosclerosis (440)	112	11.6	107	5	-	42	5.8	33	9	-
Other diseases of arteries, arterioles, and capillaries (441-448)	73	7.6	67	5	1	58	8.0	54	3	1
Pneumonia and influenza (480-487)	207	21.5	190	14	3	146	20.1	133	9	4
Chronic obstructive pulmonary disease and allied conditions (490-496)	289	30.0	274	14	1	199	27.4	188	5	6
Ulcer of stomach and duodenum (531-533)	25	2.6	24	1	-	20	2.8	17	3	-
Chronic liver disease and cirrhosis (571)	75	7.8	62	6	7	49	6.8	45	2	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	80	8.3	67	13	-	61	8.4	51	9	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	0.1	1	-	-	1	0.1	-	1	-
Congenital anomalies (740-759)	56	5.5	51	5	-	43	5.9	39	3	1
Certain conditions originating in the perinatal period (760-779)	80	8.3	60	18	2	65	9.0	50	11	4
Symptoms, signs, and ill-defined conditions (780-799)	68	7.1	55	11	2	53	7.3	44	7	2
All other diseases (Residual)	592	61.5	529	53	10	437	60.2	372	55	10
Motor vehicle accidents (E810-E825)	226	23.5	194	25	7	168	23.2	145	13	10
All other accidents and adverse effects (E800-E807, E826-E949)	158	16.4	136	21	1	169	23.3	149	16	4
Suicide (E950-E959)	154	16.0	147	6	1	96	13.2	83	8	5
Homicide and legal intervention (E960-E978)	99	10.3	68	28	3	61	8.4	42	16	3
All other external causes (E980-E999)	12	1.2	11	1	-	6	0.8	4	2	-

*Rate For Attendant At Birth Is Equal To The Percent Of Total.

1. Includes Canadian, Cleveland, Logan, McClain, Oklahoma, and Pottawatomie Counties.
2. Includes Creek, Osage, Rogers, Tulsa, and Wagoner Counties.
3. Includes Comanche County.
4. Includes Garfield County.

Table VI
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For MSA'S, Oklahoma, 1984*

	LAWTON 3					ENID 4				
	TOTAL		RACE			TOTAL		RACE		
Population	119,400		W	B	I	65,400		W	B	I
Live births	2548	2134.0	1830	560	158	1117	1708.0	1034	63	20
Physician in hospital	2541	99.7	1826	558	157	1111	99.5	1028	63	20
Physician not in hospital	1	0.0	1	-	-	-	-	-	-	-
Midwife, other, unknown	8	0.3	5	2	1	7	0.6	7	-	-
Stillbirths	23	8.9	15	7	1	4	3.6	4	-	-
Physician in hospital	23	100.0	15	7	1	4	100.0	4	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	725	607.2	637	64	24	588	899.1	569	18	1
Deaths under 1 year	25	9.8	20	5	-	16	14.3	13	3	-
Deaths under 1 month	16	6.3	14	2	-	6	5.4	5	1	-
Tuberculosis (010-018)	-	-	-	-	-	1	1.5	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	7	5.9	7	-	-	1	1.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	159	133.2	142	15	2	115	175.8	114	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	34	28.5	29	5	-	31	47.4	31	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	64	53.6	56	7	1	38	58.1	38	-	-
Malignant neoplasm of breast (174-175)	6	5.0	6	-	-	10	15.3	10	-	-
Malignant neoplasm of genital organs (179-187)	15	12.6	15	-	-	15	22.9	14	1	-
Malignant neoplasm of urinary organs (188-189)	2	1.7	2	-	-	3	4.6	3	-	-
Leukemia (204-208)	7	5.9	6	1	-	3	4.6	3	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	31	26.0	28	2	1	15	22.9	15	-	-
Diabetes mellitus (250)	12	10.1	6	3	3	10	15.3	10	-	-
Major cardiovascular diseases (390-448)	309	258.8	281	19	9	279	426.6	272	7	-
Diseases of the heart (390-398, 402, 404-429)	245	205.2	223	16	6	197	301.2	192	7	-
Rheumatic fever and rheumatic heart disease (390-398)	1	0.8	-	-	1	3	4.6	3	-	-
Hypertensive heart disease with or without renal disease (402, 404)	4	3.4	1	1	2	1	1.5	1	-	-
Ischemic heart disease (410-414)	186	155.8	171	12	3	135	106.4	132	3	-
Other heart diseases (415-429)	54	45.2	51	3	-	58	88.7	56	2	-
Hypertension with or without renal disease (401, 403)	8	6.7	7	-	1	2	3.1	2	-	-
Cerebrovascular disease (430-438)	45	37.7	40	3	2	62	94.8	60	2	-
Arteriosclerosis (440)	4	3.4	4	-	-	11	16.8	11	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	7	5.9	7	-	-	7	10.7	7	-	-
Pneumonia and influenza (480-487)	22	18.4	20	1	1	14	21.4	13	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	40	33.5	36	3	1	29	44.3	29	-	-
Ulcer of stomach and duodenum (531-533)	2	1.7	1	-	1	3	4.6	3	-	-
Chronic liver disease and cirrhosis (571)	12	10.1	11	-	1	1	1.5	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	4.2	4	1	-	8	12.2	7	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	10	8.4	9	1	-	3	4.6	2	1	-
Certain conditions originating in the perinatal period (760-779)	12	10.1	10	2	-	6	9.2	6	-	-
Symptoms, signs, and ill-defined conditions (780-799)	6	5.0	5	1	-	7	10.7	6	1	-
All other diseases (Residual)	57	47.7	49	6	2	60	91.7	54	6	-
Motor vehicle accidents (E810-E825)	26	21.8	20	5	1	21	32.1	20	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	17	14.2	15	2	-	17	26.0	17	-	-
Suicide (E950-E959)	9	7.5	9	-	-	8	12.2	8	-	-
Homicide and legal intervention (E960-E978)	14	11.7	9	4	1	4	6.1	4	-	-
All other external causes (E980-E999)	4	3.4	3	1	-	1	1.5	1	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	ADA					ALTUS				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	17,000		W	B	I	24,300		W	B	I
Live births	260	1529.4	204	11	45	554	2279.8	468	74	12
Physician in hospital	257	98.8	202	11	44	554	100.0	468	74	12
Physician not in hospital	2	0.8	2	-	-	-	-	-	-	-
Midwife, other, unknown	1	0.4	-	-	1	-	-	-	-	-
Stillbirths	3	11.4	3	-	-	2	3.6	2	-	-
Physician in hospital	3	100.0	3	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	228	1341.2	212	8	8	191	786.0	176	13	2
Deaths under 1 year	3	11.5	3	-	-	4	7.2	2	2	-
Deaths under 1 month	3	11.5	3	-	-	3	5.4	1	2	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	17.6	3	-	-	2	8.2	1	1	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	46	270.6	42	1	3	33	135.8	31	2	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	12	70.6	11	-	1	12	49.4	12	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	16	94.1	13	1	2	11	45.3	10	1	-
Malignant neoplasm of breast (174-175)	5	29.4	4	-	1	3	12.3	2	1	-
Malignant neoplasm of genital organs (179-187)	5	29.4	5	-	-	3	12.3	3	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	5.9	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	8	47.1	8	-	-	4	16.5	4	-	-
Diabetes mellitus (250)	-	-	-	-	-	1	4.1	-	1	-
Major cardiovascular diseases (390-448)	116	682.4	110	4	2	103	423.9	99	4	-
Diseases of the heart (390-393, 402, 404-429)	90	529.4	86	3	1	73	300.4	70	3	-
Rheumatic fever and rheumatic heart disease (390-398)	1	5.9	1	-	-	1	4.1	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	5.9	1	-	-	1	4.1	1	-	-
Ischemic heart disease (410-414)	68	400.0	66	2	-	49	201.6	48	1	-
Other heart diseases (415-429)	20	117.6	18	1	1	22	90.5	20	2	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	2	8.2	2	-	-
Cerebrovascular disease (430-438)	24	141.2	23	1	-	27	111.1	26	1	-
Arteriosclerosis (440)	1	5.9	1	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	5.9	1	-	-	1	4.1	1	-	-
Pneumonia and influenza (480-487)	14	82.4	13	-	1	7	28.8	6	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	17.6	3	-	-	4	16.5	3	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	11.8	2	-	-	2	8.2	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	23.5	4	-	-	2	8.2	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	17.6	3	-	-	2	8.2	2	-	-
Certain conditions originating in the perinatal period (760-779)	1	5.9	1	-	-	3	12.3	1	2	-
Symptoms, signs, and ill-defined conditions (780-799)	1	5.9	1	-	-	5	20.6	4	-	1
All other diseases (Residual)	21	123.5	17	2	2	16	65.8	16	-	-
Motor vehicle accidents (E810-E825)	5	29.4	5	-	-	2	8.2	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	5	29.4	4	-	1	4	16.5	3	-	1
Suicide (E950-E959)	3	17.6	3	-	-	3	12.3	3	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	2	8.2	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	ALVA					ANADARKO				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	6,200		W	B	I	6,900		W	B	I
Live births	87	1403.2	86	-	1	139	2014.5	63	13	63
Physician in hospital	87	100.0	86	-	1	139	100.0	63	13	63
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	1	11.4	1	-	-	1	7.1	-	-	1
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	1	100.0	-	-	1
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	84	1354.8	84	-	-	99	1434.8	76	9	14
Deaths under 1 year	2	23.0	2	-	-	3	21.6	-	-	3
Deaths under 1 month	2	23.0	2	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	2	29.0	1	1	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	20	322.6	20	-	-	21	304.3	20	-	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	6	96.8	6	-	-	9	130.4	9	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	48.4	3	-	-	8	115.9	7	-	1
Malignant neoplasm of breast (174-175)	4	64.5	4	-	-	1	14.5	1	-	-
Malignant neoplasm of genital organs (179-187)	1	16.1	1	-	-	3	43.5	3	-	-
Malignant neoplasm of urinary organs (188-189)	1	16.1	1	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	80.6	5	-	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	3	43.5	1	-	2
Major cardiovascular diseases (390-448)	36	580.6	36	-	-	37	536.2	31	5	1
Diseases of the heart (390-398, 402, 404-429)	31	500.0	31	-	-	29	420.3	24	4	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	14.5	-	1	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	14.5	-	-	1
Ischemic heart disease (410-414)	17	274.2	17	-	-	21	304.3	18	3	-
Other heart diseases (415-429)	14	225.8	14	-	-	6	87.0	6	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	48.4	3	-	-	6	87.0	5	1	-
Arteriosclerosis (440)	2	32.3	2	-	-	2	29.0	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	8	129.0	8	-	-	5	72.5	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	32.3	2	-	-	4	58.0	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	14.5	1	-	-
Chronic liver disease and cirrhosis (571)	1	16.1	1	-	-	3	43.5	-	-	3
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	32.3	2	-	-	1	14.5	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	16.1	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	16.1	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	32.3	2	-	-	5	72.5	4	-	1
All other diseases (Residual)	8	129.0	8	-	-	11	159.4	6	1	4
Motor vehicle accidents (E810-E825)	-	-	-	-	-	2	29.0	-	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	48.4	3	-	-	1	14.5	-	-	1
Suicide (E950-E959)	-	-	-	-	-	2	29.0	1	-	1
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	14.5	1	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	ANTLERS					ARDMORE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,100		W	B	I	25,500		W	B	I
Live births	54	1741.9	45	-	9	394	1545.1	312	52	30
Physician in hospital	52	96.3	43	-	9	393	99.7	311	52	30
Physician not in hospital	-	-	-	-	-	1	0.3	1	-	-
Midwife, other, unknown	2	3.7	2	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	1	2.5	-	1	-
Physician in hospital	-	-	-	-	-	1	100.0	-	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	72	2322.6	66	2	4	332	1302.0	293	34	5
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	3.9	-	1	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	2	7.8	1	1	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	12	387.1	9	1	2	58	227.5	53	4	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	32.3	1	-	-	11	43.1	9	2	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	64.5	2	-	-	18	70.6	18	-	-
Malignant neoplasm of breast (174-175)	1	32.3	-	-	1	6	23.5	6	-	-
Malignant neoplasm of genital organs (179-187)	3	96.8	3	-	-	5	19.6	4	1	-
Malignant neoplasm of urinary organs (188-189)	1	32.3	1	-	-	1	3.9	-	-	1
Leukemia (204-208)	1	32.3	1	-	-	7	27.5	7	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	96.8	1	1	1	10	39.2	9	1	-
Diabetes mellitus (250)	-	-	-	-	-	2	7.8	2	-	-
Major cardiovascular diseases (390-448)	43	1387.1	41	1	1	182	713.7	161	17	4
Diseases of the heart (390-398, 402, 404-429)	29	935.5	28	-	1	137	537.3	121	14	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	3	11.8	3	-	-
Ischemic heart disease (410-414)	18	580.6	18	-	-	105	411.8	93	10	2
Other heart diseases (415-429)	11	354.8	10	-	1	29	113.7	25	4	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	3.9	1	-	-
Cerebrovascular disease (430-438)	9	290.3	9	-	-	32	125.5	27	3	2
Arteriosclerosis (440)	2	64.5	2	-	-	4	15.7	4	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	96.8	2	1	-	8	31.4	8	-	-
Pneumonia and influenza (480-487)	7	225.8	7	-	-	10	39.2	8	2	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	96.8	3	-	-	19	74.5	18	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	32.3	-	-	1	2	7.8	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	32.3	1	-	-	7	27.5	7	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	3.9	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	32.3	1	-	-	5	19.6	4	1	-
All other diseases (Residual)	3	96.8	3	-	-	22	86.3	20	2	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	5	19.6	5	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	6	23.5	4	2	-
Suicide (E950-E959)	1	32.3	1	-	-	6	23.5	5	1	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	4	15.7	4	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	ATOKA					BARTLESVILLE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,400		W	B	I	39,100		W	B	I
Live births	66	1941.2	48	9	9	588	1503.8	540	23	25
Physician in hospital	65	98.5	48	8	9	585	99.5	539	23	23
Physician not in hospital	1	1.5	-	1	1	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	3	0.5	1	-	2
Stillbirths	1	14.9	-	1	-	2	3.6	2	-	-
Physician in hospital	1	100.0	-	1	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	55	1617.6	47	5	3	342	874.7	321	12	9
Deaths under 1 year	-	-	-	-	-	12	30.7	11	1	-
Deaths under 1 month	-	-	-	-	-	9	23.0	8	1	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	6	15.3	6	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	7	205.9	7	-	-	68	173.9	64	1	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	88.2	3	-	-	15	38.4	12	1	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	58.8	2	-	-	19	48.6	19	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	6	15.3	6	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	4	10.2	4	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	2	5.1	2	-	-
Leukemia (204-208)	1	29.4	1	-	-	2	5.1	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	29.4	1	-	-	20	51.2	19	-	1
Diabetes mellitus (250)	-	-	-	-	-	4	10.2	4	-	-
Major cardiovascular diseases (390-448)	34	1000.0	28	3	3	163	416.9	152	7	4
Diseases of the heart (390-398, 402, 404-429)	29	852.9	25	2	2	125	319.7	116	6	3
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	2.6	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	2	5.1	2	-	-
Ischemic heart disease (410-414)	10	294.1	7	2	1	92	235.3	87	3	2
Other heart diseases (415-429)	19	558.8	18	-	1	30	76.7	27	2	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	2.6	1	-	-
Cerebrovascular disease (430-438)	4	117.6	2	1	1	31	79.3	30	-	1
Arteriosclerosis (440)	-	-	-	-	-	5	12.8	4	-	1
Other diseases of arterioes, arterioles, and capiliaries (441-448)	1	29.4	1	-	-	1	2.6	1	-	-
Pneumonia and influenza (480-487)	1	29.4	1	-	-	8	20.5	7	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	29.4	1	-	-	10	25.6	10	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	2.6	1	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	4	10.2	4	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	58.8	2	-	-	2	5.1	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	3	7.7	3	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	6	15.3	5	1	-
Symptoms, signs, and ill-defined conditions (780-799)	3	88.2	2	1	-	4	10.2	4	-	-
All other diseases (Residual)	3	88.2	3	-	-	33	84.4	31	1	1
Motor vehicle accidents (E810-E825)	3	88.2	2	1	-	7	17.9	6	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	11	28.1	11	-	-
Suicide (E950-E959)	-	-	-	-	-	8	20.5	8	-	-
Homicide and legal intervention (E960-E978)	1	29.4	1	-	-	3	7.7	3	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	2.6	1	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	BETHANY					BETHEL ACRES				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	23,100		W	B	I	2,600		W	B	I
Live births	338	1463.2	311	13	14	-	-	-	-	-
Physician in hospital	330	97.6	303	13	14	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	8	2.4	8	-	-	-	-	-	-	-
Stillbirths	4	11.7	3	1	-	-	-	-	-	-
Physician in hospital	4	100.0	3	1	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	196	848.5	195	1	-	-	-	-	-	-
Deaths under 1 year	1	4.3	1	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	4.3	1	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	4.3	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	46	199.1	46	-	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	8	34.6	8	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	15	64.9	15	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	5	21.6	5	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	5	21.6	5	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	2	8.7	2	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	11	47.6	11	-	-	-	-	-	-	-
Diabetes mellitus (250)	1	4.3	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	103	445.9	102	1	-	-	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	76	329.0	75	1	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	4.3	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	4.3	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	44	190.5	43	1	-	-	-	-	-	-
Other heart diseases (415-429)	30	129.9	30	-	-	-	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	18	77.9	18	-	-	-	-	-	-	-
Arteriosclerosis (440)	6	26.0	6	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	13.0	3	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	4	17.3	4	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	21.6	5	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	8.7	2	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	8.7	2	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	8.7	2	-	-	-	-	-	-	-
All other diseases (Residual)	13	56.3	13	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	6	26.0	6	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	8.7	2	-	-	-	-	-	-	-
Suicide (E950-E959)	3	13.0	3	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	5	21.6	5	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	BIXBY					BLACKWELL				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	8,500		W	B	I	9,000		W	B	I
Live births	133	1564.7	126	-	7	142	1517.8	136	-	6
Physician in hospital	132	99.2	126	-	6	141	99.3	135	-	6
Physician not in hospital	-	-	-	-	-	1	0.7	1	-	-
Midwife, other, unknown	1	0.8	-	-	1	-	-	-	-	-
Stillbirths	1	7.5	-	1	-	2	13.9	2	-	-
Physician in hospital	1	100.0	-	1	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	52	611.8	52	-	-	115	1277.8	113	-	2
Deaths under 1 year	1	11.8	1	-	-	2	22.2	2	-	-
Deaths under 1 month	-	-	-	-	-	2	22.2	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	13	211.8	18	-	-	27	300.0	26	-	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	47.1	4	-	-	8	88.9	8	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	6	70.6	6	-	-	8	88.9	7	-	1
Malignant neoplasm of breast (174-175)	2	23.5	2	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	2	23.5	2	-	-	2	22.2	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	11.8	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	35.8	3	-	-	4	44.4	4	-	-
Diabetes mellitus (250)	-	-	-	-	-	2	22.2	2	-	-
Major cardiovascular diseases (390-448)	19	223.5	19	-	-	59	655.6	58	-	1
Diseases of the heart (390-398, 402, 404-429)	12	141.2	12	-	-	53	588.9	53	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	11.1	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	11.8	1	-	-	2	22.2	2	-	-
Ischemic heart disease (410-414)	9	105.9	9	-	-	49	544.4	48	-	1
Other heart diseases (415-429)	2	23.5	2	-	-	2	22.2	2	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	11.1	1	-	-
Cerebrovascular disease (430-438)	7	82.4	7	-	-	3	33.3	3	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	1	11.1	1	-	-
Pneumonia and influenza (480-487)	2	23.5	2	-	-	4	44.4	4	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	23.5	2	-	-	4	44.4	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	11.8	1	-	-	1	11.1	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	11.1	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	2	22.2	2	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	23.5	2	-	-	1	11.1	1	-	-
All other diseases (Residual)	4	47.1	4	-	-	5	55.6	5	-	-
Motor vehicle accidents (E810-E825)	1	11.8	1	-	-	2	22.2	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	11.8	1	-	-	2	22.2	2	-	-
Suicide (E950-E959)	1	11.8	1	-	-	5	55.6	5	-	-
Homicide and legal intervention (E960-E978)	1	11.8	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	BRISTOW					BROKEN ARROW				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	5,900		W	B	I	44,600		W	B	I
Live births	76	1288.1	59	9	8	1055	2365.5	985	22	48
Physician in hospital	75	98.7	59	9	7	1045	99.1	975	22	48
Physician not in hospital	-	-	-	-	-	1	0.1	1	-	-
Midwife, other, unknown	1	1.3	-	-	1	9	0.9	9	-	-
Stillbirths	1	13.0	1	-	-	5	4.7	5	-	-
Physician in hospital	1	100.0	1	-	-	5	100.0	5	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	72	1220.3	63	7	1	244	547.1	243	-	1
Deaths under 1 year	2	33.9	2	-	-	8	17.9	8	-	-
Deaths under 1 month	2	33.9	2	-	-	6	13.5	6	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	33.9	2	-	-	4	9.0	4	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	11	186.4	11	-	-	53	118.8	53	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	16.9	1	-	-	13	29.1	13	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	5	84.7	5	-	-	8	17.9	8	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	7	15.7	7	-	-
Malignant neoplasm of genital organs (179-187)	2	33.9	2	-	-	4	9.0	4	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	2.2	1	-	-
Leukemia (204-208)	-	-	-	-	-	2	4.5	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	4	67.8	4	-	-	18	40.4	18	-	-
Diabetes mellitus (250)	3	50.8	1	1	1	1	2.2	1	-	-
Major cardiovascular diseases (390-448)	37	627.1	33	4	-	119	266.8	118	-	1
Diseases of the heart (390-398, 402, 404-429)	27	457.6	24	3	-	103	230.9	102	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	2.2	1	-	-
Ischemic heart disease (410-414)	22	372.9	20	2	-	84	188.3	83	-	1
Other heart diseases (415-429)	5	84.7	4	1	-	18	40.4	18	-	-
Hypertension with or without renal disease (401, 403)	1	16.9	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	8	135.6	7	1	-	14	31.4	14	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	16.9	1	-	-	2	4.5	2	-	-
Pneumonia and influenza (480-487)	1	16.9	1	-	-	9	20.2	9	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	84.7	4	1	-	10	22.4	10	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	2.2	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	3	6.7	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	16.9	1	-	-	5	11.2	5	-	-
Certain conditions originating in the perinatal period (760-779)	1	16.9	1	-	-	3	6.7	3	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	2	4.5	2	-	-
All other diseases (Residual)	3	50.8	2	1	-	20	44.8	20	-	-
Motor vehicle accidents (E810-E825)	1	16.9	1	-	-	3	6.7	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	67.8	4	-	-	5	11.2	5	-	-
Suicide (E950-E959)	1	16.9	1	-	-	3	6.7	3	-	-
Homicide and legal intervention (E960-E978)	1	16.9	1	-	-	3	6.7	3	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	BROKEN BOW					BURNS FLAT				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,900		W	B	I	3,400		W	B	I
Live births	92	2359.0	59	9	24	25	735.3	23	-	2
Physician in hospital	92	100.0	59	9	24	25	100.0	23	-	2
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	1	10.8	1	-	-	1	38.5	1	-	-
Physician in hospital	1	100.0	1	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	67	1717.9	60	7	-	2	58.8	2	-	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	51.3	2	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	25.6	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	12	307.7	9	3	-	2	58.8	2	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	76.9	3	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	6	153.8	3	3	-	1	29.4	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	25.6	1	-	-	1	29.4	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	51.3	2	-	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	35	897.4	31	4	-	-	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	27	692.3	23	4	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	25.6	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	19	487.2	16	3	-	-	-	-	-	-
Other heart diseases (415-429)	7	179.5	6	1	-	-	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	8	205.1	8	-	-	-	-	-	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	4	102.6	4	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	25.6	1	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	51.3	2	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	25.6	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	4	102.6	4	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	76.9	3	-	-	-	-	-	-	-
Suicide (E950-E959)	1	25.6	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	25.6	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race for Cities of 2500 Or More, Oklahoma, 1984

	CHANDLER					CHECOTAH				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,400		W	B	I	3,700		W	B	I
Live births	37	1088.2	32	4	1	58	1567.6	36	7	15
Physician in hospital	36	97.3	31	4	1	57	98.3	36	7	14
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	2.7	1	-	-	1	1.7	-	-	1
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	59	1735.3	55	4	-	54	1459.5	45	5	4
Deaths under 1 year	2	58.8	1	1	-	2	54.1	1	1	-
Deaths under 1 month	1	29.4	-	1	-	2	54.1	1	1	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	58.8	2	-	-	1	27.0	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	10	294.1	9	1	-	8	216.2	7	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	147.1	5	-	-	2	54.1	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	58.8	2	-	-	3	81.1	3	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	27.0	1	-	-
Malignant neoplasm of genital organs (179-187)	1	29.4	1	-	-	1	27.0	-	1	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	1	27.0	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	58.8	1	1	-	-	-	-	-	-
Diabetes mellitus (250)	1	29.4	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	39	1147.1	37	2	-	27	729.5	25	1	1
Diseases of the heart (390-398, 402, 404-429)	31	911.8	29	2	-	22	594.6	20	1	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	29.4	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	22	647.1	20	2	-	8	216.2	6	1	1
Other heart diseases (415-429)	8	235.3	8	-	-	14	378.4	14	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	27.0	1	-	-
Cerebrovascular disease (430-438)	6	176.5	6	-	-	2	54.1	2	-	-
Arteriosclerosis (440)	1	29.4	1	-	-	1	27.0	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	29.4	1	-	-	1	27.0	1	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	1	27.0	-	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	2	54.1	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	27.0	1	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	27.0	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	58.8	1	1	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	2	54.1	1	1	-
Symptoms, signs, and ill-defined conditions (780-799)	1	29.4	1	-	-	-	-	-	-	-
All other diseases (Residual)	4	117.6	4	-	-	9	243.2	5	1	3
Motor vehicle accidents (E810-E825)	-	-	-	-	-	2	54.1	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	CHICKASHA					CHOCTAW				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	18,100		W	B	I	8,700		W	B	I
Live births	292	1613.3	243	31	18	207	2379.3	190	5	12
Physician in hospital	285	97.6	236	31	18	200	96.6	184	4	12
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	7	2.4	7	-	-	7	3.4	6	1	-
Stillbirths	1	3.4	1	-	-	2	9.6	2	-	-
Physician in hospital	1	100.0	1	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	230	1270.7	212	16	2	58	666.7	55	3	-
Deaths under 1 year	5	27.6	4	1	-	3	34.5	3	-	-
Deaths under 1 month	4	22.1	3	1	-	2	23.0	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	5.5	1	-	-	1	11.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	33	182.3	30	2	1	13	149.4	13	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	8	44.2	6	1	1	3	34.5	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	9	49.7	9	-	-	3	34.5	3	-	-
Malignant neoplasm of breast (174-175)	1	5.5	1	-	-	1	11.5	1	-	-
Malignant neoplasm of genital organs (179-187)	5	27.6	4	1	-	2	23.0	2	-	-
Malignant neoplasm of urinary organs (188-189)	3	16.6	3	-	-	-	-	-	-	-
Leukemia (204-208)	1	5.5	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	6	33.1	6	-	-	4	46.0	4	-	-
Diabetes mellitus (250)	3	16.6	3	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	123	679.6	113	9	1	27	310.3	24	3	-
Diseases of the heart (390-398, 402, 404-429)	88	486.2	80	7	1	22	252.9	20	2	-
Rheumatic fever and rheumatic heart disease (390-398)	1	5.5	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	5.5	1	-	-	1	11.5	1	-	-
Ischemic heart disease (410-414)	67	370.2	62	4	1	14	160.9	13	1	-
Other heart diseases (415-429)	19	105.0	16	3	-	7	80.5	6	1	-
Hypertension with or without renal disease (401, 403)	1	5.5	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	25	138.1	23	2	-	2	23.0	2	-	-
Arteriosclerosis (440)	8	44.2	8	-	-	1	11.5	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	5.5	1	-	-	2	23.0	1	1	-
Pneumonia and influenza (480-487)	9	49.7	9	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	9	49.7	9	-	-	2	23.0	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	5.5	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	16.6	3	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	11.0	1	1	-	2	23.0	2	-	-
Certain conditions originating in the perinatal period (760-779)	2	11.0	2	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	5.5	1	-	-	1	11.5	1	-	-
All other diseases (Residual)	28	154.7	24	4	-	5	57.5	5	-	-
Motor vehicle accidents (E810-E825)	6	33.1	6	-	-	5	57.5	5	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	16.6	3	-	-	1	11.5	1	-	-
Suicide (E950-E959)	4	22.1	4	-	-	1	11.5	1	-	-
Homicide and legal intervention (E960-E978)	2	11.0	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	CLAREMORE					CLEVELAND				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	14,400		W	B	I	3,500		W	B	I
Live births	256	1777.8	173	6	77	53	1514.3	49	2	2
Physician in hospital	248	96.9	170	6	72	53	100.0	49	2	2
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	8	3.1	3	-	5	-	-	-	-	-
Stillbirths	5	19.2	2	1	2	-	-	-	-	-
Physician in hospital	5	100.0	2	1	2	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	142	986.1	123	5	14	45	1285.7	45	-	-
Deaths under 1 year	7	48.6	5	1	1	-	-	-	-	-
Deaths under 1 month	4	27.8	3	-	1	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	6.9	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	24	166.7	21	-	3	8	228.6	8	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	34.7	3	-	2	1	28.6	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	8	55.6	7	-	1	2	57.1	2	-	-
Malignant neoplasm of breast (174-175)	1	6.9	1	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	6.9	1	-	-	1	28.6	1	-	-
Malignant neoplasm of urinary organs (188-189)	1	6.9	1	-	-	1	28.6	1	-	-
Leukemia (204-208)	-	-	-	-	-	1	28.6	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	8	55.6	8	-	-	2	57.1	2	-	-
Diabetes mellitus (250)	2	13.9	2	-	-	2	57.1	2	-	-
Major cardiovascular diseases (390-448)	74	513.9	67	2	5	21	600.0	21	-	-
Diseases of the heart (390-398, 402, 404-429)	60	416.7	54	1	5	18	514.3	18	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	6.9	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	6.9	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	50	347.2	45	1	4	11	314.3	11	-	-
Other heart diseases (415-429)	8	55.6	7	-	1	7	200.0	7	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	12	83.3	11	1	-	1	28.6	1	-	-
Arteriosclerosis (440)	1	6.9	1	-	-	1	28.6	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	6.9	1	-	-	1	28.6	1	-	-
Pneumonia and influenza (480-487)	5	34.7	4	1	-	2	57.1	2	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	34.7	3	-	2	1	28.6	1	-	-
Ulcer of stomach and duodenum (531-533)	2	13.9	2	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	13.9	1	-	1	1	28.6	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	6.9	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	20.8	2	1	-	1	28.6	1	-	-
Certain conditions originating in the perinatal period (760-779)	4	27.8	3	-	1	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	9	62.5	8	-	1	5	142.9	5	-	-
Motor vehicle accidents (E810-E825)	3	20.8	2	1	-	2	57.1	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	20.8	3	-	-	2	57.1	2	-	-
Suicide (E950-E959)	4	27.8	3	-	1	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	CLINTON					COLLINSVILLE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	11,900		W	B	I	4,200		W	B	I
Live births	215	1806.7	178	14	23	85	2023.8	74	-	11
Physician in hospital	215	100.0	178	14	23	85	100.0	74	-	11
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	2	9.2	2	-	-	1	11.6	1	-	-
Physician in hospital	2	100.0	2	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	141	1184.9	118	13	10	49	1166.7	49	-	-
Deaths under 1 year	5	42.0	3	1	1	-	-	-	-	-
Deaths under 1 month	4	33.6	3	1	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	8.4	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	22	184.9	20	2	-	15	357.1	15	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	25.2	3	-	-	4	95.2	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	33.6	4	-	-	5	119.0	5	-	-
Malignant neoplasm of breast (174-175)	3	25.2	2	1	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	2	16.8	2	-	-	1	23.8	1	-	-
Malignant neoplasm of urinary organs (188-189)	2	16.8	2	-	-	3	71.4	3	-	-
Leukemia (204-208)	2	16.8	2	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	6	50.4	5	1	-	2	47.6	2	-	-
Diabetes mellitus (250)	5	42.0	1	3	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	70	588.2	65	3	2	18	428.6	18	-	-
Diseases of the heart (390-398, 402, 404-429)	56	470.6	54	1	1	17	404.8	17	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	8.4	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	43	361.3	41	1	1	14	333.3	14	-	-
Other heart diseases (415-429)	12	100.8	12	-	-	3	71.4	3	-	-
Hypertension with or without renal disease (401, 403)	1	8.4	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	7	58.8	5	1	1	1	23.8	1	-	-
Arteriosclerosis (440)	6	50.4	5	1	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	8	67.2	6	1	1	3	71.4	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	42.0	5	-	-	3	71.4	3	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	23.8	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	16.8	2	-	-	2	47.6	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	5	42.0	4	-	1	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	8.4	-	1	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	13	109.2	7	2	4	-	-	-	-	-
Motor vehicle accidents (E810-E825)	3	25.2	3	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	25.2	2	-	1	3	71.4	3	-	-
Suicide (E950-E959)	-	-	-	-	-	1	23.8	1	-	-
Homicide and legal intervention (E960-E978)	3	25.2	2	1	-	3	71.4	3	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	COMMERCE					CORDELL				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,600		W	B	I	3,900		W	B	I
Live births	33	1269.2	21	-	12	51	1307.7	50	-	1
Physician in hospital	32	97.0	21	-	11	49	96.1	48	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	3.0	-	-	1	2	3.9	2	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	34	1307.7	33	-	1	70	1794.9	70	-	-
Deaths under 1 year	1	38.5	1	-	-	2	51.3	2	-	-
Deaths under 1 month	1	38.5	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	38.5	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	4	153.8	4	-	-	13	333.3	13	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	76.9	2	-	-	3	76.9	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	2	51.3	2	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	25.6	1	-	-
Malignant neoplasm of genital organs (179-187)	1	38.5	1	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	25.6	1	-	-
Leukemia (204-208)	-	-	-	-	-	1	25.6	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	38.5	1	-	-	5	128.2	5	-	-
Diabetes mellitus (250)	-	-	-	-	-	1	25.6	1	-	-
Major cardiovascular diseases (390-448)	18	692.3	18	-	-	38	974.4	38	-	-
Diseases of the heart (390-398, 402, 404-429)	14	538.5	14	-	-	26	666.7	26	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	13	500.0	13	-	-	20	512.8	20	-	-
Other heart diseases (415-429)	1	38.5	1	-	-	6	153.8	6	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	115.4	3	-	-	4	102.6	4	-	-
Arteriosclerosis (440)	-	-	-	-	-	6	153.8	6	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	38.5	1	-	-	2	51.3	2	-	-
Pneumonia and influenza (480-487)	1	38.5	1	-	-	3	76.9	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	115.4	2	-	1	2	51.3	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	25.6	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	38.5	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	76.9	2	-	-	-	-	-	-	-
All other diseases (Residual)	2	76.9	2	-	-	8	205.1	8	-	-
Motor vehicle accidents (E810-E825)	2	76.9	2	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	3	76.9	3	-	-
Suicide (E950-E959)	-	-	-	-	-	1	25.6	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	COWETA					CUSHING				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	6,300		W	B	I	8,600		W	B	I
Live births	122	1936.5	101	6	15	110	1279.1	103	3	4
Physician in hospital	120	98.4	100	6	14	102	92.7	96	3	3
Physician not in hospital	1	0.8	1	-	-	2	1.8	2	-	-
Midwife, other, unknown	1	0.8	-	-	1	6	5.5	5	-	1
Stillbirths	-	-	-	-	-	1	9.0	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	50	793.7	44	4	2	124	1441.9	116	5	3
Deaths under 1 year	-	-	-	-	-	4	46.5	4	-	-
Deaths under 1 month	-	-	-	-	-	2	23.3	2	-	-
Tuberculosis (010-018)	1	15.9	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	15.9	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	11	174.6	11	-	-	22	255.8	21	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	63.5	4	-	-	5	58.1	4	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	47.6	3	-	-	4	46.5	4	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	2	23.3	2	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	5	58.1	5	-	-
Malignant neoplasm of urinary organs (188-189)	1	15.9	1	-	-	-	-	-	-	-
Leukemia (204-208)	2	31.7	2	-	-	1	11.6	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	15.9	1	-	-	5	58.1	5	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	24	381.0	20	2	2	68	790.7	66	1	1
Diseases of the heart (390-398, 402, 404-429)	17	269.8	14	1	2	53	616.3	51	1	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	15.9	1	-	-	1	11.6	-	1	-
Ischemic heart disease (410-414)	14	222.2	11	1	2	37	430.2	37	-	-
Other heart diseases (415-429)	2	31.7	2	-	-	15	174.4	14	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	11.6	1	-	-
Cerebrovascular disease (430-438)	5	79.4	5	-	-	13	151.2	13	-	-
Arteriosclerosis (440)	-	-	-	-	-	1	11.6	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	15.9	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	5	58.1	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	47.6	3	-	-	4	46.5	3	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	11.6	1	-	-
Chronic liver disease and cirrhosis (571)	1	15.9	1	-	-	1	11.6	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	15.9	-	1	-	2	23.3	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	23.3	2	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	11.6	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	15.9	1	-	-	-	-	-	-	-
All other diseases (Residual)	3	47.6	2	1	-	8	93.0	6	1	1
Motor vehicle accidents (E810-E825)	2	31.7	2	-	-	3	34.9	2	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	15.9	1	-	-	4	46.5	4	-	-
Suicide (E950-E959)	1	15.9	1	-	-	3	34.9	3	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	DAVIS					DEL CITY				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,100		W	B	I	29,700				
Live births	38	1225.8	33	2	3	471	1585.9	369	83	19
Physician in hospital	38	100.0	33	2	3	465	98.7	365	82	18
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	6	1.3	4	1	1
Stillbirths	-	-	-	-	-	5	10.5	4	1	-
Physician in hospital	-	-	-	-	-	5	100.0	4	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	33	1064.5	32	1	-	158	532.0	152	4	2
Deaths under 1 year	-	-	-	-	-	2	6.7	1	1	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	2	6.7	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	6	193.5	5	1	-	43	144.8	42	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	10	33.7	10	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	96.8	2	1	-	20	67.3	19	1	-
Malignant neoplasm of breast (174-175)	1	32.3	1	-	-	2	6.7	2	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	3	10.1	3	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	2	6.7	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	64.5	2	-	-	6	20.2	6	-	-
Diabetes mellitus (250)	-	-	-	-	-	1	3.4	1	-	-
Major cardiovascular diseases (390-448)	20	645.2	20	-	-	68	229.0	67	1	-
Diseases of the heart (390-398, 402, 404-429)	15	483.9	15	-	-	56	188.6	55	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	3	10.1	2	1	-
Ischemic heart disease (410-414)	11	354.8	11	-	-	33	111.1	33	-	-
Other heart diseases (415-429)	4	129.0	4	-	-	20	67.3	20	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	3.4	1	-	-
Cerebrovascular disease (430-438)	1	32.3	1	-	-	9	30.3	9	-	-
Arteriosclerosis (440)	3	96.8	3	-	-	1	3.4	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	32.3	1	-	-	1	3.4	1	-	-
Pneumonia and influenza (480-487)	1	32.3	1	-	-	4	13.5	3	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	7	23.6	7	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	3.4	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	3.4	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	32.3	1	-	-	2	6.7	1	1	-
All other diseases (Residual)	4	129.0	4	-	-	13	43.8	12	-	1
Motor vehicle accidents (E810-E825)	-	-	-	-	-	6	20.2	6	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	32.3	1	-	-	4	13.5	4	-	-
Suicide (E950-E959)	-	-	-	-	-	3	10.1	3	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	3	10.1	2	1	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	DEWEY					DRUMRIGHT				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,900		W	B	I	3,800		W	B	I
Live births	56	1435.9	50	2	4	40	1052.6	36	2	2
Physician in hospital	55	98.2	50	2	3	40	100.0	36	2	2
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	1.8	-	-	1	-	-	-	-	-
Stillbirths	1	17.5	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	80	2051.3	74	2	3	63	1657.9	62	-	1
Deaths under 1 year	1	25.6	1	-	-	1	26.3	1	-	-
Deaths under 1 month	-	-	-	-	-	1	26.3	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	12	307.7	11	1	-	7	184.2	7	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	76.9	3	-	-	4	105.3	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	5	128.2	5	-	-	2	52.6	2	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	2	51.3	1	1	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	51.3	2	-	-	1	26.3	1	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	43	1102.6	40	1	2	32	842.1	31	-	1
Diseases of the heart (390-398, 402, 404-429)	28	717.9	26	-	2	26	684.2	25	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	25.6	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	20	512.8	19	-	1	15	394.7	15	-	-
Other heart diseases (415-429)	7	179.5	6	-	1	11	289.5	10	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	10	256.4	9	1	-	3	78.9	3	-	-
Arteriosclerosis (440)	1	25.6	1	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	102.6	4	-	-	2	52.6	2	-	-
Pneumonia and influenza (480-487)	1	25.6	1	-	-	6	157.9	6	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	76.9	3	-	-	2	52.6	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	25.6	1	-	-	1	26.3	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	51.3	2	-	-	3	78.9	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	26.3	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	25.6	1	-	-	-	-	-	-	-
All other diseases (Residual)	15	384.6	14	-	1	10	263.2	10	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	1	26.3	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	51.3	2	-	-	1	26.3	1	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	DUNCAN					DURANT				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	24,100		W	B	I	12,700		W	B	I
Live births	373	1547.7	344	18	11	205	1614.2	188	4	13
Physician in hospital	371	99.5	342	18	11	205	100.0	188	4	13
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	2	0.5	2	-	-	-	-	-	-	-
Stillbirths	2	5.3	2	-	-	1	4.9	1	-	-
Physician in hospital	2	100.0	2	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	232	962.7	224	7	1	195	1535.4	185	-	10
Deaths under 1 year	4	16.6	3	1	-	5	39.4	4	1	-
Deaths under 1 month	5	20.7	4	1	-	4	31.5	3	1	-
Tuberculosis (010-018)	-	-	-	-	-	1	7.9	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	8.3	2	-	-	2	15.7	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	49	203.3	47	1	1	40	315.0	38	-	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	10	41.5	9	1	-	10	78.7	8	- 1	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	21	87.1	21	-	-	13	102.4	13	-	-
Malignant neoplasm of breast (174-175)	3	12.4	3	-	-	5	39.4	5	-	-
Malignant neoplasm of genital organs (179-187)	3	12.4	3	-	-	3	23.6	3	-	-
Malignant neoplasm of urinary organs (188-189)	4	16.6	4	-	-	-	-	-	-	-
Leukemia (204-208)	1	4.1	1	-	-	2	15.7	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	29.0	6	-	1	7	55.1	7	-	-
Diabetes mellitus (250)	1	16.6	1	-	-	3	23.6	2	-	1
Major cardiovascular diseases (390-448)	120	497.9	116	4	-	113	889.8	109	-	4
Diseases of the heart (390-398, 402, 404-429)	104	431.5	100	4	-	82	645.7	80	-	2
Rheumatic fever and rheumatic heart disease (390-398)	1	4.1	1	-	-	1	7.9	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	4.1	1	-	-	1	7.9	1	-	-
Ischemic heart disease (410-414)	80	332.0	80	-	-	59	464.6	57	-	2
Other heart diseases (415-429)	22	91.3	18	4	-	21	165.4	21	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	13	53.9	13	-	-	16	126.0	16	-	-
Arteriosclerosis (440)	2	8.3	2	-	-	14	110.2	12	-	2
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	4.1	1	-	-	1	7.9	1	-	-
Pneumonia and influenza (480-487)	11	45.6	10	1	-	4	31.5	4	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	11	45.6	11	-	-	3	23.6	3	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	4.1	1	-	-	1	7.9	-	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	4.1	1	-	-	3	23.6	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	4.1	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	12.4	2	1	-	1	7.9	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	12.4	3	-	-	1	7.9	1	-	-
All other diseases (Residual)	19	78.8	19	-	-	12	94.5	12	-	-
Motor vehicle accidents (E810-E825)	5	20.7	5	-	-	3	23.6	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	4.1	1	-	-	5	39.4	3	-	2
Suicide (E950-E959)	3	12.4	3	-	-	2	15.7	2	-	-
Homicide and legal intervention (E960-E978)	1	4.1	1	-	-	1	7.9	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	EDMOND					EL RENO				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	41,300		W	B	I	18,800		W	B	I
Live births	902	2184.0	840	37	25	290	1542.6	245	23	22
Physician in hospital	886	98.2	828	34	24	285	98.3	240	23	22
Physician not in hospital	-	-	-	-	-	1	0.3	1	-	-
Midwife, other, unknown	16	1.8	12	3	1	4	1.4	4	-	-
Stillbirths	9	9.9	9	-	-	-	-	-	-	-
Physician in hospital	9	100.0	9	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	228	552.1	223	3	2	166	883.0	152	11	3
Deaths under 1 year	10	24.2	10	-	-	8	42.6	7	-	1
Deaths under 1 month	6	14.5	6	-	-	6	31.9	5	-	1
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	7	16.9	7	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	40	96.9	37	2	1	38	202.1	32	5	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	13	31.5	12	1	-	13	69.1	12	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	11	26.6	11	-	-	10	53.2	8	1	1
Malignant neoplasm of breast (174-175)	4	9.7	4	-	-	3	16.0	3	-	-
Malignant neoplasm of genital organs (179-187)	3	7.3	3	-	-	4	21.3	2	2	-
Malignant neoplasm of urinary organs (188-189)	1	2.4	1	-	-	1	5.3	1	-	-
Leukemia (204-208)	1	2.4	1	-	-	2	10.6	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	16.9	5	1	1	5	26.6	5	-	-
Diabetes mellitus (250)	3	7.3	3	-	-	2	10.6	2	-	-
Major cardiovascular diseases (390-448)	104	251.8	103	-	1	79	420.2	73	5	1
Diseases of the heart (390-398, 402, 404-429)	84	203.4	84	-	-	64	340.4	60	3	1
Rheumatic fever and rheumatic heart disease (390-398)	1	2.4	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	2.4	1	-	-	1	5.3	1	-	-
Ischemic heart disease (410-414)	36	87.2	36	-	-	38	202.1	35	2	1
Other heart diseases (415-429)	46	111.4	46	-	-	25	133.0	24	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	12	29.1	11	-	1	15	79.8	13	2	-
Arteriosclerosis (440)	4	9.7	4	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	9.7	4	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	10	24.2	10	-	-	4	21.3	4	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	9.7	4	-	-	7	37.2	7	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	4.8	2	-	-	2	10.6	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	12.1	5	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	5	12.1	5	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	7.3	3	-	-	7	37.2	6	-	1
Symptoms, signs, and ill-defined conditions (780-799)	2	4.8	2	-	-	-	-	-	-	-
All other diseases (Residual)	16	38.7	16	-	-	19	101.1	19	-	-
Motor vehicle accidents (E810-E825)	8	19.4	8	-	-	1	5.3	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	6	14.5	6	-	-	4	21.3	3	1	-
Suicide (E950-E959)	8	19.4	7	1	-	3	16.0	3	-	-
Homicide and legal intervention (E960-E978)	5	12.1	5	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	ELK CITY					ENID				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	13,800		W	B	I	54,400		W	B	I
Live births	253	1833.3	231	11	11	944	1735.3	865	60	19
Physician in hospital	251	99.2	229	11	11	940	99.6	861	60	19
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	2	0.8	2	-	-	4	0.4	4	-	-
Stillbirths	2	7.8	2	-	-	4	4.2	4	-	-
Physician in hospital	2	100.0	2	-	-	4	100.0	4	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	121	876.8	120	1	-	476	875.0	459	16	1
Deaths under 1 year	4	29.0	4	-	-	14	25.7	12	2	-
Deaths under 1 month	1	7.2	1	-	-	4	7.4	4	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	1.8	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	1.8	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	24	173.9	24	-	-	89	163.6	88	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	6	43.5	6	-	-	24	44.1	24	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	6	43.5	6	-	-	29	53.3	29	-	-
Malignant neoplasm of breast (174-175)	1	7.2	1	-	-	7	12.9	7	-	-
Malignant neoplasm of genital organs (179-187)	2	14.5	2	-	-	12	22.1	11	1	-
Malignant neoplasm of urinary organs (188-189)	1	7.2	1	-	-	3	5.5	3	-	-
Leukemia (204-208)	3	21.7	3	-	-	1	1.8	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	36.2	5	-	-	13	23.9	13	-	-
Diabetes mellitus (250)	-	-	-	-	-	9	16.5	9	-	-
Major cardiovascular diseases (390-448)	61	442.0	60	1	-	225	413.6	219	6	-
Diseases of the heart (390-398, 402, 404-429)	49	355.1	49	-	-	160	294.1	156	4	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	3	5.5	3	-	-
Hypertensive heart disease with or without renal disease (402, 404)	4	29.0	4	-	-	1	1.8	1	-	-
Ischemic heart disease (410-414)	28	202.9	28	-	-	110	202.2	107	3	-
Other heart diseases (415-429)	17	123.2	17	-	-	46	84.6	45	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	1.8	1	-	-
Cerebrovascular disease (430-438)	12	87.0	11	1	-	50	91.9	48	2	-
Arteriosclerosis (440)	-	-	-	-	-	8	14.7	8	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	6	11.0	6	-	-
Pneumonia and influenza (480-487)	7	50.7	7	-	-	13	23.9	12	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	21.7	3	-	-	27	49.6	27	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	3	5.5	3	-	-
Chronic liver disease and cirrhosis (571)	1	7.2	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	14.5	2	-	-	6	11.0	5	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	3.7	2	-	-
Certain conditions originating in the perinatal period (760-779)	1	7.2	1	-	-	5	9.2	5	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	21.7	3	-	-	7	12.9	6	1	-
All other diseases (Residual)	5	36.2	5	-	-	44	80.9	38	6	-
Motor vehicle accidents (E810-E825)	4	29.0	4	-	-	17	31.3	16	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	5	36.2	5	-	-	16	29.4	16	-	-
Suicide (E950-E959)	-	-	-	-	-	7	12.9	7	-	-
Homicide and legal intervention (E960-E978)	4	29.0	4	-	-	3	5.5	3	-	-
All other external causes (E980-E999)	1	7.2	1	-	-	1	1.8	1	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	EUFAULA					FAIPVIEW				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,500		W	B	I	3,500		W	B	I
Live births	46	1314.3	26	5	15	54	1542.9	51	-	3
Physician in hospital	46	100.0	26	5	15	53	98.1	50	-	3
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	1.9	1	-	-
Stillbirths	1	21.3	-	1	-	-	-	-	-	-
Physician in hospital	1	100.0	-	1	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	67	1914.3	57	7	3	48	1371.4	47	-	1
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	7	200.0	5	1	1	11	314.3	11	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	28.6	-	-	1	2	57.1	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	28.6	1	-	-	1	28.6	1	-	-
Malignant neoplasm of breast (174-175)	1	28.6	1	-	-	1	28.6	1	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	4	114.3	4	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	1	28.6	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	4	114.3	3	1	-	2	57.1	2	-	-
Diabetes mellitus (250)	5	142.9	4	1	-	2	57.1	2	-	-
Major cardiovascular diseases (390-448)	37	1057.1	32	4	1	21	600.0	21	-	-
Diseases of the heart (390-398, 402, 404-429)	29	828.6	25	3	1	16	457.1	16	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	18	514.3	16	1	1	10	285.7	10	-	-
Other heart diseases (415-429)	11	314.3	9	2	-	6	171.4	6	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	7	200.0	6	1	-	3	85.7	3	-	-
Arteriosclerosis (440)	-	-	-	-	-	1	28.6	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	28.6	1	-	-	1	28.6	1	-	-
Pneumonia and influenza (480-487)	3	85.7	3	-	-	2	57.1	2	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	28.6	1	-	-	2	57.1	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	28.6	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	28.6	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	28.6	1	-	-	-	-	-	-	-
All other diseases (Residual)	8	228.6	6	1	1	8	228.6	8	-	-
Motor vehicle accidents (E810-E825)	1	28.6	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	28.6	1	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	1	28.6	1	-	-
Homicide and legal intervention (E960-E978)	1	28.6	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	FORT GIBSON					FREDERICK				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,900		W	B	I	6,000		W	B	I
Live Births	71	2448.3	54	3	14	93	1550.0	66	21	6
Physician in hospital	71	100.0	54	3	14	92	98.9	66	20	6
Physician not in hospital	-	-	-	-	-	1	1.1	1	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	1	13.9	1	-	-	3	31.3	2	1	-
Physician in hospital	1	100.0	1	-	-	3	100.0	2	1	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	32	1103.4	32	-	-	81	1350.0	66	14	1
Deaths under 1 year	-	-	-	-	-	2	33.3	2	-	-
Deaths under 1 month	-	-	-	-	-	2	33.3	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	9	310.3	9	-	-	22	366.7	16	6	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	34.5	1	-	-	7	116.7	4	3	-
Malignant neoplasm of breast (174-175)	4	137.9	4	-	-	6	100.0	4	2	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	4	66.7	3	1	-
Malignant neoplasm of urinary organs (188-189)	1	34.5	1	-	-	3	50.0	2	1	-
Leukemia (204-208)	-	-	-	-	-	1	16.7	-	1	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	34.5	1	-	-	-	-	-	-	-
Diabetes mellitus (250)	2	69.0	2	-	-	1	16.7	-	1	-
Major cardiovascular diseases (390-448)	-	-	-	-	-	2	33.3	2	-	-
Diseases of the heart (390-398, 402, 404-429)	16	551.7	16	-	-	35	583.3	32	3	-
Rheumatic fever and rheumatic heart disease (390-398)	14	482.8	14	-	-	26	433.3	24	2	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-	-	-	-	-
Other heart diseases (415-429)	9	310.3	9	-	-	22	366.7	20	2	-
Hypertension with or without renal disease (401, 403)	5	172.4	5	-	-	4	66.7	4	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis (440)	2	69.0	2	-	-	7	116.7	7	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	1	16.7	1	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	1	16.7	-	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	34.5	1	-	-	4	66.7	3	1	-
Ulcer of stomach and duodenum (531-533)	2	69.0	2	-	-	3	50.0	2	-	1
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	2	33.3	2	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	34.5	1	-	-	1	16.7	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	3	103.4	3	-	-	8	133.3	7	1	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	3	50.0	2	1	-
Suicide (E950-E959)	-	-	-	-	-	1	16.7	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	GLENPOOL					GROVE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	4,000		W	B	I	3,900		W	B	I
Live births	159	3975.0	129	6	24	54	1384.6	41	-	13
Physician in hospital	157	98.7	129	6	22	54	100.0	41	-	13
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	2	1.3	-	-	2	-	-	-	-	-
Stillbirths	1	6.3	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	5	125.0	4	-	1	73	1871.8	67	-	6
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	25.6	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-079, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	11	282.1	11	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	3	76.9	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	1	25.6	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	25.6	1	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	2	51.3	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	25.6	1	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	3	76.9	3	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	-	-	-	-	-	42	1076.9	37	-	5
Diseases of the heart (390-398, 402, 404-429)	-	-	-	-	-	31	794.9	26	-	5
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	20	512.8	15	-	5
Other heart diseases (415-429)	-	-	-	-	-	11	282.1	11	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	10	256.4	10	-	-
Arteriosclerosis (440)	-	-	-	-	-	1	25.6	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	4	102.6	3	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	2	51.3	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	3	76.9	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	25.6	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	2	50.0	2	-	-	7	179.5	7	-	-
Motor vehicle accidents (E810-E825)	3	75.0	2	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	1	25.6	1	-	-
Suicide (E950-E959)	-	-	-	-	-	1	25.6	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	GUTHRIE					GUYMON				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	11,808		W	B	I	8,900		W	B	I
Live births	218	1847.5	188	26	4	191	2146.1	186	1	4
Physician in hospital	210	96.3	180	26	4	190	99.5	185	1	4
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	8	3.7	8	-	-	1	0.5	1	-	-
Stillbirths	3	13.6	2	1	-	4	20.5	4	-	-
Physician in hospital	3	100.0	2	1	-	4	100.0	4	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	176	1491.5	150	25	1	74	831.5	74	-	-
Deaths under 1 year	-	-	-	-	-	2	22.5	2	-	-
Deaths under 1 month	-	-	-	-	-	1	11.2	1	-	-
Tuberculosis (010-018)	1	8.5	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	3	25.4	2	1	-	3	33.7	3	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	26	220.3	23	3	-	18	202.2	18	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	33.9	3	1	-	3	33.7	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	7	59.3	6	1	-	5	56.2	5	-	-
Malignant neoplasm of breast (174-175)	4	33.9	4	-	-	3	33.7	3	-	-
Malignant neoplasm of genital organs (179-187)	4	33.9	3	1	-	2	22.5	2	-	-
Malignant neoplasm of urinary organs (188-189)	2	16.9	2	-	-	1	11.2	1	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	42.4	5	-	-	4	44.9	4	-	-
Diabetes mellitus (250)	2	16.9	2	-	-	1	11.2	1	-	-
Major cardiovascular diseases (390-448)	111	940.7	94	17	-	31	348.3	31	-	-
Diseases of the heart (390-398, 402, 404-429)	69	584.7	55	14	-	23	258.4	23	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	11.2	1	-	-
Ischemic heart disease (410-414)	56	474.6	44	12	-	15	168.5	15	-	-
Other heart diseases (415-429)	13	110.2	11	2	-	7	78.7	7	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	38	322.0	36	2	-	4	44.9	4	-	-
Arteriosclerosis (440)	2	16.9	1	1	-	3	33.7	3	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	2	16.9	2	-	-	1	11.2	1	-	-
Pneumonia and influenza (480-487)	11	93.2	10	1	-	3	33.7	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	25.4	3	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	1	8.5	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	8.5	1	-	-	1	11.2	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	8.5	-	1	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	11.2	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	2	22.5	2	-	-
All other diseases (Residual)	9	76.3	8	1	-	8	89.9	8	-	-
Motor vehicle accidents (E810-E825)	4	33.9	3	-	1	4	44.9	4	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	8.5	-	1	-	2	22.5	2	-	-
Suicide (E950-E959)	2	16.9	2	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	8.5	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race for Cities Of 2500 Or More, Oklahoma, 1984

	HARRAH					HARTSHORNE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,500		W	B	I	2,500		W	B	I
Live births	70	2000.0	65	3	2	25	1000.0	20	1	4
Physician in hospital	69	98.6	64	3	2	25	100.0	20	1	4
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	1.4	1	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	26	742.9	26	-	-	26	1040.0	24	1	1
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	2	80.0	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	3	85.7	3	-	-	5	200.0	5	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	57.1	2	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	4	160.0	4	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	1	40.0	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	28.6	1	-	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	17	485.7	17	-	-	16	640.0	15	1	-
Diseases of the heart (390-398, 402, 404-429)	14	400.0	14	-	-	10	400.0	9	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	11	314.3	11	-	-	5	200.0	5	-	-
Other heart diseases (415-429)	3	85.7	3	-	-	5	200.0	4	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	85.7	3	-	-	3	120.0	3	-	-
Arteriosclerosis (440)	-	-	-	-	-	3	120.0	3	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	1	40.0	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	57.1	2	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	1	40.0	1	-	-
All other diseases (Residual)	1	28.6	1	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	2	57.1	2	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	1	28.6	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	HEALDTON					HEAVENER				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	4,000		W	B	I	2,800		W	B	I
Live births										
Physician in hospital	64	1600.0	62	-	2	28	1000.0	25	-	3
Physician not in hospital	64	100.0	62	-	2	28	100.0	25	-	3
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Stillbirths										
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes										
Deaths under 1 year	45	1125.0	45	-	-	48	1714.3	48	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)										
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	1	25.0	1	-	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	7	175.0	7	-	-	11	392.9	11	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	25.0	1	-	-	1	35.7	1	-	-
Malignant neoplasm of breast (174-175)	3	75.0	3	-	-	3	107.1	3	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	1	35.7	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	35.7	1	-	-
Leukemia (204-208)	1	25.0	1	-	-	1	35.7	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	1	35.7	1	-	-
Diabetes mellitus (250)	2	50.0	2	-	-	3	107.1	3	-	-
Major cardiovascular diseases (390-448)	-	-	-	-	-	-	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	23	575.0	23	-	-	23	821.4	23	-	-
Rheumatic fever and rheumatic heart disease (390-398)	19	475.0	19	-	-	17	607.1	17	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-	-	-	-	-
Other heart diseases (415-429)	16	400.0	16	-	-	14	500.0	14	-	-
Hypertension with or without renal disease (401, 403)	3	75.0	3	-	-	3	107.1	3	-	-
Cerebrovascular disease (430-438)	1	25.0	1	-	-	-	-	-	-	-
Arteriosclerosis (440)	2	50.0	2	-	-	3	107.1	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	25.0	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	3	107.1	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	1	25.0	1	-	-	4	142.9	4	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	35.7	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	35.7	1	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	25.0	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	1	25.0	1	-	-	1	35.7	1	-	-
Motor vehicle accidents (E810-E825)	6	150.0	6	-	-	6	214.3	6	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	50.0	2	-	-	-	-	-	-	-
Suicide (E950-E959)	1	25.0	1	-	-	1	35.7	1	-	-
Homicide and legal intervention (E960-E978)	1	25.0	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	25.0	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	HENNESSEY					HENRYETTA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,600		W	B	I	6,700		W	B	I
Live births	56	2153.8	54	1	1	86	1283.6	74	-	12
Physician in hospital	56	100.0	54	1	1	86	100.0	74	-	12
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	1	11.5	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	8	307.7	8	-	-	99	1477.6	98	-	1
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	14.9	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	2	76.9	2	-	-	21	313.4	21	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	76.9	2	-	-	4	59.7	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	8	119.4	8	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	14.9	1	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	1	14.9	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	14.9	1	-	-
Leukemia (204-208)	-	-	-	-	-	2	29.9	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	4	59.7	4	-	-
Diabetes mellitus (250)	-	-	-	-	-	3	44.8	3	-	-
Major cardiovascular diseases (390-448)	4	153.8	4	-	-	51	761.2	50	-	1
Diseases of the heart (390-398, 402, 404-429)	4	153.8	4	-	-	44	656.7	44	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	38.5	-	-	1	-	-	-	-	-
Ischemic heart disease (410-414)	3	115.4	3	-	-	41	611.9	41	-	-
Other heart diseases (415-429)	-	-	-	-	-	3	44.8	3	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	38.5	1	-	-	6	89.6	6	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	4	59.7	4	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	5	74.6	5	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	2	29.9	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	-	-	-	-	-	7	104.5	7	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	3	44.8	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	1	14.9	1	-	-
Suicide (E950-E959)	1	38.5	1	-	-	1	14.9	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	HOBART					HOLDENVILLE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	4,900		W	B	I	5,600		W	B	I
Live births	85	1734.7	66	13	6	74	132..4	54	1	19
Physician in hospital	85	100.0	66	13	6	73	98.6	54	1	18
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	1.4	-	-	1
Stillbirths	-	-	-	-	-	1	13.3	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	92	1877.6	87	4	1	124	2214.3	114	3	7
Deaths under 1 year	2	40.8	1	1	-	1	17.9	1	-	-
Deaths under 1 month	1	20.4	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	40.8	2	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	18	367.3	18	-	-	25	44[illegible].4	21	-	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	40.8	2	-	-	3	53.6	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	5	102.0	5	-	-	5	89.3	4	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	5	89.3	5	-	-
Malignant neoplasm of genital organs (179-187)	2	40.8	2	-	-	4	71.4	3	-	1
Malignant neoplasm of urinary organs (188-189)	3	61.2	3	-	-	1	17.9	1	-	-
Leukemia (204-208)	-	-	-	-	-	2	35.7	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	6	122.4	6	-	-	5	89.3	5	-	-
Diabetes mellitus (250)	3	61.2	2	1	-	7	125.0	6	1	-
Major cardiovascular diseases (390-448)	44	898.0	42	2	-	56	1000.0	51	1	4
Diseases of the heart (390-398, 402, 404-429)	34	693.9	33	1	-	45	803.6	40	1	4
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	20.4	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	28	571.4	27	1	-	38	678.6	36	-	2
Other heart diseases (415-429)	6	122.4	6	-	-	7	125.0	4	2	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	9	183.7	8	1	-	8	142.9	8	-	-
Arteriosclerosis (440)	-	-	-	-	-	1	17.9	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	2	35.7	2	-	-
Pneumonia and influenza (480-487)	1	20.4	1	-	-	8	142.9	8	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	20.4	1	-	-	7	125.0	7	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	35.7	1	1	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	40.8	2	-	-	5	89.3	5	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	35.7	1	-	1
Certain conditions originating in the perinatal period (760-779)	1	20.4	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	14	285.7	13	1	-	8	142.9	8	-	-
Motor vehicle accidents (E810-E825)	2	40.8	2	-	-	2	35.7	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	40.8	2	-	-	1	17.9	1	-	-
Suicide (E950-E959)	1	20.4	1	-	-	1	17.9	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	HOLLIS					HOMINY				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,900		W	B	I	3,400		W	B	I
Live births	56	1931.0	45	9	2	42	1235.3	31	1	10
Physician in hospital	56	100.0	45	9	2	42	100.0	31	1	10
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	1	17.5	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	58	2000.0	57	1	-	49	1441.2	41	3	5
Deaths under 1 year	1	34.5	1	-	-	-	-	-	-	-
Deaths under 1 month	1	34.5	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	2	58.8	2	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	6	206.9	6	-	-	9	264.7	7	1	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	69.0	2	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	69.0	2	-	-	4	117.6	4	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	29.4	-	1	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	29.4	1	-	-
Leukemia (204-208)	1	34.5	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	34.5	1	-	-	2	58.8	2	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	29	1000.0	29	-	-	24	705.9	20	1	3
Diseases of the heart (390-398, 402, 404-429)	28	965.5	28	-	-	15	441.2	12	1	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	21	724.1	21	-	-	5	147.1	5	-	-
Other heart diseases (415-429)	10	344.8	7	1	2	10	294.1	7	1	2
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	34.5	1	-	-	6	176.5	5	-	1
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	3	88.2	3	-	-
Pneumonia and influenza (480-487)	7	241.4	7	-	-	1	29.4	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	172.4	4	1	-	2	58.8	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	34.5	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	34.5	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	34.5	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	34.5	1	-	-	-	-	-	-	-
All other diseases (Residual)	7	241.4	7	-	-	8	235.3	7	1	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	2	58.8	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	HUGO					IDABEL				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	7,100		W	B	I	7,600		W	B	I
Live births	111	1563.4	68	23	20	138	1815.8	79	45	14
Physician in hospital	111	100.0	68	23	20	137	99.3	79	44	14
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	0.7	-	1	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	121	1704.2	105	14	2	99	1302.6	70	26	3
Deaths under 1 year	1	14.1	1	-	-	1	13.2	1	-	-
Deaths under 1 month	1	14.1	1	-	-	1	13.2	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	14.1	1	-	-	1	13.2	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	19	267.6	16	2	1	10	131.6	8	1	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	8	112.7	6	3	1	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	56.3	4	-	-	4	52.6	3	1	-
Malignant neoplasm of Breast (174-175)	1	14.1	1	-	-	2	26.3	2	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	14.1	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	70.4	4	1	-	4	52.6	3	-	1
Diabetes mellitus (250)	3	42.3	1	2	-	3	39.5	1	2	-
Major cardiovascular diseases (390-448)	80	1126.8	72	8	-	52	684.2	38	13	1
Diseases of the heart (390-398, 402, 404-429)	71	1000.0	64	7	-	45	592.1	35	9	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	28.2	1	1	-	-	-	-	-	-
Ischemic heart disease (410-414)	44	619.7	41	3	-	35	460.5	28	6	1
Other heart diseases (415-429)	25	352.1	22	3	-	10	131.6	7	3	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	9	126.8	8	1	-	7	92.1	3	4	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	28.2	2	-	-	3	39.5	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	14.1	1	-	-	4	52.6	3	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	13.2	1	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	26.3	1	1	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	70.4	5	-	-	2	26.3	-	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	28.2	1	-	1	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	28.2	2	-	-	2	26.3	1	1	-
All other diseases (Residual)	2	28.2	2	-	-	11	144.7	8	3	-
Motor vehicle accidents (E810-E825)	1	14.1	-	1	-	1	13.2	-	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	14.1	1	-	-	4	52.6	3	1	-
Suicide (E950-E959)	1	14.1	1	-	-	1	13.2	-	-	1
Homicide and legal intervention (E960-E978)	1	14.1	-	1	-	1	13.2	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	13.2	1	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	JAY					JENKS				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,800		W	B	I	6,600		W	B	I
Live births	38	1357.1	17	-	21	114	1727.3	104	4	6
Physician in hospital	38	100.0	17	-	21	113	99.1	103	4	6
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	0.9	1	-	-
Stillbirths	-	-	-	-	-	2	17.5	2	-	-
Physician in hospital	-	-	-	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	42	1500.0	35	-	7	77	1166.7	75	-	2
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	9	321.4	9	-	-	17	257.6	17	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	35.7	1	-	-	2	30.3	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	142.9	4	-	-	8	121.2	8	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	2	30.3	2	-	-
Malignant neoplasm of genital organs (179-187)	2	71.4	2	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	15.2	1	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	71.4	2	-	-	4	60.6	4	-	-
Diabetes mellitus (250)	-	-	-	-	-	2	30.3	2	-	-
Major cardiovascular diseases (390-448)	25	892.9	19	-	6	30	454.5	30	-	-
Diseases of the Heart (390-398, 402, 404-429)	21	750.0	18	-	3	23	348.5	23	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	10	357.1	8	-	2	17	257.6	17	-	-
Other heart diseases (415-429)	11	392.9	10	-	1	6	90.9	6	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	107.1	-	-	3	7	106.1	7	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	35.7	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	35.7	1	-	-	3	45.5	2	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	107.1	3	-	-	6	90.9	6	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	15.2	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	35.7	1	-	-	1	15.2	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	30.3	2	-	-
Certain conditions originating in the perinatal period (760-779)	1	35.7	-	-	1	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	2	71.4	2	-	-	9	136.4	9	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	2	30.3	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	1	15.2	1	-	-
Suicide (E950-E959)	-	-	-	-	-	2	30.3	1	-	1
Homicide and legal intervention (E960-E978)	-	-	-	-	-	1	15.2	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	JONES					KINGFISHER				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,500		W	B	I	5,000		W	B	I
Live births										
Physician in hospital	57	2280.0	49	2	6	110	2200.0	97	4	9
Physician not in hospital	54	94.7	46	2	6	110	100.0	97	4	9
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
	3	5.3	3	-	-	-	-	-	-	-
Stillbirths										
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes										
Deaths under 1 year	40	1600.0	37	3	-	59	1180.0	57	1	1
Deaths under 1 month	-	-	-	-	-	1	20.0	1	-	-
	-	-	-	-	-	1	20.0	1	-	-
Tuberculosis (010-018)										
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	1	40.0		1	-	2	40.0	2	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	10	400.0	9	1	-	10	200.0	10	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	160.0	4	-	-	5	100.0	5	-	-
Malignant neoplasm of breast (174-175)	4	160.0	4	-	-	4	80.0	4	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	1	40.0	1	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	1	20.0	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-		-	-	-	-	-	-	-	-
Diabetes mellitus (250)	1	40.0	-	1	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	-	-	-	-	-	1	20.0	1	-	-
Diseases of the heart (390-398, 402, 404-429)	15	600.0	15	-	-	29	580.0	27	1	1
Rheumatic fever and rheumatic heart disease (390-398)	11	440.0	11	-	-	24	480.0	22	1	1
Hypertensive heart disease with or without renal disease (402, 404)	-		-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-	-	-	-	-
Other heart diseases (415-429)	7	280.0	7	-	-	20	400.0	18	1	1
Hypertension with or without renal disease (401, 403)	4	160.0	4	-	-	4	80.0	4	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis (440)	2	80.0	2	-	-	5	100.0	5	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	1	40.0	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	40.0	1	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	120.0	3	-	-	3	60.0	3	-	-
Ulcer of stomach and duodenum (531-533)	1	40.0	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	20.0	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	40.0	1	-	-	1	20.0	1	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	20.0	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	-	-	-	-	-	2	40.0	2	-	-
	4	160.0	4	-	-	5	100.0	5	-	-
Motor vehicle accidents (E810-E825)	2	80.0	2	-	-	2	40.0	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)										
Suicide (E950-E959)	-	-	-	-	-	2	40.0	2	-	-
Homicide and legal intervention (E960-E978)	2	80.0	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	1	40.0	-	1	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	LAWTON					LINDSAY				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	88,700		W	B	I	3,900		W	B	I
Live births	2165	2440.8	1547	526	92	56	1435.9	54	-	2
Physician in hospital	2158	99.7	1543	524	91	56	100.0	54	-	2
Physician not in hospital	1	0.0	1	-	-	-	-	-	-	-
Midwife, other, unknown	6	0.3	3	2	1	-	-	-	-	-
Stillbirths	21	9.6	13	7	1	-	-	-	-	-
Physician in hospital	21	100.0	13	7	1	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	584	658.4	513	61	10	48	1230.8	48	-	-
Deaths under 1 year	23	25.9	18	5	-	-	-	-	-	-
Deaths under 1 month	16	18.0	14	2	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	7	7.9	7	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	127	143.2	111	15	1	18	461.5	18	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	28	31.6	23	5	-	3	76.9	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	50	56.4	43	7	-	3	76.9	3	-	-
Malignant neoplasm of breast (174-175)	5	5.6	5	-	-	3	76.9	3	-	-
Malignant neoplasm of genital organs (179-187)	11	12.4	11	-	-	1	25.6	1	-	-
Malignant neoplasm of urinary organs (188-189)	3	3.4	2	-	1	2	51.3	2	-	-
Leukemia (204-208)	7	7.9	6	1	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	23	25.9	21	2	-	6	153.8	6	-	-
Diabetes mellitus (250)	10	11.3	6	3	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	251	283.0	230	18	3	17	435.9	17	-	-
Diseases of the heart (390-398, 402, 404-429)	236	266.1	180	15	1	13	333.3	13	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	2.3	1	1	-	1	25.6	1	-	-
Ischemic heart disease (410-414)	146	164.6	134	11	1	9	230.8	9	-	-
Other heart diseases (415-429)	48	54.1	45	3	-	3	76.9	3	-	-
Hypertension with or without renal disease (401, 403)	7	7.9	6	-	1	-	-	-	-	-
Cerebrovascular disease (430-438)	40	45.1	36	3	1	4	102.6	4	-	-
Arteriosclerosis (440)	4	4.5	4	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	4	4.5	4	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	21	23.7	19	1	1	2	51.3	2	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	36	40.6	32	3	1	1	25.6	1	-	-
Ulcer of stomach and duodenum (531-533)	2	2.3	1	-	1	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	11	12.4	11	-	-	1	25.6	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	5.6	4	1	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	8	9.0	7	1	-	1	25.6	1	-	-
Certain conditions originating in the perinatal period (760-779)	12	13.5	10	2	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	4	4.5	3	1	-	2	51.3	2	-	-
All other diseases (Residual)	48	54.1	40	6	2	6	153.8	6	-	-
Motor vehicle accidents (E810-E825)	12	13.5	9	3	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	13	14.7	11	2	-	-	-	-	-	-
Suicide (E950-E959)	8	9.0	8	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	7	7.9	3	4	-	-	-	-	-	-
All other external causes (E980-E999)	2	2.3	1	1	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	LONE GROVE[1]					MADILL				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,900		W	B	I	3,200		W	B	I
Live births	43	1102.6	40	1	2	44	1375.0	38	2	4
Physician in hospital	43	100.0	40	1	2	44	100.0	38	2	4
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	12	307.7	10	-	2	50	1562.5	49	-	1
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	31.3	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-089, 098-139)	-	-	-	-	-	1	31.3	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	5	128.2	5	-	-	12	375.0	11	-	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	2	62.5	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-163)	1	25.6	1	-	-	8	250.0	7	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	31.3	1	-	-
Malignant neoplasm of genital organs (179-187)	1	25.6	1	-	-	1	31.3	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	76.9	3	-	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4	102.6	3	-	1	19	593.8	19	-	-
Diseases of the heart (390-398, 402, 404-429)	3	76.9	2	-	1	18	562.5	18	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	2	51.3	1	-	1	14	437.5	14	-	-
Other heart diseases (415-429)	1	76.9	1	-	-	4	125.0	4	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	76.9	1	-	-	1	31.3	1	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	5	156.3	5	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	31.3	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	31.3	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	1	76.9	1	-	-	9	281.3	9	-	-
Motor vehicle accidents (E810-E825)	1	76.9	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	1	31.3	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	MANGUM					MARIETTA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	4,000		W	B	I	2,700		W	B	I
Live births	31	775.0	30	1	-	45	1666.7	42	2	1
Physician in hospital	31	100.0	30	1	-	44	97.8	41	2	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	2.2	1	-	-
Stillbirths										
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	74	1850.0	72	2	-	53	1963.0	46	7	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-049, 098-139)	1	25.0	1	-	-	1	37.0	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14	350.0	14	-	-	9	333.3	7	2	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	125.0	5	-	-	1	37.0	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	75.0	3	-	-	4	148.1	3	1	-
Malignant neoplasm of breast (174-175)	1	25.0	1	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	2	50.0	2	-	-	1	37.0	1	-	-
Malignant neoplasm of urinary organs (188-189)	1	25.0	1	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	50.0	2	-	-	3	111.1	2	1	-
Diabetes mellitus (250)	2	50.0	2	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	38	950.0	37	1	-	30	1111.1	27	3	-
Diseases of the heart (390-398, 402, 404-429)	29	725.0	28	1	-	24	888.9	21	3	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	17	425.0	16	1	-	18	666.7	16	2	-
Other heart diseases (415-429)	12	300.0	12	-	-	6	222.2	5	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	6	150.0	6	-	-	6	222.2	6	-	-
Arteriosclerosis (440)	2	50.0	2	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	1	25.0	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	25.0	1	-	-	1	37.0	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	6	150.0	6	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	25.0	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	100.0	3	[illegible]	-	2	74.1	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	25.0	1	-	-	1	37.0	1	-	-
All other diseases (Residual)	4	100.0	4	-	-	9	333.3	7	2	-
Motor vehicle accidents (E810-E825)	1	25.0	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	25.0	1	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	MARLOW					McALESTER				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	5,100		W	B	I	18,500		W	B	I
Live births	60	1176.5	57	1	2	257	1389.2	214	21	22
Physician in hospital	60	100.0	57	1	2	257	100.0	214	21	22
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	1	3.9	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	84	1647.1	82	-	2	266	1437.8	241	18	7
Deaths under 1 year	3	58.8	3	-	-	3	16.2	3	-	-
Deaths under 1 month	1	19.6	1	-	-	1	5.4	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	1	5.4	1	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	3	16.2	3	-	-
Malignant neoplasms, including neoplams of lymphatic and hematopoietic tissues (140-208)	16	313.7	15	-	1	61	329.7	55	5	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	6	117.6	6	-	-	11	59.5	10	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	58.8	2	-	1	17	91.9	14	2	1
Malignant neoplasm of breast (174-175)	1	19.6	1	-	-	6	32.4	5	1	-
Malignant neoplasm of genital organs (179-187)	2	39.2	2	-	-	9	48.6	8	1	-
Malignant neoplasm of urinary organs (188-189)	1	19.6	1	-	-	3	16.2	3	-	-
Leukemia (204-208)	-	-	-	-	-	2	10.8	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	58.8	3	-	-	13	70.3	13	-	-
Diabetes mellitus (250)	1	19.6	1	-	-	3	16.2	3	-	-
Major cardiovascular diseases (390-448)	37	725.5	37	-	-	124	670.3	113	10	1
Diseases of the heart (390-398, 402, 404-429)	23	451.0	23	-	-	91	491.9	81	8	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	5.4	-	1	-
Hypertensive heart disease with or without renal disease (402, 404)	1	19.6	1	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	12	235.3	12	-	-	55	297.3	48	6	1
Other heart diseases (415-429)	10	196.1	10	-	-	35	189.2	33	2	-
Hypertension with or without renal disease (401, 403)	2	39.2	2	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	10	196.1	10	-	-	22	118.9	22	-	-
Arteriosclerosis (440)	2	39.2	2	-	-	10	54.1	9	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	1	5.4	1	-	-
Pneumonia and influenza (480-487)	5	98.0	5	-	-	21	113.5	21	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	78.4	4	-	-	5	27.0	4	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	4	21.6	4	-	-
Chronic liver disease and cirrhosis (571)	1	19.6	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	39.6	1	-	1	3	16.2	1	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	19.6	1	-	-	1	5.4	1	-	-
Certain conditions originating in the perinatal period (760-779)	1	19.6	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	19.6	1	-	-	1	5.4	1	-	-
All other diseases (Residual)	7	137.3	7	-	-	26	140.5	23	1	2
Motor vehicle accidents (E810-E825)	4	78.4	4	-	-	5	27.0	4	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	19.6	1	-	-	4	21.6	3	-	1
Suicide (E950-E959)	2	39.6	2	-	-	3	16.2	3	-	-
Homicide and legal intervention (E960-E978)	1	19.6	1	-	-	1	5.4	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	McLOUD					MIAMI				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	5,200		W	B	I	14,600		W	B	I
Live births	56	1076.9	45	1	10	167	1143.8	121	-	46
Physician in hospital	55	98.2	45	1	9	165	98.8	120	-	45
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	1.8	-	-	1	2	1.2	1	-	1
Stillbirths	-	-	-	-	-	1	6.0	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	21	403.8	21	-	-	171	1171.2	161	-	10
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	6.8	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	4	76.9	4	-	-	26	178.1	24	-	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	38.5	2	-	-	5	34.2	5	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	38.5	2	-	-	9	61.6	8	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	5	34.2	5	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	2	13.7	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	6.8	1	-	-
Leukemia (204-208)	-	-	-	-	-	3	20.5	3	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	1	6.8	-	-	1
Diabetes mellitus (250)	-	-	-	-	-	1	6.8	1	-	-
Major cardiovascular diseases (390-448)	6	115.4	6	-	-	97	664.4	89	-	8
Diseases of the heart (390-398, 402, 404-429)	5	96.2	5	-	-	73	500.0	66	-	7
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	6.8	-	-	1
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	6.8	1	-	-
Ischemic heart disease (410-414)	4	76.9	4	-	-	50	342.5	44	-	6
Other heart diseases (415-429)	1	19.2	1	-	-	21	143.8	20	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	6.8	1	-	-
Cerebrovascular disease (430-438)	1	19.2	1	-	-	15	102.7	15	-	-
Arteriosclerosis (440)	-	-	-	-	-	3	20.5	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	5	34.2	5	-	-
Pneumonia and influenza (480-487)	1	19.2	1	-	-	7	47.9	7	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	7	47.9	7	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	6.8	1	-	-
Chronic liver disease ~~and cirrhosis~~ (571)	3	57.7	3	-	-	1	6.8	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	6	41.1	6	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	19.2	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	19.2	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	3	57.7	3	-	-	11	75.3	11	-	-
Motor vehicle accidents (E810-E825)	1	19.2	1	-	-	2	13.7	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	5	34.2	5	-	-
Suicide (E950-E959)	1	19.2	1	-	-	6	41.1	6	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	MIDWEST CITY					MOORE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	54,600		W	B	I	42,100		W	B	I
Live births	1015	1859.0	799	156	60	694	1648.5	662	11	21
Physician in hospital	1009	99.4	795	154	60	675	97.3	643	11	21
Physician not in hospital	-	-	-	-	-	1	0.1	1	-	-
Midwife, other, unknown	6	0.6	4	2	-	18	2.6	18	-	-
Stillbirths	7	6.8	5	2	-	5	7.2	5	-	-
Physician in hospical	7	100.0	5	2	-	4	97.3	4	-	-
Physician not in hospital	-	-	-	-	-	1	2.7	1	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	306	560.4	294	9	3	155	368.2	153	-	2
Deaths under 1 year	16	29.3	13	3	-	5	11.9	5	-	-
Deaths under 1 month	8	14.7	6	2	-	3	7.1	3	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	3.7	2	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	66	120.9	64	2	-	31	73.6	31	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	15	27.5	14	1	-	4	9.5	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	26	47.6	26	-	-	12	28.5	12	-	-
Malignant neoplasm of breast (174-175)	1	1.8	1	-	-	1	2.4	1	-	-
Malignant neoplasm of genital organs (179-187)	5	9.2	4	1	-	4	9.5	4	-	-
Malignant neoplasm of urinary organs (188-189)	1	1.8	1	-	-	2	4.8	2	-	-
Leukemia (204-208)	1	1.8	1	-	-	2	4.8	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	17	31.1	17	-	-	6	14.3	6	-	-
Diabetes mellitus (250)	3	5.5	3	-	-	3	7.1	3	-	-
Major cardiovascular diseases (390-448)	139	254.6	137	1	1	67	159.1	65	-	2
Diseases of the heart (390-398, 402, 404-429)	110	201.5	109	-	1	57	135.4	55	-	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	3.7	2	-	-	1	2.4	1	-	-
Ischemic heart disease (410-414)	75	137.4	75	-	-	40	95.0	39	-	1
Other heart diseases (415-429)	33	60.4	32	-	1	16	38.0	15	-	1
Hypertension with or without renal disease (401, 403)	1	1.8	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	22	40.3	21	1	-	8	19.0	8	-	-
Arteriosclerosis (440)	3	5.5	3	-	-	1	2.4	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	5.5	3	-	-	1	2.4	1	-	-
Pneumonia and influenza (480-487)	6	11.0	5	-	1	5	11.9	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	17	31.1	17	-	-	5	11.9	5	-	-
Ulcer of stomach and duodenum (531-533)	2	3.7	2	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	5	9.2	5	-	-	1	2.4	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	5.5	3	-	-	2	4.8	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	1	2.4	1	-	-
Congenital anomalies (740-759)	2	3.7	2	-	-	1	2.4	1	-	-
Certain conditions originating in the perinatal period (760-779)	7	12.8	5	2	-	3	7.1	3	-	-
Symptoms, signs, and ill-defined conditions (780-799)	5	9.2	4	1	-	2	4.8	2	-	-
All other diseases (Residual)	16	29.3	16	-	-	12	28.5	12	-	-
Motor vehicle accidents (E810-E825)	11	20.1	10	1	-	11	26.1	11	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	5	9.2	4	1	-	8	19.0	8	-	-
Suicide (E950-E959)	9	16.5	8	1	-	2	4.8	2	-	-
Homicide and legal intervention (E960-E978)	6	11.0	5	-	1	1	2.4	1	-	-
All other external causes (E980-E999)	2	3.7	2	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	MULDROW					MUSKOGEE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,900		W	B	I	42,600		W	B	I
Live births	45	1551.7	34	1	10	719	1687.8	461	170	88
Physician in hospital	43	95.6	32	1	10	709	98.6	460	169	80
Physician not in hospital	-	-	-	-	-	1	0.1	1	-	-
Midwife, other, unknown	2	4.4	2	-	-	9	1.3	1	-	8
Stillbirths	-	-	-	-	-	4	5.5	3	-	1
Physician in hospital	-	-	-	-	-	4	100.0	3	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	22	758.6	20	-	2	540	1016.4	433	98	9
Deaths under 1 year	-	-	-	-	-	5	11.7	2	3	-
Deaths under 1 month	-	-	-	-	-	3	7.0	1	2	-
Tuberculosis (010-018)	-	-	-	-	-	2	4.7	1	-	1
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	6	14.1	6	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	4	137.9	4	-	-	133	312.2	102	27	4
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	103.4	3	-	-	34	79.8	27	6	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	40	93.9	33	6	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	11	25.8	9	2	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	14	32.9	8	5	1
Malignant neoplasm of urinary organs (188-189)	1	34.5	1	-	-	10	23.5	6	3	1
Leukemia (204-208)	-	-	-	-	-	3	7.0	1	2	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	21	49.3	18	3	-
Diabetes mellitus (250)	1	34.5	1	-	-	11	25.8	5	5	1
Major cardiovascular diseases (390-448)	13	448.3	11	-	2	235	551.6	196	37	2
Diseases of the heart (390-398, 402, 404-429)	11	379.3	9	-	2	188	441.3	162	24	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	2	4.7	2	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	3	7.0	1	2	-
Ischemic heart disease (410-414)	7	241.4	5	-	2	135	316.9	120	14	1
Other heart diseases (415-429)	4	137.9	4	-	-	48	112.7	39	8	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	2	69.0	2	-	-	45	105.6	33	12	-
Arteriosclerosis (440)	-	-	-	-	-	1	2.3	-	1	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	1	2.3	1	-	-
Pneumonia and influenza (480-487)	1	34.5	1	-	-	21	49.3	18	3	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	34.5	1	-	-	22	51.6	19	3	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	2.3	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	12	28.2	10	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	34.5	1	-	-	3	7.0	1	2	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	3	7.0	3	-	-
All other diseases (Residual)	1	34.5	1	-	-	49	115.0	41	7	1
Motor vehicle accidents (E810-E825)	-	-	-	-	-	10	23.5	6	4	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	17	39.9	13	4	-
Suicide (E950-E959)	-	-	-	-	-	6	14.1	6	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	8	18.8	8	-	-
All other external causes (E980-E999)	-	-	-	-	-	1	2.3	1	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	MUSTANG					NEWCASTLE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	9,600		W	B	I	4,000		W	B	I
Live births	178	1854.2	173	2	3	36	900.0	36	-	-
Physician in hospital	174	97.8	169	2	3	35	97.2	35	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	4	2.2	4	-	-	1	2.8	1	-	-
Stillbirths	1	5.6	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	32	333.3	32	-	-	8	200.0	8	-	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	25.0	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	10	104.2	10	-	-	2	50.0	2	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	20.8	2	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	20.8	2	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	1	25.0	1	-	-
Malignant neoplasm of genital organs (179-187)	2	20.8	2	-	-	1	25.0	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	4	41.7	4	-	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	12	125.0	12	-	-	3	75.0	3	-	-
Diseases of the heart (390-398, 402, 404-429)	10	104.2	10	-	-	3	75.0	3	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	10.4	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	8	83.3	8	-	-	1	25.0	1	-	-
Other heart diseases (415-429)	1	10.4	1	-	-	1	25.0	1	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	1	25.0	1	-	-
Arteriosclerosis (440)	1	10.4	1	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	10.4	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	10.4	1	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	10.4	1	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	10.4	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	3	31.3	3	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	1	10.4	1	-	-	1	25.0	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	1	10.4	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	10.4	1	-	-	1	25.0	1	-	-
All other external causes (E980-E999)	1	10.4	1	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	NEWKIRK					NICHOLS HILLS				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,600		W	B	I	4,200		W	B	I
Live births	28	1076.9	25	-	3	1	23.8	1	-	-
Physician in hospital	28	100.0	25	-	3	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	37	1423.1	34	1	2	-	-	-	-	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	9	346.2	8	1	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	38.5	1	-	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	38.5	1	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	38.5	1	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	38.5	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	5	192.3	4	1	-	-	-	-	-	-
Diabetes mellitus (250)	2	76.9	1	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	17	653.8	16	-	1	-	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	15	576.9	14	-	1	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	38.5	1	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	11	423.1	10	-	1	-	-	-	-	-
Other heart diseases (415-429)	3	115.4	3	-	-	-	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	38.5	1	-	-	-	-	-	-	-
Arteriosclerosis (440)	1	38.5	1	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	115.4	3	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	2	76.9	2	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	1	38.5	1	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	115.4	3	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	NICOMA PARK					NOBLE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,800		W	B	I	4,900		W	B	I
Live births	32	1142.9	30	-	2	122	2489.8	119	-	3
Physician in hospital	32	100.0	30	-	2	120	98.4	118	-	2
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	2	1.6	1	-	1
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	25	892.9	24	1	-	26	530.6	26	-	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	4	142.9	4	-	-	6	122.4	6	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	35.7	1	-	-	1	20.4	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	71.4	2	-	-	3	61.2	3	-	-
Malignant neoplasm of breast (174-175)	1	35.7	1	-	-	1	20.4	1	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	1	20.4	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	14	500.0	13	1	-	13	265.3	13	-	-
Diseases of the heart (390-398, 402, 404-429)	13	464.3	12	1	-	10	204.1	10	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	35.7	1	-	-	1	20.4	1	-	-
Ischemic heart disease (410-414)	10	357.1	9	1	-	6	122.4	6	-	-
Other heart diseases (415-429)	2	71.4	2	-	-	3	61.2	3	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	20.4	1	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	1	20.4	1	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	35.7	1	-	-	1	20.4	1	-	-
Pneumonia and influenza (480-487)	1	35.7	1	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	107.1	3	-	-	1	20.4	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	35.7	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	20.4	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	1	35.7	1	-	-	2	40.8	2	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	2	40.8	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	35.7	1	-	-	1	20.4	1	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	NORMAN					NOWATA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	79,300		W	B	I	4,200		W	B	I
Live births	1155	1456.5	1075	48	32	63	1500.0	51	2	10
Physician in hospital	1135	98.3	1056	47	32	60	95.2	51	2	7
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	20	1.7	19	-	1	3	4.8	-	-	3
Stillbirths	11	9.4	10	-	1	1	15.6	1	-	-
Physician in hospital	11	100.0	10	-	1	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	413	520.8	403	5	5	80	1904.8	73	7	-
Deaths under 1 year	11	13.9	10	1	-	-	-	-	-	-
Deaths under 1 month	8	10.1	7	1	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	4	5.0	4	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	86	108.4	84	1	1	17	404.8	15	2	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	18	22.7	18	-	-	2	47.6	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	28	35.3	28	-	-	6	142.9	4	2	-
Malignant neoplasm of breast (174-175)	2	2.5	2	-	-	1	23.8	1	-	-
Malignant neoplasm of genital organs (179-187)	9	11.3	8	1	-	4	95.2	4	-	-
Malignant neoplasm of urinary organs (188-189)	5	6.3	5	-	-	-	-	-	-	-
Leukemia (204-208)	4	5.0	4	-	-	1	23.8	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	20	25.2	19	-	1	3	71.4	3	-	-
Diabetes mellitus (250)	7	8.8	6	1	-	2	47.6	1	1	-
Major cardiovascular diseases (390-448)	193	243.4	191	1	1	44	1047.6	42	2	-
Diseases of the heart (390-398, 402, 404-429)	147	185.4	145	1	1	30	714.3	29	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	6	7.6	6	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	97	122.3	96	-	1	20	476.2	20	-	-
Other heart diseases (415-429)	44	55.5	43	1	-	10	238.1	9	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	33	41.6	33	-	-	7	166.7	7	-	-
Arteriosclerosis (440)	7	8.8	7	-	-	3	71.4	3	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	6	7.6	6	-	-	4	95.2	3	1	-
Pneumonia and influenza (480-487)	10	12.6	10	-	-	1	23.8	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	14	17.7	14	-	-	2	47.6	2	-	-
Ulcer of stomach and duodenum (531-533)	2	2.5	2	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	5	6.3	4	-	1	1	23.8	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	2.5	2	-	-	2	47.6	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	3.8	3	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	4	5.0	3	1	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	2.5	2	-	-	-	-	-	-	-
All other diseases (Residual)	40	50.4	38	1	1	7	166.7	7	-	-
Motor vehicle accidents (E810-E825)	13	16.4	12	-	1	1	23.8	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	10	12.6	10	-	-	2	47.6	1	1	-
Suicide (E950-E959)	15	18.9	15	-	-	1	23.8	1	-	-
Homicide and legal intervention (E960-E978)	3	3.8	3	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	OKEMAH					OKLAHOMA CITY				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,700		W	B	I	443,600		W	B	I
Live births	50	1351.4	39	-	11	8350	1882.3	6339	1635	376
Physician in hospital	50	100.0	39	-	[illegible]	8117	97.2	6165	1586	366
Physician not in hospital	-	-	-	-	-	10	0.1	8	2	-
Midwife, other, unknown	-	-	-	-	-	223	2.7	166	47	10
Stillbirths	-	-	-	-	-	59	7.0	45	13	1
Physician in hospital	-	-	-	-	-	57	96.6	43	13	1
Physician not in hospital	-	-	-	-	-	1	1.7	1	-	-
Midwife, other, or unknown	-	-	-	-	-	1	1.7	1	-	-
Total deaths, all causes	54	1459.4	47	-	7	3838	865.2	3292	509	37
Deaths under 1 year	-	-	-	-	-	91	20.5	64	26	1
Deaths under 1 month	-	-	-	-	-	54	12.2	38	15	1
Tuberculosis (010-018)	-	-	-	-	-	6	1.4	4	2	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	27.0	1	-	-	44	9.9	31	12	1
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	9	243.2	8	-	1	830	187.1	729	94	7
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	54.1	2	-	-	209	47.1	179	29	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	54.1	2	-	-	265	59.7	243	22	-
Malignant neoplasm of breast (174-175)	1	27.0	-	-	1	76	17.1	68	8	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	83	18.7	69	12	2
Malignant neoplasm of urinary organs (188-189)	2	54.1	2	-	-	30	6.8	26	3	1
Leukemia (204-208)	-	-	-	-	-	30	6.8	27	2	1
Other malignant neoplasms (140-149, 170-173, 190-203)	2	54.1	2	-	-	137	30.9	117	18	2
Diabetes mellitus (250)	2	54.1	1	-	1	69	15.6	49	18	1
Major cardiovascular diseases (390-448)	30	810.8	27	-	3	1727	389.3	1512	203	12
Diseases of the heart (390-398, 402, 404-429)	30	810.8	27	-	3	1257	283.4	1100	146	11
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	6	1.4	5	1	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	28	6.3	18	9	1
Ischemic heart disease (410-414)	24	648.6	22	-	2	763	172.0	696	63	4
Other heart diseases (415-429)	6	162.2	5	-	1	460	103.7	381	73	6
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	10	2.3	5	5	-
Cerebrovascular disease (430-438)	-	-	-	-	-	355	80.0	310	45	-
Arteriosclerosis (440)	-	-	-	-	-	71	16.0	68	3	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	34	7.7	29	4	1
Pneumonia and influenza (480-487)	1	27.0	1	-	-	91	20.5	81	10	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	171	38.5	158	12	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	16	3.6	15	1	-
Chronic liver disease and cirrhosis (571)	2	54.1	2	-	-	41	9.2	32	6	3
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	27.0	1	-	-	47	10.6	37	10	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	28	6.3	23	5	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	48	10.8	33	15	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	42	9.5	31	9	2
All other diseases (Residual)	3	81.1	2	-	1	333	75.1	282	45	6
Motor vehicle accidents (E810-E825)	3	81.1	3	-	-	105	23.7	82	21	2
All other accidents and adverse effects (E800-E807, E826-E949)	2	54.1	1	-	1	91	20.5	74	17	-
Suicide (E950-E959)	-	-	-	-	-	81	18.3	74	4	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	61	13.8	35	24	2
All other external causes (E980-E999)	-	-	-	-	-	7	1.6	6	1	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	OKMULGEE					OWASSO				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	16,600		W	B	I	7,900		W	B	I
Live births	286	1722.9	155	78	53	169	2139.2	153	2	14
Physician in hospital	285	99.7	154	78	53	168	99.4	152	2	14
Physician not in hospital	1	0.3	1	-	-	1	0.6	1	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	234	1409.6	179	44	11	44	557.0	44	-	-
Deaths under 1 year	-	-	-	-	-	4	50.6	4	-	-
Deaths under 1 month	-	-	-	-	-	2	25.3	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	6.0	1	-	-	4	50.6	4	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	43	259.0	30	10	3	14	177.2	14	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	8	48.2	7	1	-	3	38.0	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	12	72.3	10	2	-	6	75.9	6	-	-
Malignant neoplasm of breast (174-175)	3	18.1	1	1	1	1	12.7	1	-	-
Malignant neoplasm of genital organs (179-187)	7	42.2	2	4	1	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	2	12.0	2	-	-	1	12.7	1	-	-
Leukemia (204-208)	1	6.0	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	10	60.2	7	2	1	3	38.0	3	-	-
Diabetes mellitus (250)	4	24.1	1	3	-	1	12.7	1	-	-
Major cardiovascular diseases (390-448)	123	741.0	98	21	4	16	202.5	16	-	-
Diseases of the heart (390-398, 402, 404-429)	103	620.5	81	19	3	16	202.5	16	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	92	554.2	73	17	2	14	177.2	14	-	-
Other heart diseases (415-429)	11	66.3	8	2	1	2	25.3	2	-	-
Hypertension with or without renal disease (401, 403)	1	6.0	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	13	78.3	10	2	1	-	-	-	-	-
Arteriosclerosis (440)	3	18.1	3	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	3	18.1	3	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	13	78.3	12	1	-	1	12.7	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	7	42.2	7	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	12.0	2	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	30.1	5	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	25.3	2	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	1	12.7	1	-	-
All other diseases (Residual)	16	96.4	9	6	1	1	12.7	1	-	-
Motor vehicle accidents (E810-E825)	6	36.1	6	-	-	2	25.3	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	24.1	2	1	1	1	12.7	1	-	-
Suicide (E950-E959)	2	12.0	2	-	-	1	12.7	1	-	-
Homicide and legal intervention (E960-E978)	6	36.1	3	2	1	-	-	-	-	-
All other external causes (E980-E999)	1	6.0	1	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	PAULS VALLEY					PAWHUSKA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	6,000		W	B	I	5,100		W	B	I
Live births	97	1616.7	85	6	6	88	1725.5	57	4	27
Physician in hospital	97	100.0	85	6	6	88	100.0	57	4	27
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	2	22.2	2	-	-
Physician in hospital	-	-	-	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	92	1533.3	90	1	1	73	1431.4	54	7	12
Deaths under 1 year	-	-	-	-	-	2	39.2	1	-	1
Deaths under 1 month	-	-	-	-	-	2	39.2	1	-	1
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	16.7	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	20	333.3	20	-	-	17	333.3	14	2	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	66.7	4	-	-	8	156.9	6	1	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	7	116.7	7	-	-	5	98.0	5	-	-
Malignant neoplasm of breast (174-175)	1	16.7	1	-	-	1	19.6	-	1	-
Malignant neoplasm of genital organs (179-187)	1	16.7	1	-	-	3	58.8	3	-	-
Malignant neoplasm of urinary organs (188-189)	1	16.7	1	-	-	-	-	-	-	-
Leukemia (204-208)	2	33.3	2	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	4	66.7	4	-	-	-	-	-	-	-
Diabetes mellitus (250)	1	16.7	1	-	-	3	58.8	2	-	1
Major cardiovascular diseases (390-448)	47	783.3	45	1	1	38	745.1	28	4	6
Diseases of the heart (390-398, 402, 404-429)	36	600.0	34	1	1	28	549.0	22	2	4
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	27	450.0	26	1	-	16	313.7	11	2	3
Other heart diseases (415-429)	9	150.0	8	-	1	12	235.3	11	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	8	133.3	8	-	-	8	156.9	4	2	2
Arteriosclerosis (440)	2	33.3	2	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	16.7	1	-	-	2	39.2	2	-	-
Pneumonia and influenza (480-487)	5	83.3	5	-	-	1	19.6	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	33.3	2	-	-	3	58.8	3	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	16.7	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	16.7	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	19.6	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	3	50.0	3	-	-	-	-	-	-	-
All other diseases (Residual)	8	133.3	8	-	-	4	78.4	4	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	2	39.2	1	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	2	33.3	2	-	-	1	19.6	-	-	1
Suicide (E950-E959)	1	16.7	1	-	-	1	19.6	-	-	1
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1986

	PAWNEE					PERRY				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,500		W	B	I	6,300		W	B	I
Live births	51	2040.0	28	2	21	101	1603.2	94	5	2
Physician in hospital	51	100.0	28	2	21	100	99.0	93	5	2
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	1.0	1	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	24	960.0	20	1	3	102	1619.0	98	3	1
Deaths under 1 year	-	-	-	-	-	3	47.6	3	-	-
Deaths under 1 month	-	-	-	-	-	2	31.7	2	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	40.0	1	-	-	3	47.6	3	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4	160.0	3	1	-	12	190.5	11	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	4	63.5	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	80.0	1	1	-	3	47.6	2	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	4	63.5	4	-	-
Malignant neoplasm of urinary organs (188-189)	2	80.0	2	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	1	15.9	1	-	-
Diabetes mellitus (250)	1	40.0	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	12	480.0	10	-	2	62	984.1	60	2	-
Diseases of the heart (390-398, 402, 404-429)	5	200.0	5	-	-	50	793.7	48	2	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	15.9	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	5	200.0	5	-	-	26	412.7	24	2	-
Other heart diseases (415-429)	-	-	-	-	-	24	381.0	24	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	120.0	2	-	1	10	158.7	10	-	-
Arteriosclerosis (440)	4	160.0	3	-	1	1	15.9	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	120.0	3	-	-	2	31.7	2	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	2	31.7	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	15.9	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	3	47.6	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	31.7	2	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	15.9	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	40.0	1	-	-	-	-	-	-	-
All other diseases (Residual)	-	-	-	-	-	7	111.1	6	-	1
Motor vehicle accidents (E810-E825)	1	40.0	1	-	-	1	15.9	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	40.0	-	-	1	1	15.9	1	-	-
Suicide (E950-E959)	-	-	-	-	-	3	47.6	3	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	2	31.7	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 33 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	PIEDMONT					POCOLA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,600		W	B	I	3,600		W	B	I
Live births	39	15.0	39	-	-	33	9.2	31	1	1
Physician in hospital	38	97.4	38	-	-	33	100.0	31	1	1
Physician not in hospital	1	2.6	1	-	-	-	-	-	-	-
Midwife, other, unknown	2	5.1	2	-	-	-	-	-	-	-
Stillbirths	1	25.0	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	3	115.4	2	-	1	11	305.6	9	2	-
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	38.5	1	-	-	1	27.8	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	1	27.8	1	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	38.5	-	-	1	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1	38.5	1	-	-	6	166.7	4	2	-
Diseases of the heart (390-398, 402, 404-429)	-	-	-	-	-	6	166.7	4	2	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	4	111.1	4	-	-
Other heart diseases (415-429)	-	-	-	-	-	2	55.6	-	2	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	38.5	1	-	-	-	-	-	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	1	27.8	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	27.8	1	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	1	38.5	1	-	-	1	27.8	1	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	1	27.8	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	PONCA CITY					POTEAU				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	28,800		W	B	I	7,500		W	B	I
Live births	455	1579.9	410	11	34	100	1333.3	88	3	9
Physician in hospital	455	100.0	410	11	34	100	100.0	88	3	9
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	1	2.2	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	274	951.4	253	10	11	92	1226.7	89	2	1
Deaths under 1 year	6	20.8	5	-	1	-	-	-	-	-
Deaths under 1 month	4	13.9	4	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-089, 098-139)	4	13.9	3	-	1	1	13.3	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	52	180.6	50	1	1	20	266.7	20	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	15	52.1	15	-	-	4	53.3	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	20	69.4	19	1	-	5	66.7	5	-	-
Malignant neoplasm of breast (174-175)	4	13.9	4	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	4	13.9	4	-	-	7	93.3	7	-	-
Malignant neoplasm of urinary organs (188-189)	2	6.9	1	-	1	2	26.7	2	-	-
Leukemia (204-208)	1	3.5	1	-	-	1	13.3	-	-	1
Other malignant neoplasms (140-149, 170-173, 190-203)	6	20.8	6	-	-	1	13.3	1	-	-
Diabetes mellitus (250)	9	31.3	5	1	3	1	13.3	-	1	-
Major cardiovascular diseases (390-448)	147	510.4	138	7	2	43	573.3	42	1	-
Diseases of the heart (390-398, 402, 404-429)	112	388.9	107	4	1	33	440.0	33	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	92	319.4	88	3	1	25	333.3	25	-	-
Other heart diseases (415-429)	20	69.4	19	1	-	8	106.7	8	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	31	107.6	28	2	1	8	106.7	7	1	-
Arteriosclerosis (440)	3	10.4	3	-	-	1	13.3	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	1	3.5	-	1	-	1	13.3	1	-	-
Pneumonia and influenza (480-487)	4	13.9	4	-	-	3	40.0	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	9	31.3	9	-	-	4	53.3	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	26.7	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	10.4	3	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	3	10.4	3	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	3.5	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	2	6.9	2	-	-	-	-	-	-	-
All other diseases (Residual)	16	55.6	13	-	3	12	160.0	12	-	-
Motor vehicle accidents (E810-E825)	8	27.8	7	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	11	38.2	10	-	1	3	40.0	3	-	-
Suicide (E950-E959)	3	10.4	3	-	-	2	26.7	2	-	-
Homicide and legal intervention (E960-E978)	2	6.9	2	-	-	1	13.3	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	PRAGUE					PRYOR				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,600		W	B	I	9,000		W	B	I
Live births	29	1115.4	26	1	2	136	1511.1	95	-	41
Physician in hospital	29	100.0	26	1	2	131	96.3	94	-	37
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	5	3.7	1	-	4
Stillbirths	-	-	-	-	-	1	7.3	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	26	1000.0	26	-	-	124	1377.8	121	-	3
Deaths under 1 year	-	-	-	-	-	1	11.1	1	-	-
Deaths under 1 month	-	-	-	-	-	1	11.1	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	11.1	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	3	115.4	3	-	-	20	222.2	20	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	5	55.6	5	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	76.9	2	-	-	5	55.6	5	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	2	22.2	2	-	-
Malignant neoplasm of genital organs (179-187)	1	38.5	1	-	-	3	33.3	3	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	5	55.6	5	-	-
Diabetes mellitus (250)	1	38.5	1	-	-	1	11.1	-	-	1
Major cardiovascular diseases (390-448)	17	653.8	17	-	-	63	700.0	63	-	-
Diseases of the heart (390-398, 402, 404-429)	12	461.5	12	-	-	38	422.2	38	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	11	423.1	11	-	-	28	311.1	28	-	-
Other heart diseases (415-429)	1	38.5	1	-	-	10	111.1	10	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	1	11.1	1	-	-
Cerebrovascular disease (430-438)	5	192.3	5	-	-	22	244.4	22	-	-
Arteriosclerosis (440)	-	-	-	-	-	1	11.1	1	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	1	11.1	1	-	-
Pneumonia and influenza (480-487)	2	76.9	2	-	-	7	77.8	7	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	14	155.6	13	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	11.1	1	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	11.1	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	11.1	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	11.1	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	1	11.1	1	-	-
All other diseases (Residual)	-	-	-	-	-	4	44.4	4	-	-
Motor vehicle accidents (E810-E825)	2	76.9	2	-	-	9	100.0	8	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	38.5	1	-	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	PURCELL					SALLISAW				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	5,500		W	B	I	6,900		W	B	I
Live births	83	1509.1	79	2	2	100	1449.3	71	-	29
Physician in hospital	80	96.4	76	2	2	96	96.0	70	-	26
Physician not in hospital	-	-	-	-	-	1	1.0	1	-	-
Midwife, other, unknown	3	3.6	3	-	-	3	3.0	-	-	3
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	70	1272.7	67	2	1	78	1130.4	74	-	4
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	14.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	13	236.4	11	1	1	16	231.9	14	-	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	5	72.5	4	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	54.5	3	-	-	3	43.5	2	-	1
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	5	90.9	4	1	-	3	43.5	3	-	-
Malignant neoplasm of urinary organs (188-189)	2	36.4	2	-	-	1	14.5	1	-	-
Leukemia (204-208)	1	18.2	1	-	-	3	43.5	3	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	36.4	1	-	1	1	14.5	1	-	-
Diabetes mellitus (250)	1	18.2	1	-	-	1	14.5	1	-	-
Major cardiovascular diseases (390-448)	31	563.6	30	1	-	39	565.2	39	-	-
Diseases of the heart (390-398, 402, 404-429)	23	418.2	23	-	-	32	463.8	32	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	18	327.3	18	-	-	17	246.4	17	-	-
Other heart diseases (415-429)	5	90.9	5	-	-	15	217.4	15	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	5	90.9	5	-	-	5	72.5	5	-	-
Arteriosclerosis (440)	3	54.5	2	1	-	2	29.0	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	7	127.3	7	-	-	5	72.5	5	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	54.5	3	-	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	18.2	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	18.2	1	-	-	1	14.5	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	1	14.5	1	-	-
All other diseases (Residual)	9	163.6	9	-	-	5	72.5	4	-	1
Motor vehicle accidents (E810-E825)	-	-	-	-	-	3	43.5	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	54.5	3	-	-	3	43.5	3	-	-
Suicide (E950-E959)	-	-	-	-	-	1	14.5	1	-	-
Homicide and legal intervention (E960-E978)	1	18.2	1	-	-	1	14.5	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	SAND SPRINGS					SAPULPA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	14,700		W	B	I	18,200		W	B	I
Live births	272	1850.3	257	1	14	276	1516.5	241	8	27
Physician in hospital	271	99.6	255	1	14	269	97.5	239	8	22
Physician not in hospital	1	0.4	1	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	7	2.5	2	-	5
Stillbirths	1	3.7	-	1	-	2	7.2	2	-	-
Physician in hospital	1	100.0	-	1	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	155	1054.4	149	3	3	213	1170.3	193	11	9
Deaths under 1 year	3	20.4	3	-	-	2	11.0	1	-	1
Deaths under 1 month	2	13.6	2	-	-	2	11.0	1	-	1
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	6.8	1	-	-	1	5.5	-	-	1
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	33	224.5	32	1	-	42	230.8	39	3	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	7	47.6	7	-	-	13	71.4	12	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	12	81.6	11	1	-	13	71.4	12	1	-
Malignant neoplasm of breast (174-175)	3	20.4	3	-	-	4	22.0	3	1	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	2	11.0	2	-	-
Malignant neoplasm of urinary organs (188-189)	2	13.6	2	-	-	1	5.5	1	-	-
Leukemia (204-208)	-	-	-	-	-	2	11.0	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	9	61.2	9	-	-	7	38.5	7	-	-
Diabetes mellitus (250)	-	-	-	-	-	5	27.5	5	-	-
Major cardiovascular diseases (390-448)	70	476.2	68	2	-	106	582.4	98	6	2
Diseases of the heart (390-398, 402, 404-429)	58	394.6	56	2	-	79	434.1	71	6	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	1	5.5	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	6.8	1	-	-	2	11.0	2	-	-
Ischemic heart disease (410-414)	43	292.5	41	1	1	60	329.7	55	4	1
Other heart diseases (415-429)	14	95.2	14	-	-	16	87.9	13	2	1
Hypertension with or without renal disease (401, 403)	1	6.8	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	9	61.2	9	-	-	24	131.9	24	-	-
Arteriosclerosis (440)	1	6.8	1	-	-	1	5.5	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	6.8	1	-	-	2	11.0	2	-	-
Pneumonia and influenza (480-487)	4	27.2	4	-	-	8	44.0	8	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	34.0	4	1	-	8	44.0	7	-	1
Ulcer of stomach and duodenum (531-533)	1	6.8	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	6.8	1	-	-	3	16.5	2	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	13.6	2	-	-	2	11.0	-	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	13.6	2	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	2	11.0	-	1	1
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	2	11.0	1	-	1
All other diseases (Residual)	25	170.1	24	-	1	18	98.9	17	1	-
Motor vehicle accidents (E810-E825)	5	34.0	4	-	1	7	38.5	6	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	2	13.6	2	-	-	4	22.0	4	-	-
Suicide (E950-E959)	2	13.6	2	-	-	3	16.5	3	-	-
Homicide and legal intervention (E960-E978)	2	13.6	2	-	-	2	11.0	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	SAYRE					SEMINOLE				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	4,100		W	B	I	9,100		W	B	I
Live births	51	1243.9	50	-	1	128	1406.6	96	11	21
Physician in hospital	51	100.0	50	-	1	127	99.2	96	11	20
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	1	0.8	-	-	1
Stillbirths	2	37.7	2	-	-	-	-	-	-	-
Physician in hospital	2	100.0	2	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	79	1926.8	79	-	-	111	1219.8	98	8	5
Deaths under 1 year	-	-	-	-	-	1	11.0	-	-	1
Deaths under 1 month	-	-	-	-	-	1	11.0	-	-	1
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	2	22.0	1	1	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	14	341.5	14	-	-	16	175.8	14	1	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	6	146.3	6	-	-	4	44.0	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	73.2	3	-	-	8	87.9	7	-	1
Malignant neoplasm of breast (174-175)	1	24.4	1	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	11.0	-	1	-
Leukemia (204-208)	1	24.4	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	73.2	3	-	-	3	33.0	3	-	
Diabetes mellitus (250)	-	-	-	-	-	1	11.0	1	-	-
Major cardiovascular diseases (390-448)	47	1146.3	47	-	-	61	670.3	57	2	[illegible]
Diseases of the heart (390-398, 402, 404-429)	34	829.3	34	-	-	55	604.4	53	1	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	24.4	1	-	-	8	87.9	8	-	-
Ischemic heart disease (410-414)	22	536.6	22	-	-	28	307.7	26	1	1
Other heart diseases (415-429)	11	268.3	11	-	-	19	109.9	19	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	11	268.3	11	-	-	5	54.9	4	1	-
Arteriosclerosis (440)	1	24.4	1	-	-	-	-	-	-	-
Other diseares of arterioes, arterioles, and capillaries (441-448)	1	24.4	1	-	-	1	11.0	-	-	1
Pneumonia and influenza (480-487)	3	73.2	3	-	-	3	33.0	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	24.4	1	-	-	2	22.0	2	-	-
Ulcer of stomach and duodenum (531-533)	1	24.4	1	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	9	98.9	9	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	24.4	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	11.0	-	-	1
Symptoms, signs, and ill-defined conditions (780-799)	7	170.7	7	-	-	-	-	-	-	-
All other diseases (Residual)	4	97.6	4	-	-	6	65.9	4	2	-
Motor vehicle accidents (E810-E825)	1	24.4	1	-	-	7	76.9	5	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	3	33.0	2	1	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	SHAWNEE					SKIATOOK				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	29,500		W	B	I	4,000		W	B	I
Live births	495	1678.0	392	18	85	70	1750.0	55	1	14
Physician in hospital	494	99.8	391	18	85	69	98.6	54	1	14
Physician not in hospital	–	–	–	–	–	1	1.4	1	–	–
Midwife, other, unknown	1	0.2	1	–	–	–	–	–	–	–
Stillbirths	3	6.0	3	–	–	–	–	–	–	–
Physician in hospital	3	100.0	3	–	–	–	–	–	–	–
Physician not in hospital	–	–	–	–	–	–	–	–	–	–
Midwife, other, or unknown	–	–	–	–	–	–	–	–	–	–
Total deaths, all causes	381	1291.5	355	8	18	51	1275.0	49	–	2
Deaths under 1 year	5	16.9	5	–	–	2	50.0	2	–	–
Deaths under 1 month	3	10.2	3	–	–	2	50.0	2	–	–
Tuberculosis (010-018)	–	–	–	–	–	–	–	–	–	–
Syphilis (090-097)	–	–	–	–	–	–	–	–	–	–
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	6	20.3	6	–	–	–	–	–	–	–
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	84	284.7	84	–	–	9	225.0	9	–	–
Malignant neoplasm of digestive organs and peritoneum (150-159)	24	81.4	24	–	–	1	25.0	1	–	–
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	22	74.6	22	–	–	2	50.0	2	–	–
Malignant neoplasm of breast (174-175)	8	27.1	8	–	–	1	25.0	1	–	–
Malignant neoplasm of genital organs (179-187)	9	30.5	9	–	–	2	50.0	2	–	–
Malignant neoplasm of urinary organs (188-189)	5	16.9	5	–	–	–	–	–	–	–
Leukemia (204-208)	4	13.6	4	–	–	–	–	–	–	–
Other malignant neoplasms (140-149, 170-173, 190-203)	12	40.7	12	–	–	3	75.0	3	–	–
Diabetes mellitus (250)	5	16.9	4	–	1	–	–	–	–	–
Major cardiovascular diseases (390-448)	196	664.4	179	4	13	20	500.0	19	–	1
Diseases of the heart (390-398, 402, 404-429)	140	474.6	129	–	11	15	375.0	14	–	1
Rheumatic fever and rheumatic heart disease (390-398)	1	3.4	1	–	–	–	–	–	–	–
Hypertensive heart disease with or without renal disease (402, 404)	2	6.8	2	–	–	1	25.0	1	–	–
Ischemic heart disease (410-414)	106	359.3	98	–	8	10	250.0	9	–	1
Other heart diseases (415-429)	31	105.1	28	–	3	4	100.0	4	–	–
Hypertension with or without renal disease (401, 403)	–	–	–	–	–	–	–	–	–	–
Cerebrovascular disease (430-438)	50	169.5	44	4	2	4	100.0	4	–	–
Arteriosclerosis (440)	2	6.8	2	–	–	1	25.0	1	–	–
Other diseases of arterioes, arterioles, and capillaries (441-448)	4	13.6	4	–	–	–	–	–	–	–
Pneumonia and influenza (480-487)	13	44.1	13	–	–	2	50.0	2	–	–
Chronic obstructive pulmonary disease and allied conditions (490-496)	17	57.6	16	1	–	3	75.0	3	–	–
Ulcer of stomach and duodenum (531-533)	–	–	–	–	–	1	25.0	1	–	–
Chronic liver disease and cirrhosis (571)	4	13.6	4	–	–	–	–	–	–	–
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	10.2	2	1	–	2	50.0	2	–	–
Complications of pregnancy, childbirth, and the puerperium (630-676)	–	–	–	–	–	–	–	–	–	–
Congenital anomalies (740-759)	3	10.2	3	–	–	–	–	–	–	–
Certain conditions originating in the perinatal period (760-779)	1	3.4	1	–	–	2	50.0	2	–	–
Symptoms, signs, and ill-defined conditions (780-799)	3	10.2	3	–	–	1	25.0	1	–	–
All other diseases (Residual)	26	88.1	24	1	1	5	125.0	5	–	–
Motor vehicle accidents (E810-E825)	6	20.3	4	1	1	3	75.0	2	–	1
All other accidents and adverse effects (E800-E807, E826-E949)	3	10.2	2	–	1	3	75.0	3	–	–
Suicide (E950-E959)	7	23.7	6	–	1	–	–	–	–	–
Homicide and legal intervention (E960-E978)	4	13.6	4	–	–	–	–	–	–	–
All other external causes (E980-E999)	–	–	–	–	–	–	–	–	–	–

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	SPENCER					STIGLER				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	4,400		W	B	I	2,900		W	B	I
Live births	187	4250.0	60	126	1	33	1137.9	29	-	4
Physician in hospital	184	98.4	59	124	1	33	100.0	29	-	4
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	3	1.6	1	2	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	65	1477.3	15	50	-	59	2034.5	56	-	3
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	22.7	-	1	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	10	227.3	1	9	-	18	620.7	17	-	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	22.7	-	1	-	4	137.9	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	45.5	-	2	-	3	103.4	3	-	-
Malignant neoplasm of breast (174-175)	2	45.5	1	1	-	2	69.0	2	-	-
Malignant neoplasm of genital organs (179-187)	2	45.5	-	2	-	3	103.4	2	-	1
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	1	34.5	1	-	-
Leukemia (204-208)	1	22.7	-	1	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	45.5	-	2	-	5	172.4	5	-	-
Diabetes mellitus (250)	2	45.5	-	2	-	1	34.5	1	-	-
Major cardiovascular diseases (390-448)	38	863.6	11	27	-	31	1069.0	29	-	2
Diseases of the heart (390-398, 402, 404-429)	31	704.5	10	21	-	22	758.6	21	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	18	409.1	6	12	-	17	586.2	17	-	-
Other heart diseases (415-429)	13	295.5	4	9	-	5	172.4	4	-	1
Hypertension with or without renal disease (401, 403)	1	22.7	-	1	-	-	-	-	-	-
Cerebrovascular disease (430-438)	6	136.4	1	5	-	9	310.3	8	-	1
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	45.5	-	2	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	22.7	1	-	-	2	69.0	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	2	69.0	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	5	113.6	1	4	1	2	69.0	2	-	-
Motor vehicle accidents (E810-E825)	3	68.2	1	2	-	1	34.5	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	22.7	-	1	-	1	34.5	1	-	-
Suicide (E950-E959)	-	-	-	-	-	1	34.5	1	-	-
Homicide and legal intervention (E960-E978)	2	45.5	-	2	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	STILLWATER					STILWELL				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	40,100		W	B	I	2,500		W	B	I
Live births	537	1339.2	472	49	16	54	2160.0	15	-	39
Physician in hospital	527	98.1	465	47	15	45	83.3	12	-	33
Physician not in hospital	-	-	-	-	-	2	3.7	2	-	-
Midwife, other, unknown	10	1.9	7	2	1	7	13.0	1	-	6
Stillbirths	2	3.7	2	-	-	-	-	-	-	-
Physician in hospital	2	100.0	2	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	203	506.2	197	6	-	48	1920.0	30	-	18
Deaths under 1 year	5	12.5	5	-	-	-	-	-	-	-
Deaths under 1 month	3	7.5	3	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	2.5	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	41	102.2	39	2	-	14	560.0	10	-	4
Malignant neoplasm of digestive organs and peritoneum (150-159)	13	32.4	13	-	-	1	40.0	-	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	10.0	4	-	-	2	80.0	1	-	1
Malignant neoplasm of breast (174-175)	2	5.0	2	-	-	2	80.0	2	-	-
Malignant neoplasm of genital organs (179-187)	7	17.5	6	1	-	1	40.0	1	-	-
Malignant neoplasm of urinary organs (188-189)	6	15.0	6	-	-	1	40.0	-	-	1
Leukemia (204-208)	1	2.5	1	-	-	1	40.0	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	8	20.0	7	1	-	6	240.0	5	-	1
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	113	281.8	113	-	-	21	840.0	14	-	7
Diseases of the heart (390-398, 402, 404-429)	74	184.5	74	-	-	14	560.0	10	-	4
Rheumatic fever and rheumatic heart disease (390-398)	2	5.0	2	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	5.0	2	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	52	129.7	52	-	-	8	320.0	6	-	2
Other heart diseases (415-429)	18	44.9	18	-	-	6	240.0	4	-	2
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	31	77.3	31	-	-	6	240.0	3	-	3
Arteriosclerosis (440)	3	7.5	3	-	-	1	40.0	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	5	12.5	5	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	7	17.5	7	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	10.0	3	1	-	1	40.0	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	1	40.0	1	-	-
Chronic liver disease and cirrhosis (571)	1	2.5	1	-	-	1	40.0	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	2.5	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	4	10.0	4	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	2.5	1	-	-	-	-	-	-	-
All other diseases (Residual)	19	47.4	17	2	-	1	40.0	1	-	-
Motor vehicle accidents (E810-E825)	5	12.5	4	1	-	5	200.0	2	-	3
All other accidents and adverse effects (E800-E807, E826-E949)	1	2.5	1	-	-	-	-	-	-	-
Suicide (E950-E959)	4	10.0	4	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	2.5	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	STROUD					SULPHUR				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,600		W	B	I	5,900		W	B	I
Live births	40	1111.1	37	2	1	77	1305.1	68	1	8
Physician in hospital	40	100.0	37	2	1	75	97.4	66	1	8
Physician not in hospital	-	-	-	-	-	1	1.3	1	-	-
Midwife, other, unknown	-	-	-	-	-	1	1.3	1	-	-
Stillbirths	-	-	-	-	-	1	12.8	-	-	1
Physician in hospital	-	-	-	-	-	1	100.0	-	-	1
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	52	1444.4	47	4	1	78	1322.0	74	-	4
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infecticus and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	7	194.4	7	-	-	18	305.1	16	-	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	27.8	1	-	-	5	84.7	4	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	83.3	3	-	-	6	101.7	6	-	-
Malignant neoplasm of breast (174-175)	2	55.6	2	-	-	1	16.9	1	-	-
Malignant neoplasm of genital organs (179-187)	1	27.8	1	-	-	2	33.9	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	2	33.9	2	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	2	33.9	1	-	1
Diabetes mellitus (250)	-	-	-	-	-	1	16.9	-	-	1
Major cardiovascular diseases (390-448)	31	861.1	28	3	-	35	593.2	34	-	1
Diseases of the heart (390-398, 402, 404-429)	24	666.7	21	3	-	29	491.5	28	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	20	555.6	17	3	-	20	339.0	19	-	1
Other heart diseases (415-429)	4	111.1	4	-	-	9	152.5	9	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	7	194.4	7	-	-	5	84.7	5	-	-
Arteriosclerosis (440)	-	-	-	-	-	1	16.9	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	83.3	2	-	1	2	50.8	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	4	67.8	4	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	2	33.9	2	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	55.6	2	-	-	3	50.8	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	16.9	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	6	166.7	5	1	-	6	101.7	6	-	-
Motor vehicle accidents (E810-E825)	1	27.8	1	-	-	2	33.9	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	27.8	1	-	-	1	16.9	1	-	-
Suicide (E950-E959)	1	27.8	1	-	-	2	33.9	2	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	TAHLEQUAH					TECUMSEH				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	10,600		W	B	I	6,000		W	B	I
Live births	200	1886.8	102	5	93	94	1566.7	88	-	6
Physician in hospital	193	96.5	99	5	89	94	100.0	88	-	6
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	7	3.5	3	-	4	-	-	-	-	-
Stillbirths	1	5.0	1	-	-	1	10.5	1	-	-
Physician in hospital	1	100.0	1	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	132	1245.3	105	2	25	75	1250.0	75	-	-
Deaths under 1 year	-	-	-	-	-	1	16.7	1	-	-
Deaths under 1 month	-	-	-	-	-	1	16.7	1	-	-
Tuberculosis (010-018)	1	9.4	1	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	9.4	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	28	264.2	25	-	3	13	216.7	13	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	7	66.0	5	-	2	4	66.7	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	8	75.5	7	-	1	4	66.7	4	-	-
Malignant neoplasm of breast (174-175)	2	18.9	2	-	-	1	16.7	1	-	-
Malignant neoplasm of genital organs (179-187)	4	37.7	4	-	-	2	33.3	2	-	-
Malignant neoplasm of urinary organs (188-189)	3	28.3	3	-	-	-	-	-	-	-
Leukemia (204-208)	1	9.4	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	3	28.3	3	-	-	2	33.3	2	-	-
Diabetes mellitus (250)	1	9.4	-	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	67	632.1	56	-	11	35	583.3	35	-	-
Diseases of the heart (390-398, 402, 404-429)	47	443.4	47	-	-	23	383.3	23	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	9.4	1	-	-	1	16.7	1	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	28	264.2	23	-	5	18	300.0	18	-	-
Other heart diseases (415-429)	18	169.8	13	-	5	5	83.3	5	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	16	150.9	15	-	1	9	150.0	9	-	-
Arteriosclerosis (440)	2	18.9	2	-	-	2	33.3	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	18.9	2	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	28.3	2	-	1	3	50.0	3	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	1	16.7	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	4	66.7	4	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	5	47.2	4	1	-	1	16.7	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	2	18.9	1	-	1	1	16.7	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	18	169.8	11	1	6	13	216.7	13	-	-
Motor vehicle accidents (E810-E825)	2	18.9	1	-	1	3	50.0	3	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	28.3	2	-	1	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	1	16.7	1	-	-
Homicide and legal intervention (E960-E978)	1	9.4	1	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	THE VILLIAGE					TISHOMINGO				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	12,200		W	B	I	3,400		W	B	I
Live births	6	49.2	6	-	-	42	1235.3	30	1	11
Physician in hospital	6	100.0	6	-	-	42	100.0	30	1	11
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	1	23.3	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	5	41.0	5	-	-	42	1235.3	39	3	-
Deaths under 1 year	-	-	-	-	-	2	58.8	2	-	-
Deaths under 1 month	-	-	-	-	-	1	29.4	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	1	8.2	1	-	-	6	176.5	6	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	2	58.8	2	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	3	88.2	3	-	-
Malignant neoplasm of breast (174-175)	1	8.2	1	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	1	29.4	1	-	-
Diabetes mellitus (250)	-	-	-	-	-	1	29.4	1	-	-
Major cardiovascular diseases (390-448)	3	24.6	3	-	-	26	764.7	23	3	-
Diseases of the heart (390-398, 402, 404-429)	2	16.4	2	-	-	24	705.9	21	3	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	17	500.0	15	2	-
Other heart diseases (415-429)	2	16.4	2	-	-	7	205.9	6	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	2	58.8	2	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	8.2	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	8.2	1	-	-	1	29.4	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	1	29.4	1	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	29.4	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	29.4	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	1	29.4	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	-	-	-	-	-	1	29.4	1	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	1	29.4	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	1	29.4	1	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	1	29.4	1	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	TONKAWA					TULSA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,800		W	B	I	393,000		W	B	I
Live births	47	1236.8	41	-	6	6371	1621.1	4814	1139	418
Physician in hospital	47	100.0	41	-	6	6323	99.2	4777	1130	416
Physician not in hospital	-	-	-	-	-	10	0.2	4	6	-
Midwife, other, unknown	-	-	-	-	-	38	0.6	33	3	2
Stillbirths	2	40.8	2	-	-	45	7.0	31	13	1
Physician in hospital	2	100.0	2	-	-	44	97.8	30	13	1
Physician not in hospital	-	-	-	-	-	1	2.2	1	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	41	1078.9	40	-	1	3189	811.5	2744	408	37
Deaths under 1 year	-	-	-	-	-	67	17.0	48	17	2
Deaths under 1 month	-	-	-	-	-	50	12.7	37	12	1
Tuberculosis (010-018)										
Syphilis (090-097)	-	-	-	-	-	1	0.3	1	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	0.3	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	21	5.3	13	5	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	12	315.8	12	-	-	735	187.0	639	87	9
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	149	37.9	118	29	2
Malignant neoplasm of breast (174-175)	7	184.2	7	-	-	262	66.7	235	26	1
Malignant neoplasm of genital organs (179-187)	2	52.6	2	-	-	60	15.3	52	7	1
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	84	21.4	73	10	1
Leukemia (204-208)	3	78.9	3	-	-	29	7.4	25	3	1
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	21	5.3	17	3	1
Diabetes mellitus (250)	-	-	-	-	-	130	33.1	119	9	2
Major cardiovascular diseases (390-448)	-	-	-	-	-	42	10.7	35	6	1
Diseases of the heart (390-398, 402, 404-429)	21	552.6	20	-	1	1471	374.3	1292	173	6
Rheumatic fever and rheumatic heart disease (390-398)	13	342.1	13	-	-	1129	287.3	992	132	5
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	8	2.0	8	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	39	9.9	27	11	1
Other heart diseases (415-429)	10	263.2	10	-	-	850	216.3	755	92	3
Hypertension with or without renal disease (401, 403)	3	78.9	3	-	-	232	59.0	202	29	1
Cerebrovascular disease (430-438)	-	-	-	-	-	7	1.8	6	1	-
Arteriosclerosis (440)	7	184.2	6	-	1	268	68.2	238	29	1
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	26.3	1	-	-	34	8.7	25	9	-
Pneumonia and influenza (480-487)	-	-	-	-	-	33	8.4	31	2	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	26.3	1	-	-	82	20.9	71	8	3
Ulcer of stomach and duodenum (531-533)	1	26.3	1	-	-	118	30.0	114	3	1
Chronic liver disease and cirrhosis (571)	1	26.3	1	-	-	16	4.1	13	3	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	31	7.9	29	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	26.3	1	-	-	37	9.4	31	6	-
Congenital anomalies (740-759)	-	-	-	-	-	1	0.3	-	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	23	5.9	20	2	1
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	39	9.9	27	11	1
All other diseases (Residual)	1	26.3	1	-	-	31	7.9	25	6	-
Motor vehicle accidents (E810-E825)	1	26.3	1	-	-	263	66.9	212	47	4
All other accidents and adverse effects (E800-E807, E826-E949)	2	52.6	2	-	-	81	20.6	67	11	3
Suicide (E950-E959)	-	-	-	-	-	104	26.5	89	13	2
Homicide and legal intervention (E960-E978)	-	-	-	-	-	50	12.7	41	8	1
All other external causes (E980-E999)	-	-	-	-	-	36	9.2	20	14	2
	-	-	-	-	-	6	1.5	4	2	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	TUTTLE					VINITA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	3,500		W	B	I	6,900		W	B	I
Live births	44	1257.1	44	-	-	84	1217.4	51	7	6
Physician in hospital	44	100.0	44	-	-	78	92.9	51	7	20
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	6	7.1	-	-	6
Stillbirths	-	-	-	-	-	1	11.8	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	33	942.9	33	-	-	102	1478.3	93	4	5
Deaths under 1 year	-	-	-	-	-	1	14.5	1	-	-
Deaths under 1 month	1	28.6	1	-	-	-		-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-		-	-	-
Syphilis (090-097)	-	-	-	-	-	-		-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	57.1	2	-	-	1	14.5	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	8	228.6	8	-	-	24	347.8	20	2	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	85.7	3	-	-	9	130.4	8	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	28.6	1	-	-	7	101.4	6	1	-
Malignant neoplasm of breast (174-175)	1	28.6	1	-	-	1	14.5	1	-	-
Malignant neoplasm of genital organs (179-187)	1	28.6	1	-	-	2	29.0	2	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	1	14.5	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	57.1	2	-	-	4	58.0	2	-	2
Diabetes mellitus (250)	-	-	-	-	-	1	14.5	1	-	-
Major cardiovascular diseases (390-448)	14	400.0	14	-	-	53	768.1	49	2	2
Diseases of the heart (390-398, 402, 404-429)	10	285.7	10	-	-	35	507.2	33	-	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	6	171.4	6	-	-	33	478.3	31	-	2
Other heart diseases (415-429)	4	114.3	4	-	-	2	29.0	2	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	85.7	-	-		15	217.4	13	2	-
Arteriosclerosis (440)	1	28.6	1	-	-	2	29.0	2	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	1	14.5	1	-	-
Pneumonia and influenza (480-487)	2	57.1	2	-	-	4	58.0	4	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	28.6	1	-	-	3	43.5	2	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	29.0	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	57.1	2	-	-	2	29.0	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	14.5	1	-	-
Certain conditions originating in the perinatal period (760-779)	1	28.6	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	3	43.5	3	-	-
All other diseases (Residual)	2	57.1	2	-	-	4	58.0	4	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	2	29.0	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	1	14.5	1	-	-
Suicide (E950-E959)	1	28.6	1	-	-	1	14.5	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	WAGONER					WALTERS				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	8,100		W	B	I	2,800		W	B	I
Live births	121	1493.8	89	4	28	38	1357.1	33	-	5
Physician in hospital	119	98.3	89	4	26	38	100.0	33	-	5
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	2	1.7	-	-	2	-	-	-	-	-
Stillbirths	1	8.2	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	87	1074.1	79	6	2	47	1678.6	42	-	5
Deaths under 1 year	1	12.3	1	-	-	-	-	-	-	-
Deaths under 1 month	1	12.3	1	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-399, 098-139)	2	24.7	1	-	-	1	35.7	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14	172.8	12	-	2	16	571.4	16	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	61.7	5	-	-	4	142.9	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	49.4	4	-	-	5	178.6	5	-	-
Malignant neoplasm of breast (174-175)	1	12.3	1	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	12.3	1	-	-	3	107.1	3	-	-
Malignant neoplasm of urinary organs (188-189)	1	12.3	1	-	-	1	35.7	1	-	-
Leukemia (204-208)	1	12.3	-	-	1	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	12.3	-	-	1	3	107.1	3	-	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	42	518.5	37	5	-	22	785.7	19	-	3
Diseases of the heart (390-398, 402, 404-429)	27	333.3	25	2	-	15	535.7	14	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	1	35.7	-	-	1
Ischemic heart disease (410-414)	19	234.6	18	1	-	10	357.1	9	-	1
Other heart diseases (415-429)	8	98.8	7	1	-	4	142.9	4	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	14	172.8	12	2	-	6	214.3	6	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	1	12.3	-	1	-	-	-	-	-	-
Pneumonia and influenza (480-487)	5	61.7	5	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	49.4	4	-	-	5	178.6	5	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	12.3	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	49.4	3	1	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	12.3	1	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	4	49.4	4	-	-	3	107.1	3	-	-
Motor vehicle accidents (E810-E825)	6	74.1	6	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	12.3	1	-	-	-	-	-	-	-
Suicide (E950-E959)	1	12.3	1	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	2	24.7	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	WARR ACRES					WATONGA				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	10,800		W	B	I	4,300		W	B	I
Live births	21	194.4	20	1	-	75	1744.2	57	4	14
Physician in hospital	21	100.0	20	1	-	71	94.7	54	4	13
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	-	-	-	-	-	4	5.3	3	-	1
Stillbirths	-	-	-	-	-	2	26.0	2	-	-
Physician in hospital	-	-	-	-	-	2	100.0	2	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	4	37.0	4	-	-	70	1627.9	63	5	2
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	23.3	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	1	9.3	1	-	-	15	348.8	12	3	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	9.3	1	-	-	4	93.0	4	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	2	46.5	2	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	2	46.5	-	2	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	3	69.8	3	-	-
Leukemia (204-208)	-	-	-	-	-	1	23.3	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	3	69.8	2	1	-
Diabetes mellitus (250)	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4	37.0	4	-	-	38	883.7	37	1	-
Diseases of the heart (390-398, 402, 404-429)	1	9.3	1	-	-	36	837.2	35	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	1	9.3	1	-	-	19	441.9	18	1	-
Other heart diseases (415-429)	-	-	-	-	-	17	395.3	17	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	2	18.5	2	-	-	2	46.5	2	-	-
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	1	23.3	-	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	1	23.3	1	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	2	46.5	1	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	1	23.3	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	1	23.3	1	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual	-	-	-	-	-	7	162.8	7	-	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	3	69.8	2	-	1
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	WAURIKA					WEATHERFORD				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	2,600		W	B	I	13,000		W	B	I
Live Lirths	27	1038.5	26	-	1	199	1530.8	181	6	12
Physician in hospital	26	96.3	25	-	1	198	99.5	180	6	12
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, unknown	1	3.7	1	-	-	1	0.5	1	-	-
Stillbirths	-	-	-	-	-	1	5.0	1	-	-
Physician in hospital	-	-	-	-	-	1	100.0	1	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	40	1538.5	39	1	-	45	346.2	44	1	-
Deaths under 1 year	-	-	-	-	-	2	15.4	2	-	-
Deaths under 1 month	-	-	-	-	-	1	7.7	1	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	1	7.7	1	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	5	192.3	5	-	-	10	76.9	10	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	76.9	2	-	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	38.5	1	-	-	4	30.8	4	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	2	15.4	2	-	-
Malignant neoplasm of genital organs (179-187)	1	38.5	1	-	-	1	7.7	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	1	7.7	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	1	38.5	1	-	-	2	15.4	2	-	-
Diabetes mellitus (250)	-	-	-	-	-	1	7.7	1	-	-
Major cardiovascular diseases (390-448)	23	884.6	23	-	-	23	176.9	23	-	-
Diseases of the heart (390-398, 402, 404-429)	16	615.4	16	-	-	18	138.5	12	6	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	13	500.0	13	-	-	12	92.3	12	-	-
Other heart diseases (415-429)	3	115.4	3	-	-	6	46.2	6	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	6	239.8	6	-	-	4	30.8	4	-	-
Arteriosclerosis (440)	1	38.5	1	-	-	1	7.7	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	38.5	-	1	-	1	7.7	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-498)	2	76.9	2	-	-	2	15.4	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	38.5	1	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	2	15.4	2	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	7	269.2	7	-	-	4	30.8	3	1	-
Motor vehicle accidents (E810-E825)	-	-	-	-	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	38.5	1	-	-	1	7.7	1	-	-
Suicide (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII

Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	WEWOKA					WILBURTON				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	5,000		W	B	I	3,000		W	B	I
Live births										
Physician in hospital	86	1720.0	45	23	18	43	1433.3	31	2	10
Physician not in hospital	85	98.8	45	22	18	43	100.0	31	2	10
Midwife, other, unknown	1	1.2	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Stillbirths										
Physician in hospital	1	11.5	1	-	-	-	-	-	-	-
Physician not in hospital	1	100.0	1	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	79	1580.0	55	13	11	43	1433.3	42	-	1
Deaths under 1 year	-	-	-	-	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	1	20.0	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	11	220.0	6	3	2	10	333.3	10	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	100.0	2	2	1	3	100.0	3	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	4	133.3	4	-	-
Malignant neoplasm of breast (174-175)	1	20.0	-	1	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	2	40.0	2	-	-	1	33.3	1	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	1	20.0	1	-	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	2	40.0	1	-	1	2	66.7	2	-	-
Diabetes mellitus (250)	2	40.0	1	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	43	860.0	32	8	3	20	666.7	19	-	1
Diseases of the heart (390-398, 402, 404-429)	33	660.0	25	5	3	16	533.3	15	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	20.0	-	-	1	-	-	-	-	-
Ischemic heart disease (410-414)	25	500.0	21	2	2	6	200.0	5	-	1
Other heart diseases (415-429)	7	140.0	4	3	-	10	333.3	10	-	-
Hypertension with or without renal disease (401, 403)	1	20.0	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	6	120.0	4	2	-	3	100.0	3	-	-
Arteriosclerosis (440)	2	40.0	1	1	-	1	33.3	1	-	-
Other diseases of arterioes, arterioles, and capillaries (441-448)	1	20.0	1	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	60.0	1	-	2	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	60.0	3	-	-	1	33.3	1	-	-
Ulcer of stomach and duodenum (531-533)	1	20.0	1	-	-	1	33.3	1	-	-
Chronic liver disease and cirrhosis (571)	1	20.0	1	-	-	2	66.7	2	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	20.0	-	-	1	1	33.3	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	20.0	-	1	-	-	-	-	-	-
All other diseases (Residual)	8	160.0	6	1	1	3	100.0	3	-	-
Motor vehicle accidents (E810-E825)	1	20.0	1	-	-	2	66.7	2	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	20.0	1	-	-	-	-	-	-	-
Suicide (E950-E959)	2	40.0	1	-	1	1	33.3	1	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	2	66.7	2	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	WOODWARD					WYNNEWOOD				
	TOTAL		RACE			TOTAL		RACE		
POPULATION	15,100		W	B	I	2,700		W	B	I
Live births	294	1947.0	285	-	9	58	2148.1	46	9	3
Physician in hospital	288	98.6	279	-	9	57	98.3	45	9	3
Physician not in hospital	3	1.0	3	-	-	-	-	-	-	-
Midwife, other, unknown	3	1.0	3	-	-	1	1.7	1	-	-
Stillbirths	1	3.4	1	-	-	-	-	-	-	-
Physician in hospital	1	100.0	1	-	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-	-	-	-	-
Total deaths, all causes	125	827.8	125	-	-	30	1111.1	27	3	-
Deaths under 1 year	5	33.1	5	-	-	2	74.1	2	-	-
Deaths under 1 month	4	26.5	4	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	23	152.3	23	-	-	4	148.1	3	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	5	33.1	5	-	-	1	37.0	1	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	7	46.4	7	-	-	1	37.0	1	-	-
Malignant neoplasm of breast (174-175)	3	19.9	3	-	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	6.6	1	-	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	1	6.6	1	-	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	1	37.0	1	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	6	39.7	6	-	-	1	37.0	-	1	-
Diabetes mellitus (250)	1	6.6	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	59	390.7	59	-	-	19	703.7	17	2	-
Diseases of the heart (390-398, 402, 404-429)	49	324.5	49	-	-	12	444.4	11	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	13.2	2	-	-	2	74.1	2	-	-
Ischemic heart disease (410-414)	30	198.7	30	-	-	7	259.3	6	1	-
Other heart diseases (415-429)	17	112.6	17	-	-	3	111.1	3	-	-
Hypertension with or without renal disease (401, 403)	1	6.6	1	-	-	-	-	-	-	-
Cerebrovascular disease (430-438)	8	53.0	8	-	-	2	74.1	2	-	-
Arteriosclerosis (440)	1	6.6	1	-	-	5	185.2	4	1	-
Other diseases of arteries, arterioles, and capillaries (441-448)	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	6	39.7	6	-	-	1	37.0	1	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	13.2	2	-	-	2	74.1	2	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	6.6	1	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	13.2	2	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	1	6.6	1	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	13.2	2	-	-	1	37.0	1	-	-
Symptoms, signs, and ill-defined conditions (780-799)	1	6.6	1	-	-	-	-	-	-	-
All other diseases (Residual)	13	86.1	13	-	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	6	39.7	6	-	-	1	37.0	1	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	26.5	4	-	-	1	37.0	1	-	-
Suicide (E950-E959)	2	13.2	2	-	-	1	37.0	1	-	-
Homicide and legal intervention (E960-E978)	2	13.2	2	-	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table VII
Resident Births, Fetal Deaths (Stillbirths), Deaths and Deaths By 34 Selected Causes
Number and Rate, By Race For Cities Of 2500 Or More, Oklahoma, 1984

	YUKON										
	TOTAL		RACE								
POPULATION	22,100		W	B	I						
Live births	485	2194.6	465	2	18						
Physician in hospital	477	98.4	457	2	18						
Physician not in hospital	-	-	-	-	-						
Midwife, other, unknown	8	1.6	8	-	-						
Stillbirths	7	14.2	6	-	1						
Physician in hospital	7	100.0	6	-	1						
Physician not in hospital	-	-	-	-	-						
Midwife, other, or unknown	-	-	-	-	-						
Total deaths, all causes	119	538.5	119	-	-						
Deaths under 1 year	4	18.1	4	-	-						
Deaths under 1 month	4	18.1	4	-	-						
Tuberculosis (010-018)	-	-	-	-	-						
Syphilis (090-097)	1	4.5	1	-	-						
Residual of infectious and parasitic diseases (001-009, 020-099, 098-139)	2	9.0	2	-	-						
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	26	117.6	26	-	-						
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	13.6	3	-	-						
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	14	63.3	14	-	-						
Malignant neoplasm of breast (174-175)	3	13.6	3	-	-						
Malignant neoplasm of genital organs (179-187)	5	22.6	5	-	-						
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-						
Leukemia (204-208)	-	-	-	-	-						
Other malignant neoplasms (140-149, 170-173, 190-203)	1	4.5	1	-	-						
Diabetes mellitus (250)	3	13.6	3	-	-						
Major cardiovascular diseases (390-448)	50	226.2	50	-	-						
Diseases of the heart (390-398, 402, 404-429)	35	158.4	35	-	-						
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-						
Hypertensive heart disease with or without renal disease (402, 404)	1	4.5	1	-	-						
Ischemic heart disease (410-414)	20	90.5	20	-	-						
Other heart diseases (415-429)	14	63.3	14	-	-						
Hypertension with or without renal disease (401, 403)	-	-	-	-	-						
Cerebrovascular disease (430-438)	13	58.8	13	-	-						
Arteriosclerosis (440)	-	-	-	-	-						
Other diseases of arterioes, arterioles, and capillaries (441-448)	2	9.0	2	-	-						
Pneumonia and influenza (480-487)	4	18.1	4	-	-						
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	18.1	4	-	-						
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-						
Chronic liver disease and cirrhosis (571)	-	-	-	-	-						
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	4.5	1	-	-						
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-						
Congenital anomalies (740-759)	2	9.0	2	-	-						
Certain conditions originating in the perinatal period (760-779)	3	13.6	3	-	-						
Symptoms, signs, and ill-defined conditions (780-799)	2	9.0	2	-	-						
All other diseases (Residual)	7	31.7	7	-	-						
Motor vehicle accidents (E810-E825)	4	18.1	4	-	-						
All other accidents and adverse effects (E800-E807, E826-E949)	5	22.6	5	-	-						
Suicide (E950-E959)	3	13.6	3	-	-						
Homicide and legal intervention (E960-E978)	2	9.0	2	-	-						
All other external causes (E980-E999)	-	-	-	-	-						

Table VIII
Resident Births By County, Race and Sex
Oklahoma, 1984

County	All Races			White			Black			Indian		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
ENTIRE STATE	54323	27820	26503	43932	22529	21423	5259	2678	2581	5112	2613	2499
Adair	330	175	155	113	67	46	-	-	-	217	108	109
Alfalfa	77	33	44	76	32	44	-	-	-	1	1	-
Atoka	176	93	83	145	78	67	12	7	5	19	8	11
Beaver	103	53	50	102	52	50	-	-	-	1	1	-
Beckham	416	221	195	392	207	185	11	6	5	13	8	5
Blaine	230	112	118	187	88	99	4	-	4	39	24	15
Bryan	450	221	229	413	200	213	8	6	2	29	15	14
Caddo	614	308	306	366	186	180	18	12	6	230	110	120
Canadian	1179	617	562	1099	574	525	29	16	13	51	27	24
Carter	735	378	357	618	327	291	77	33	44	40	18	22
Cherokee	522	272	250	245	121	124	8	5	3	269	146	123
Choctaw	222	113	109	155	77	78	34	21	13	33	15	18
Cimarron	45	23	22	45	23	22	-	-	-	-	-	-
Cleveland	2438	1238	1200	2300	1174	1125	66	30	36	72	34	38
Coal	87	48	39	74	38	36	1	1	-	12	9	3
Comanche	2548	1273	1275	1830	909	921	560	289	271	158	75	83
Cotton	87	45	42	73	37	36	3	2	1	11	6	5
Craig	178	95	83	114	60	54	8	3	5	56	32	24
Creek	996	506	490	862	444	418	35	17	18	99	45	54
Custer	568	301	267	500	262	238	20	11	9	48	28	20
Delaware	347	174	173	198	94	104	-	-	-	149	80	69
Dewey	86	32	54	75	28	47	-	-	-	11	4	7
Ellis	63	31	32	63	31	32	-	-	-	-	-	-
Garfield	1118	585	533	1035	537	498	63	37	26	20	11	9
Garvin	438	216	222	400	194	206	16	10	6	22	12	10
Grady	720	340	380	658	316	342	31	10	21	31	14	17
Grant	100	56	44	96	53	43	-	-	-	4	3	1
Greer	68	30	38	67	30	37	1	-	1	-	-	-
Harmon	71	44	27	60	39	21	9	4	5	2	1	1
Harper	60	30	30	60	30	30	-	-	-	-	-	-
Haskell	145	76	69	121	57	64	3	1	2	21	18	3
Hughes	167	97	70	120	73	47	3	-	-	44	21	23
Jackson	679	377	302	587	331	256	74	39	35	18	7	11
Jefferson	102	58	44	99	55	44	-	-	-	3	3	-
Johnston	132	66	66	104	49	55	1	1	-	27	16	11
Kay	832	400	432	738	347	391	11	7	4	83	46	37
Kingfisher	326	156	170	309	149	160	6	2	4	11	5	6
Kiowa	203	105	98	170	89	81	15	8	7	18	8	10
Latimer	127	58	69	99	39	60	3	2	1	25	17	18
LeFlore	584	316	268	498	271	227	10	6	4	76	39	37
Lincoln	422	217	205	391	197	194	11	8	3	20	12	8
Logan	521	276	245	460	242	218	48	24	24	13	10	3
Love	107	57	50	101	53	48	3	2	1	3	2	1
McClain	370	200	170	357	192	165	3	3	-	10	5	5
McCurtain	564	301	263	396	195	201	80	47	33	88	59	29
McIntosh	225	112	113	136	68	68	17	8	9	72	36	36
Major	156	94	62	151	92	59	1	1	-	4	1	3
Marshall	125	63	62	108	54	54	2	1	1	15	8	7
Mayes	515	267	248	336	174	162	-	-	-	179	93	86
Murray	177	105	72	161	96	65	3	1	2	13	8	5
Muskogee	1195	610	585	808	389	419	216	118	98	171	103	68
Noble	199	94	105	174	80	94	5	1	4	20	13	7
Nowata	150	80	70	119	66	53	3	2	1	28	12	16
Okfuskee	165	89	76	103	53	50	22	14	8	40	22	18
Oklahoma	11883	6117	5766	9240	4787	4453	2104	1068	1036	539	262	277
Okmulgee	645	360	285	415	231	184	108	64	44	122	65	57
Osage	589	289	300	463	234	229	27	11	16	99	44	55
Ottawa	428	224	204	298	151	147	-	-	-	130	73	57
Pawnee	268	127	141	227	109	118	4	-	4	37	18	19
Payne	955	494	461	869	445	424	55	29	26	31	20	11
Pittsburg	574	291	283	492	249	243	26	13	13	56	29	27
Pontotoc	523	265	258	431	218	213	18	9	9	74	38	36
Pottawatomie	997	520	477	845	451	394	23	10	13	129	59	70
Pushmataha	161	75	86	140	66	74	-	-	-	21	9	12
Roger Mills	87	44	43	81	42	39	-	-	-	6	2	4
Rogers	817	421	396	612	317	295	8	5	3	197	99	98
Seminole	441	234	207	302	163	139	45	23	22	94	48	46
Sequoyah	506	257	249	350	177	173	11	5	6	145	75	70
Stephens	685	341	344	643	324	319	20	8	12	22	9	13
Texas	357	189	168	348	183	165	3	2	1	6	4	2
Tillman	157	79	78	116	58	58	32	17	15	9	4	5
Tulsa	8753	4442	4311	6968	3579	3389	1175	572	603	610	291	319
Wagoner	656	330	326	554	280	274	19	12	7	83	38	45
Washington	822	411	411	755	381	374	25	10	15	42	20	22
Washita	217	112	105	209	108	101	-	-	-	8	4	4
Woods	137	62	75	136	61	75	-	-	-	1	1	-
Woodward	403	198	205	389	195	194	2	1	1	12	2	10
Unknown	2	1	1	2	1	1	-	-	-	-	-	-

Table IX
Resident Deaths, By County, Race and Sex
Oklahoma, 1984

County	All Races			White			Black			Indian		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
ENTIRE STATE	28635	15235	13400	25828	13710	12118	1884	1018	866	923	507	416
Adair	181	104	77	121	71	50	-	-	-	60	33	27
Alfalfa	87	41	46	87	41	46	-	-	-	-	-	-
Atoka	145	90	55	130	83	47	7	4	3	8	3	5
Beaver	61	31	30	61	31	30	-	-	-	-	-	-
Beckham	257	135	122	256	134	122	1	1	-	-	-	-
Blaine	194	99	95	174	83	91	7	5	2	13	11	2
Bryan	357	187	170	336	174	162	6	5	1	15	8	7
Caddo	344	194	150	290	161	129	10	6	4	44	27	17
Canadian	380	204	176	362	195	167	12	5	7	6	4	2
Carter	498	266	232	439	231	208	48	28	20	11	7	4
Cherokee	293	170	123	224	129	95	4	1	3	65	40	25
Choctaw	207	110	97	175	93	82	26	15	11	6	2	4
Cimarron	35	20	15	35	20	15	-	-	-	-	-	-
Cleveland	711	379	332	695	369	326	6	5	1	10	5	5
Coal	85	45	40	81	44	37	-	-	-	4	1	3
Comanche	725	392	333	637	337	300	64	42	22	24	13	11
Cotton	104	57	47	96	52	44	3	2	1	5	3	2
Craig	189	93	96	174	88	86	4	1	3	11	4	7
Creek	570	314	256	523	288	235	27	17	10	20	9	11
Custer	263	138	125	235	129	106	14	5	9	14	4	10
Delaware	291	170	121	255	150	105	-	-	-	36	20	16
Dewey	78	37	41	77	36	41	-	-	-	1	1	-
Ellis	68	34	34	68	34	34	-	-	-	-	-	-
Garfield	588	328	260	569	319	250	18	9	9	1	-	1
Garvin	322	165	157	312	160	152	7	4	3	3	1	2
Grady	405	215	190	385	204	181	16	8	8	4	3	1
Grant	92	48	44	92	48	44	-	-	-	-	-	-
Greer	99	45	54	97	45	52	2	-	2	-	-	-
Harmon	63	33	30	62	32	30	1	1	-	-	-	-
Harper	54	29	25	54	29	25	-	-	-	-	-	-
Haskell	151	75	76	145	73	72	2	1	1	4	1	3
Hughes	212	105	107	180	94	86	10	3	7	22	8	14
Jackson	247	139	108	232	133	99	13	6	7	2	-	2
Jefferson	111	63	48	110	62	48	1	1	-	-	-	-
Johnston	110	58	52	100	53	47	3	2	1	7	3	4
Kay	520	264	256	485	247	238	12	6	6	23	11	12
Kingfisher	124	63	61	119	59	60	4	4	-	1	-	1
Kiowa	188	96	92	175	87	88	7	4	3	6	5	1
Latimer	105	62	43	99	57	42	1	1	-	5	4	1
LeFlore	437	254	183	413	244	169	12	5	7	12	5	7
Lincoln	289	159	130	275	154	121	12	5	7	2	-	2
Logan	278	134	144	236	112	124	41	22	19	1	-	1
Love	91	43	48	84	38	46	7	5	2	-	-	-
McClain	185	98	87	182	96	86	2	1	1	1	1	-
McCurtain	359	200	159	291	163	128	52	29	23	16	8	8
McIntosh	191	102	89	156	83	73	18	8	10	17	11	6
Major	99	60	39	97	60	37	-	-	-	2	-	2
Marshall	139	70	69	135	70	65	-	-	-	4	-	4
Mayes	348	198	150	330	188	142	1	1	-	17	9	8
Murray	136	75	61	130	70	60	1	1	-	5	4	1
Muskogee	775	398	377	630	327	303	128	61	67	17	10	7
Noble	137	73	64	128	68	60	3	3	-	6	2	4
Nowata	131	77	54	123	73	50	7	4	3	1	-	1
Okfuskee	135	75	60	93	52	41	21	11	10	21	12	9
Oklahoma	5014	2631	2383	4375	2284	2091	592	317	275	47	30	17
Okmulgee	496	272	224	407	224	183	67	35	32	22	13	9
Osage	320	157	163	277	141	136	12	3	9	31	13	18
Ottawa	367	200	167	349	189	160	-	-	-	18	11	7
Pawnee	162	82	80	156	79	77	1	-	1	5	3	2
Payne	439	234	205	422	222	200	11	7	4	6	5	1
Pittsburg	476	253	223	440	235	205	22	10	12	14	8	6
Pontotoc	369	207	162	345	193	152	8	3	5	16	11	5
Pottawatomie	641	334	307	604	313	291	9	5	4	28	16	12
Pushmataha	146	89	57	137	83	54	3	1	2	6	5	1
Roger Mills	61	42	19	56	40	16	-	-	-	5	2	3
Rogers	339	187	152	307	168	139	6	4	2	26	15	11
Seminole	333	184	149	264	147	117	31	15	16	38	22	16
Sequoyah	294	156	138	260	139	121	7	4	3	27	13	14
Stephens	445	243	202	432	232	200	7	6	1	6	5	1
Texas	147	84	63	147	84	63	-	-	-	-	-	-
Tillman	159	90	69	137	77	60	19	11	8	3	2	1
Tulsa	3958	2043	1915	3495	1786	1709	413	229	184	50	28	22
Wagoner	249	141	108	220	122	98	21	12	9	8	7	1
Washington	478	222	256	450	209	241	14	8	6	14	5	9
Washita	157	80	77	157	80	77	-	-	-	-	-	-
Woods	142	74	68	142	74	68	-	-	-	-	-	-
Woodward	177	94	83	177	94	83	-	-	-	-	-	-
Unknown	22	22	-	22	22	-	-	-	-	-	-	-

Table X

Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes

By Month, Oklahoma, 1984

		MONTH					
	TOTAL	JAN	FEB	MAR	APR	MAY	JUNE
Live Births	54323	4554	4406	4420	4249	4278	4305
Physician in hospital	53470	4481	4345	4331	4148	4196	4216
Physician not in hospital	74	4	7	10	4	3	4
Midwife, other, or unknown	779	69	54	79	97	79	85
Stillbirths	392	25	32	38	38	35	40
Physician in hospital	385	24	31	37	37	34	40
Physician not in hospital	6	-	1	1	1	1	-
Midwife, other, or unknown	1	1	-	-	-	-	-
Total deaths, all causes	28635	2714	2592	2706	2431	2423	2297
Deaths under 1 year	568	51	47	51	59	51	39
Deaths under 1 month	358	33	27	36	34	30	29
Tuberculosis (010-018)	23	-	2	3	2	2	1
Syphilis (090-097)	3	-	1	1	1	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	270	24	28	29	20	25	20
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	6085	556	536	502	520	558	530
Malignant neoplasm of digestive organs and peritoneum (150-159)	1447	139	129	137	120	161	120
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1910	149	162	159	174	165	174
Malignant neoplasm of breast (174-175)	467	35	48	32	42	42	43
Malignant neoplasm of genital organs (179-187)	646	67	51	47	54	53	51
Malignant neoplasm of urinary organs (188-189)	257	17	22	16	26	27	23
Leukemia (204-208)	225	21	16	22	17	22	20
Other malignant neoplasms (140-149, 170-173, 190-203)	1133	128	108	89	87	88	99
Diabetes mellitus (250)	424	42	48	34	34	36	39
Major cardiovascular diseases (390-448)	13769	1355	1244	1348	1167	1139	1083
Diseases of the heart (390-398, 402, 404-429)	10648	1044	976	1034	893	880	842
Rheumatic fever and rheumatic heart disease (390-398)	60	8	2	7	3	6	7
Hypertensive heart disease with or without renal disease (402, 404)	208	12	21	11	20	18	21
Ischemic heartdisease (410-414)	7462	735	664	743	628	607	579
Other heart diseases (415-429)	2918	289	289	273	242	249	235
Hypertension with or without renal disease (401, 403)	70	4	5	9	9	7	7
Cerebrovascular disease (430-438)	2387	240	206	244	207	195	169
Atherosclerosis (440)	386	34	28	33	33	32	43
Other disease of arteries, arterioles and capillaries (441-448)	278	33	29	28	25	25	22
Pneumonia and influenza (480-487)	925	97	123	111	68	63	72
Chronic obstructive pulmonary disease and allied conditions (490-496)	1045	107	110	121	91	80	71
Ulcer of stomach and duodenum (531-533)	86	7	11	6	11	5	8
Chronic liver disease and cirrhosis (571)	247	26	17	20	27	17	16
Nephritis, nephrotic syndrome and nephrosis (580-589)	401	30	40	31	42	39	30
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	-	-	1	-	2	-
Congenital anomalies (740-759)	201	19	14	13	24	22	19
Certain conditions originating in the perinatal period (760-779)	257	22	24	27	26	19	18
Symptoms, signs and ill-defined conditions (780-799)	286	29	28	23	30	31	16
All other disease (Residual)	2290	207	207	211	198	187	185
Motor vehicle accidents (E810-E825)	857	70	47	95	47	64	68
All other accidents and adverse effects (E800-E807, E826-E949)	703	53	59	64	64	72	65
Suicide (E950-E959)	444	42	30	40	37	33	30
Homicide and legal intervention (E960-E978)	282	23	18	24	21	26	25
All other external causes (E980-E999)	34	5	5	2	1	3	1

Table X
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Month, Oklahoma, 1984

	MONTH					
	JUL	AUG	SEP	OCT	NOV	DEC
Live Births	4833	4974	4770	4573	4285	4626
Physician in hospital	4806	4921	4706	4519	4230	4571
Physician not in hospital	7	6	7	6	6	10
Midwife, other, unknown	70	47	57	48	49	45
Stillbirths	38	30	29	39	29	19
Physician in hospital	37	30	29	39	28	19
Physican not in hospital	1	-	-	-	1	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	2295	2202	2277	2295	2296	2107
Deaths under 1 year	56	45	48	39	49	33
Deaths under 1 month	42	29	27	25	29	17
Tuberculosis (020-018)	2	3	3	2	2	1
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	22	21	14	21	23	23
Malignant neoplasm, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	363	469	477	499	488	444
Malignant neoplasm of digestive organs and peritoneum (150-159)	118	106	118	91	107	101
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	158	144	138	161	180	146
Malignant neoplasm of breast (174-175)	32	35	42	39	38	39
Malignant neoplasm of genital organs (179-187)	56	54	53	64	40	47
Malignant neoplasm of urinary organs (188-189)	18	24	28	25	18	13
Leukemia (204-208)	14	18	18	19	20	18
Other malignant neoplasms (140-149, 170-173, 190-203)	110	88	80	100	76	80
Diabetes mellitus (250)	29	42	34	27	28	31
Major cardiovascular diseases (390-448)	1091	1064	1058	1089	11[illegible]	998
Diseases of the heart (390-398, 402, 404-429)	851	795	825	853	886	769
Rheumatic fever and rheumatic heart disease (390-398)	5	7	1	2	5	7
Hypertensive heart disease with or without renal disease (402, 404)	21	19	17	17	12	19
Ischemic heart disease (410-414)	614	551	582	601	614	544
Other heart diseases (415-429)	211	218	825	233	255	199
Hypertension with or without renal disease (401, 403)	5	3	4	8	2	7
Cerebrovascular disease (430-438)	184	204	178	190	192	178
Atherosclerosis (440)	28	38	29	26	37	25
Other diseases of arteries, arterioles and capillaries(441-448)	23	24	22	12	16	19
Pneumonia and influenza (480-487)	60	50	53	77	69	82
Chronic obstructive pulmonary disease and allied conditions (490-496)	72	68	77	86	70	92
Ulcer of stomach and duodenum (531-533)	3	8	7	5	5	10
Chronic liver disease and cirrhosis (571)	20	25	22	18	14	25
Nephritis, nephrotic syndrome and nephrosis (580-589)	39	33	28	33	33	23
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	23	16	21	10	11	9
Certain conditions originating in the perinatal period (760-779)	27	24	19	19	21	11
Symptoms, signs and ill-defined conditions (780-799)	12	20	29	20	28	20
All other disease (Residual)	179	183	203	179	178	173
Motor vehicle accidents (E810-E825)	78	74	98	71	75	70
All other accidents and adverse effects (E800-E807, E826, E949)	63	49	53	57	65	39
Suicide (E950-E959)	38	37	44	48	30	35
Homicide and legal intervention (E960-E978)	30	16	29	27	22	21
All other external causes (E980-E999)	1	-	8	7	1	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	TOTAL					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	54323	27820	26503	43952	22529	21423
Physician in hospital	53470	27379	26091	43393	22235	21158
Physician not in hospital	74	42	32	59	36	23
Midwife, other, or unknown	779	399	380	500	258	242
Stillbirths	392	209	183	315	167	148
Physician in hospital	385	206	179	309	165	144
Physician not in hospital	6	3	3	5	2	3
Midwife, other, or unknown	1	-	1	1	-	1
Total deaths, all causes	28635	15235	13400	25828	13710	12118
Deaths under 1 year	568	340	228	460	279	181
Deaths under 1 month	358	208	150	293	170	123
Tuberculosis (010-018)	23	18	5	19	14	5
Syphilis (090-097)	3	1	2	3	1	2
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	270	142	128	234	128	106
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	6085	3347	2738	5523	3041	2482
Malignant neoplasm of digestive organs and peritoneum (150-159)	1447	723	724	1284	643	641
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1910	1366	544	1769	1261	508
Malignant neoplasm of breast (174-175)	467	3	464	424	3	421
Malignant neoplasm of genital organs (179-187)	646	335	311	574	288	286
Malignant neoplasm of urinary organs (188-189)	257	157	100	230	141	89
Leukemia (204-208)	225	135	90	208	126	82
Other malignant neoplasms (140-149, 170-173 190-203)	1133	628	505	1034	579	455
Diabetes mellitus (250)	424	166	258	320	123	197
Major cardiovascular diseases (390-448)	13769	6829	6940	12575	6232	6343
Diseases of the heart (390-398, 402, 404-429)	10648	5566	5082	9748	5087	4661
Rheumatic fever and rheumatic heart disease (390-398)	60	15	45	53	13	40
Hypertensive heart disease with or without renal disease (402, 404)	208	88	120	164	68	96
Ischemic heart disease (410-414)	7462	4035	3427	6899	3731	3168
Other heart diseases (415-429)	2918	1428	1490	2632	1275	1357
Hypertension with or without renal disease (401, 403)	70	31	39	59	27	32
Cerebrovascular disease (430-438)	2387	925	1462	2156	832	1324
Atherosclerosis (440)	386	148	238	357	137	220
Other diseases of arteries, arterioles and capillaries (441-448)	278	159	119	255	149	106
Pneumonia and influenza (480-487)	925	466	459	850	424	426
Chronic obstructive pulmonary disease and allied conditions (490-496)	1045	706	339	993	670	323
Ulcer of stomach and duodenum (531-533)	86	38	48	80	36	44
Chronic liver disease and cirrhosis (571)	247	148	99	207	128	79
Nephritis, nephrotic syndrome and nephrosis (580-589)	401	206	195	352	182	170
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	-	3	2	-	2
Congenital anomalies (740-759)	201	107	94	179	98	81
Certain conditions originating in the perinatal period (760-779)	257	151	106	200	116	84
Symptoms, signs and ill-defined conditions (780-799)	286	145	141	249	125	124
All other disease (Residual)	2290	1109	1181	2018	963	1055
Motor vechile accidents (E810-E825)	857	605	252	756	529	227
All other accidents and adverse effects (E800-E807, E826-E949)	703	476	227	615	417	198
Suicide (E950-E959)	444	349	95	416	326	90
Homicide and legal intervention (E960-E978)	282	206	76	207	140	67
All other external causes (E980-E999)	34	20	14	30	17	13

Table XI

Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	TOTAL					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	5259	2678	2581	5112	2613	2499
Physician in hospital	5175	2638	2537	4902	2506	2396
Physician not in hospital	15	6	9	-	-	-
Midwife, other, or unknown	69	34	35	210	107	103
Stillbirths	47	22	25	30	20	10
Physician in hospital	47	22	25	29	19	10
Physician not in hospital	-	-	-	1	1	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	1884	1018	866	923	507	416
Deaths under 1 year	74	39	35	34	22	12
Deaths under 1 month	46	24	22	19	14	5
Tuberculosis (010-018)	3	3	-	1	1	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	25	10	15	11	4	7
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	380	209	171	182	97	85
Malignant neoplasm of digestive organs and peritoneum (150-159)	113	57	56	50	23	27
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	102	76	26	39	29	10
Malignant neoplasm of breast (174-175)	33	-	33	10	-	10
Malignant neoplasm of genital organs (179-187)	52	35	17	20	12	8
Malignant neoplasm of urinary organs (188-189)	14	9	5	13	7	6
Leukemia (204-208)	11	5	6	6	4	2
Other malignant neoplasms (140-149, 170-173 190-203)	55	27	28	44	22	22
Diabetes mellitus (250)	58	23	35	46	20	26
Major cardiovascular diseases (390-448)	826	400	426	368	197	171
Diseases of the heart (390-398, 402, 404-429)	616	320	296	284	159	125
Rheumatic fever and rheumatic heart disease (390-398)	3	1	2	4	1	3
Hypertensive heart disease with or without renal disease (402, 404)	31	11	20	13	9	4
Ischemic heart disease (410-414)	378	202	176	185	102	83
Other heart diseases (415-429)	204	106	98	82	47	35
Hypertension with or without renal disease (401, 403)	10	3	7	1	1	-
Cerebrovascular disease (430-438)	167	65	102	64	28	36
Atherosclerosis (440)	21	7	14	8	4	4
Other diseases of arteries, arterioles and capillaries (441-448)	12	5	7	11	5	6
Pneumonia and influenza (480-487)	42	29	13	33	13	20
Chronic obstructive pulmonary disease and allied conditions (490-496)	32	21	11	20	15	5
Ulcer of stomach and duodenum (531-533)	4	1	3	2	1	1
Chronic liver disease and cirrhosis (571)	11	3	8	29	17	12
Nephritis, nephrotic syndrome and nephrosis (580-589)	38	20	18	11	4	7
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	1	-	-	-
Congenital anomalies (740-759)	15	6	9	7	3	4
Certain conditions originating in the perinatal period (760-779)	40	24	16	17	11	6
Symptoms, signs and ill-defined conditions (780-799)	26	14	12	11	6	5
All other disease (Residual)	184	100	84	88	46	42
Motor vechile accidents (E810-E825)	59	47	12	42	29	13
All other accidents and adverse effects (E800-E807, E826-E949)	59	40	19	29	19	10
Suicide (E950-E959)	17	14	3	11	9	2
Homicide and legal intervention (E960-E978)	60	51	9	15	15	-
All other external causes (E980-E999)	4	3	1	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	LESS THAN 1 YEAR					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	568	340	228	460	279	181
Deaths under 1 year	568	340	228	460	279	181
Deaths under 1 month	358	208	150	293	170	123
Tuberculosis (010-013)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	13	11	2	11	9	2
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	1	1	-	1	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	1	1	-	1	1	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	1	-	1	1	-	1
Major cardiovascular diseases (390-448)	10	8	2	8	6	2
Diseases of the heart (390-398, 402, 404-429)	8	7	1	7	6	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	8	7	1	7	6	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	2	1	1	1	-	1
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	6	4	2	6	4	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	1	-	1	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	1	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	127	63	64	112	59	53
Certain conditions originating in the perinatal period (760-779)	255	150	105	200	116	84
Symptoms, signs and ill-defined conditions (780-799)	100	70	30	80	59	21
All other disease (Residual)	34	22	12	22	15	7
Motor vechile accidents (E810-E825)	4	4	-	4	4	-
All other accidents and adverse effects (E800-E807, E826-E949)	12	3	9	11	3	8
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	2	1	1	2	1	1
All other external causes (E980-E999)	1	1	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	LESS THAN 1 YEAR					
	BLACK			INDIAN		
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	74	39	35	34	22	12
Deaths under 1 year	74	39	35	34	22	12
Deaths under 1 month	46	24	22	19	14	5
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	1	-	1	1	-
Malignant neoplasms, including neoplasms of Lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2	2	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	1	1	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	1	1	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	1	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	12	3	9	3	1	2
Certain conditions originating in the perinatal period (760-779)	38	23	15	17	11	6
Symptoms, signs and ill-defined conditions (780-799)	13	6	7	7	5	2
All other disease (Residual)	7	3	4	5	4	1
Motor vechile accidents (E810-E825)	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	1	-	1
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	1	1	-	-	-	-

Table X5
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	1-4					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths						
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	124	69	55	103	61	42
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	2	1	1	2	1	1
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	12	8	4	10	7	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	-	1	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	1	-	1	1	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	1	1	-	2	1	-
Other malignant neoplasms (140-149, 170-173 190-203)	9	6	3	8	5	3
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	9	5	4	6	4	2
Diseases of the heart (390-398, 402, 404-429)	8	5	3	6	4	2
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	7	5	2	6	4	2
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	-	1	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	3	1	2	3	1	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	2	-	2	2	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	18	11	7	18	11	7
Certain conditions originating in the perinatal period (760-779)	2	1	1	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	4	1	3	3	1	2
All other disease (Residual)	17	7	10	13	5	8
Motor vechile accidents (E810-E825)	21	11	10	17	9	8
All other accidents and adverse effects (E800-E807, E826-E949)	30	19	11	26	18	8
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	4	2	2	3	2	1
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	1-4					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	15	6	9	6	2	4
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and Hematopoietic tissues (140-208)	1	-	1	1	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	-	1	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	1	1	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1	1	-	2	-	2
Diseases of the heart (390-398, 402, 404-429)	1	1	-	1	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	1	-	1
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	1	1	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	1	-	1
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	1	-	1
All other disease (Residual)	3	2	1	1	-	1
Motor vehicle accidents (E810-E825)	3	2	1	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	4	1	3	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	-	1	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	5-9					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	73	45	28	62	37	25
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	15	9	6	13	7	6
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	7	6	1	5	4	1
Other malignant neoplasms (140-149, 170-173 190-203)	8	3	5	8	3	5
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3	1	2	3	1	2
Diseases of the heart (390-398, 402, 404-429)	2	-	2	2	-	2
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	2	-	2	2	-	2
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	1	-	1	1	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	-	1	1	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	6	3	3	4	2	2
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	9	7	2	6	5	1
Motor vechile accidents (E810-E825)	20	14	6	18	12	6
All other accidents and adverse effects (E800-E807, E826-E949)	14	9	5	13	8	5
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	4	2	2	4	2	2
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	5-9					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	7	6	1	4	2	2
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-013)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	2	2	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	2	2	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	-	-	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	-	-	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	1	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	1	-	1	-	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	2	1	1	1	1	-
Motor vechile accidents (E810-E825)	1	1	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	1	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	10-14					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	164	77	87	98	45	53
Physician in hospital	160	74	86	96	43	53
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	4	3	1	2	2	-
Stillbirths						
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	86	52	34	75	45	30
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-038, 098-139)	2	-	2	2	-	2
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	5	4	1	3	2	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	3	3	-	2	2	-
Other malignant neoplasms (140-149, 170-173 190-203)	2	1	1	1	-	1
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4	1	3	4	1	3
Diseases of the heart (390-398, 402, 404-429)	4	1	3	4	1	3
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	4	1	3	4	1	3
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	-	1	1	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	2	-	1	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	5	3	2	5	3	2
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	16	7	9	12	6	6
Motor vechile accidents (E810-E825)	22	15	7	20	14	6
All other accidents and adverse effects (E800-E807, E826-E949)	19	14	5	18	13	5
Suicide (E950-E959)	5	3	2	4	2	2
Homicide and legal intervention (E960-E978)	4	2	2	4	2	2
All other external causes (E980-E999)	1	1	-	1	1	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	10-14					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	41	19	22	25	13	12
Physician in hospital	41	19	22	23	12	11
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	2	1	1
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	5	4	1	6	3	3
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-013)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	-	-	-	2	2	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	1	1	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	1	1	
Diabetes mellitus (250)	-	-	-	-	-	
Major cardiovascular diseases (390-448)	-	-	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	-	-	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	-	-	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	1	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	2	1	1	2	-	2
Motor vechile accidents (E810-E825)	1	1	-	1	-	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	1	-	-	-	-
Suicide (E950-E959)	-	-	-	1	1	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	15-19					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	8643	4427	4216	6283	3210	3073
Physician in hospital	8499	4349	4150	6201	3163	3038
Physician not in hospital	11	6	5	7	5	2
Midwife, other, or unknown	133	72	61	75	42	33
Stillbirths	63	35	28	49	29	20
Physician in hospital	62	34	28	48	28	20
Physician not in hospital	1	1	-	1	1	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	240	167	73	200	139	61
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-013)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	1	-	1	1	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	13	10	3	10	8	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	1	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	3	2	1	3	2	1
Other malignant neoplasms (140-149, 170-173 190-203)	9	7	2	7	6	1
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	8	5	3	7	4	3
Diseases of the heart (390-398, 402, 404-429)	6	5	1	5	4	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	6	5	1	5	4	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	2	-	2	2	-	2
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	1	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	1	-	1	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	4	2	2	4	2	2
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	18	8	10	16	8	8
Motor vechile accidents (E810-E825)	110	70	40	94	60	34
All other accidents and adverse effects (E800-E807, E826-E949)	33	30	3	27	25	2
Suicide (E950-E959)	30	23	7	24	19	5
Homicide and legal intervention (E960-E978)	21	16	5	16	11	5
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	15-19					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	1171	589	582	1189	628	561
Physician in hospital	1154	582	572	1144	604	540
Physician not in hospital	4	1	3	-	-	-
Midwife, other, or unknown	13	6	7	45	24	21
Stillbirths	10	4	6	4	2	2
Physician in hospital	10	4	6	4	2	2
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	18	14	4	22	14	8
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	2	1	1	1	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	1	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	1	-	1	1	1	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1	1	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	1	1	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	1	1	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Athecosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	1	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	-	-	-	2	-	2
Motor vechile accidents (E810-E825)	5	4	1	11	6	5
All other accidents and adverse effects (E800-E807, E826-E949)	4	3	1	2	2	-
Suicide (E950-E959)	3	2	1	3	2	1
Homicide and legal intervention (E960-E978)	3	3	-	2	2	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	20-24					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	20116	10288	9828	16052	8190	7862
Physician in hospital	19805	10130	9675	15867	8092	7775
Physician not in hospital	27	12	15	23	10	13
Midwife, other, or unknown	284	146	138	162	88	74
Stillbirths	133	80	53	103	62	41
Physician in hospital	131	80	51	101	62	39
Physician not in hospital	2	-	2	2	-	2
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	328	250	78	281	218	63
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-013)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	3	1	2	3	1	2
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	17	11	6	14	10	4
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	-	1	1	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	1	-	1	1	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	6	4	2	4	3	1
Other malignant neoplasms (140-149, 170-173 190-203)	9	6	3	8	6	2
Diabetes mellitus (250)	2	-	2	2	-	2
Major cardiovascular diseases (390-448)	17	12	5	16	11	5
Diseases of the heart (390-398, 402, 404-429)	12	9	3	11	8	3
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	2	2	-	2	2	-
Other heart diseases (415-429)	10	7	3	9	6	3
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	5	3	2	5	3	2
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	2	-	2	2	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	1	-	1	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	-	1	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	1	-	-	-
Congenital anomalies (740-759)	2	1	1	2	1	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	4	3	1	4	3	1
All other disease (Residual)	21	7	14	16	4	12
Motor vechile accidents (E810-E825)	114	97	17	97	84	13
All other accidents and adverse effects (E800-E807, E826-E949)	54	44	10	46	39	7
Suicide (E950-E959)	39	35	4	39	35	4
Homicide and legal intervention (E960-E978)	48	35	13	36	26	10
All other external causes (E980-E999)	2	1	1	2	1	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	20-24					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	2060	1080	980	2004	1018	986
Physician in hospital	2026	1064	962	1912	974	938
Physician not in hospital	4	2	2	-	-	-
Midwife, other, or unknown	30	14	16	92	44	48
Stillbirths	18	9	9	12	9	3
Physician in hospital	18	9	9	12	9	3
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	31	18	13	16	14	2
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	2	-	2	1	1	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	1	-	1	1	1	-
Other malignant neoplasms (140-149, 170-173 190-203)	1	-	1	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1	1	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	1	1	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	-	-	-
Other heart diseases (415-429)	1	1	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	1	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	4	2	2	1	1	-
Motor vechile accidents (E810-E825)	9	7	2	8	6	2
All other accidents and adverse effects (E800-E807, E826-E949)	5	2	3	3	3	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	9	6	3	3	3	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	25-29					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	16052	8238	7814	13604	7022	6582
Physician in hospital	15829	8119	7710	13432	6926	6506
Physician not in hospital	15	11	4	12	9	3
Midwife, other, or unknown	208	108	100	151	78	73
Stillbirths	86	40	46	70	32	38
Physician in hospital	86	40	46	70	32	38
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	374	278	96	306	223	83
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	3	3	-	3	3	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	26	13	13	23	10	13
Malignant neoplasm of digestive organs and peritoneum (150-159)	6	5	1	5	4	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	1	1	-	1
Malignant neoplasm of genital organs (179-187)	2	-	2	2	-	2
Malignant neoplasm of urinary organs (188-189)	2	1	1	1	-	1
Leukemia (204-208)	1	-	1	1	-	1
Other malignant neoplasms (140-149, 170-173 190-203)	14	7	7	13	6	7
Diabetes mellitus (250)	5	2	3	3	2	1
Major cardiovascular diseases (390-448)	27	21	6	23	20	3
Diseases of the heart (390-398, 402, 404-429)	21	16	5	17	15	2
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	1	-	1
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	6	5	1	5	5	-
Other heart diseases (415-429)	14	11	3	11	10	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	5	4	1	5	4	1
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	1	1	-	1	1	-
Pneumonia and influenza (480-487)	4	4	-	3	3	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	3	1	2	2	-	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	1	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	2	2	-	2
Congenital anomalies (740-759)	5	4	1	4	3	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	6	3	3	5	3	2
All other disease (Residual)	26	18	8	20	13	7
Motor vechile accidents (E810-E825)	99	71	28	84	59	25
All other accidents and adverse effects (E800-E807, E826-E949)	56	48	8	44	39	6
Suicide (E950-E959)	60	51	9	54	45	9
Homicide and legal intervention (E960-E978)	44	32	12	28	17	11
All other external causes (E980-E999)	6	5	1	6	5	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	25-29					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	1279	640	639	1178	585	593
Physician in hospital	1261	629	632	1136	564	572
Physician not in hospital	3	2	1	-	-	-
Midwife, other, or unknown	15	9	6	42	21	21
Stillbirths	11	5	6	5	3	2
Physician in hospital	11	5	6	5	3	2
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	44	38	6	24	17	7
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	3	3	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	1	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	1	1	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	1	1	-	-	-	-
Diabetes mellitus (250)	1	-	1	-	-	-
Major cardiovascular diseases (390-448)	3	1	2	1	-	1
Diseases of the heart (390-398, 402, 404-429)	3	1	2	1	-	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	-	-	-	1	-	1
Other heart diseases (415-429)	3	1	2	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	1	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	1	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	1	-	1
All other disease (Residual)	3	3	-	3	2	1
Motor vechile accidents (E810-E825)	6	5	1	9	7	2
All other accidents and adverse effects (E800-E807, E826-E949)	8	7	1	3	2	1
Suicide (E950-E959)	3	3	-	3	3	-
Homicide and legal intervention (E960-E978)	14	13	1	2	2	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	30-34					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	7198	3672	3526	6165	3155	3010
Physician in hospital	7073	3615	3458	6072	3114	2958
Physician not in hospital	12	8	4	10	7	3
Midwife, other, or unknown	113	49	64	83	34	49
Stillbirths	57	29	28	50	24	26
Physician in hospital	56	29	27	49	24	25
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	1	-	1	1	-	1
Total deaths, all causes	398	281	117	327	232	95
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	6	3	3	5	3	2
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	49	25	24	45	22	23
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	3	1	2	1	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	1	1	2	1	1
Malignant neoplasm of breast (174-175)	10	-	10	9	-	9
Malignant neoplasm of genital organs (179-187)	6	-	6	6	-	6
Malignant neoplasm of urinary organs (188-189)	2	2	-	2	2	-
Leukemia (204-208)	6	2	4	6	2	4
Other malignant neoplasms (140-149, 170-173 190-203)	19	17	2	18	16	2
Diabetes mellitus (250)	5	4	1	5	4	1
Major cardiovascular diseases (390-448)	41	27	14	29	19	10
Diseases of the heart (390-398, 402, 404-429)	35	23	12	25	16	9
Rheumatic fever and rheumatic heart disease (390-398)	2	1	1	2	1	1
Hypertensive heart disease with or without renal disease (402, 404)	1	1	-	1	1	-
Ischemic heart disease (410-414)	12	10	2	8	7	1
Other heart diseases (415-429)	20	11	9	14	7	7
Hypertension with or without renal disease (401, 403)	1	1	-	1	1	-
Cerebrovascular disease (430-438)	5	3	2	3	2	1
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	2	2	-	1	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	1	-	1	1	-	1
Chronic liver disease and cirrhosis (571)	7	6	1	4	4	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	2	-	2	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	6	4	2	6	4	2
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	5	4	1	3	2	1
All other disease (Residual)	41	22	19	33	19	14
Motor vechile accidents (E810-E825)	77	58	19	67	50	17
All other accidents and adverse effects (E800-E807, E826-E949)	50	44	6	42	39	3
Suicide (E950-E959)	54	46	8	51	44	7
Homicide and legal intervention (E960-E978)	50	33	17	32	18	14
All other external causes (E980-E999)	1	1	-	1	1	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	30-34					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	518	256	262	515	261	254
Physician in hospital	509	251	258	492	250	242
Physician not in hospital	2	1	1	-	-	-
Midwife, other, or unknown	7	4	3	23	11	12
Stillbirths	4	3	1	3	2	1
Physician in hospital	4	3	1	3	2	1
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	55	38	17	16	11	5
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	-	1	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	2	1	1	2	2	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	1	-	1	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	1	-	1	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	1	1	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10	6	4	2	2	-
Diseases of the heart (390-398, 402, 404-429)	8	5	3	2	2	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	3	2	1	1	1	-
Other heart diseases (415-429)	5	3	2	1	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	2	1	1	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	1	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	-	1	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	3	2	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	2	-	-	-	-
All other disease (Residual)	6	3	3	2	-	2
Motor vechile accidents (E810-E825)	8	7	1	2	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	7	5	2	1	-	1
Suicide (E950-E959)	3	2	1	-	-	-
Homicide and legal intervention (E960-E978)	15	2	3	3	3	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	35-39					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	1881	986	893	1538	876	742
Physician in hospital	1848	965	883	1532	801	731
Physician not in hospital	6	5	1	6	5	1
Midwife, other, or unknown	27	16	11	20	10	10
Stillbirths	16	8	8	13	5	8
Physician in hospital	15	8	7	12	5	7
Physician not in hospital	1	-	1	1	-	1
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	368	236	132	317	204	113
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	-	-	-
Syphilis (090-097)	-	-	1	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-030, 098-139)	5	3	2	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	64	20	44	62	20	42
Malignant neoplasm of digestive organs and peritoneum (150-159)	11	7	4	10	7	3
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	10	3	7	10	3	7
Malignant neoplasm of breast (174-175)	11	-	11	11	-	11
Malignant neoplasm of genital organs (179-187)	11	-	11	11	-	11
Malignant neoplasm of urinary organs (188-189)	3	1	2	3	1	2
Leukemia (204-208)	1	1	-	1	1	-
Other malignant neoplasms (140-149, 170-173, 190-203)	17	8	9	16	8	8
Diabetes mellitus (250)	5	3	2	3	2	1
Major cardiovascular diseases (390-448)	72	55	17	62	49	13
Diseases of the heart (390-398, 402, 404-429)	59	47	12	52	42	10
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	41	35	6	37	31	6
Other heart diseases (415-429)	17	12	5	15	11	4
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	11	6	5	8	5	3
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	2	2	-	2	2	-
Pneumonia and influenza (480-487)	10	6	4	7	5	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	4	2	2	2	1	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	7	5	2	6	6	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	3	-	3	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	1	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	1	1	2	1	1
All other disease (Residual)	43	23	20	37	19	18
Motor vehicle accidents (E810-E825)	58	41	17	50	37	13
All other accidents and adverse effects (E800-E807, E826-E949)	30	25	5	26	24	2
Suicide (E950-E959)	39	28	11	35	25	10
Homicide and legal intervention (E960-E978)	19	15	4	14	10	4
All other external causes (E980-E999)	5	4	1	5	4	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 36 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	35-39					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	155	79	76	168	91	77
Physician in hospital	153	78	75	163	86	77
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	2	1	1	5	5	-
Stillbirths	1	1	-	2	2	-
Physician in hospital	1	1	-	2	2	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	37	27	10	14	5	9
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	4	2	2	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	-	1	1	-	1
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	-	1	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	1	-	1
Diabetes mellitus (250)	2	1	1	-	-	-
Major cardiovascular diseases (390-448)	10	6	4	-	-	-
Diseases of the heart (390-398, 402, 404-429)	7	5	2	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	4	4	-	-	-	-
Other heart diseases (415-429)	2	1	1	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	3	1	2	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	1	-	2	-	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	1	-	1	-	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	3	1	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	4	4	-	2	-	2
Motor vehicle accidents (E810-E825)	5	4	1	3	2	1
All other accidents and adverse effects (E800-E807, E826-E949)	1	1	-	-	-	-
Suicide (E950-E959)	2	1	1	2	2	-
Homicide and legal intervention (E960-E978)	5	5	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	40-44					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	249	125	124	185	95	90
Physician in hospital	238	121	117	179	92	87
Physician not in hospital	2	-	2	-	-	-
Midwife, other, or unknown	9	4	5	6	3	3
Stillbirths	8	4	4	6	3	3
Physician in hospital	8	4	4	6	3	3
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	495	318	177	423	276	147
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	1	1	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	6	3	3	5	3	2
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	126	53	73	114	49	65
Malignant neoplasm of digestive organs and peritoneum (150-159)	25	12	13	22	11	11
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	32	15	17	30	13	17
Malignant neoplasm of breast (174-175)	21	1	20	21	1	20
Malignant neoplasm of genital organs (179-187)	8	1	7	5	1	4
Malignant neoplasm of urinary organs (188-189)	5	3	2	5	3	2
Leukemia (204-208)	3	2	1	3	2	1
Other malignant neoplasms (140-149, 170-173 190-203)	32	19	13	28	18	10
Diabetes mellitus (250)	5	3	2	2	1	1
Major cardiovascular diseases (390-448)	135	101	34	120	91	29
Diseases of the heart (390-398, 402, 404-429)	116	91	25	104	84	20
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	1	1	-	-	-	-
Ischemic heart disease (410-414)	86	73	13	81	70	11
Other heart diseases (415-429)	29	17	12	23	14	9
Hypertension with or without renal disease (401, 403)	1	-	1	1	-	1
Cerebrovascular disease (430-438)	17	10	7	14	7	7
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	1	-	1	1	-	1
Pneumonia and influenza (480-487)	5	3	2	5	3	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	3	2	4	2	2
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	17	12	5	15	12	3
Nephritis, nephrotic syndrome and nephrosis (580-589)	7	4	3	5	3	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	8	4	4	7	3	4
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	3	1	2	2	1	1
All other disease (Residual)	35	22	13	24	16	8
Motor vechile accidents (E810-E825)	48	38	10	43	35	8
All other accidents and adverse effects (E800-E807, E826-E949)	28	22	6	21	17	4
Suicide (E950-E959)	36	25	11	32	22	10
Homicide and legal intervention (E960-E978)	26	22	4	21	17	4
All other external causes (E980-E999)	4	1	3	2	-	2

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	40-44					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	32	13	19	32	17	15
Physician in hospital	28	13	15	31	16	15
Physician not in hospital	2	-	2	-	-	-
Midwife, other, or unknown	2	-	2	1	1	-
Stillbirths	-	-	-	2	1	1
Physician in hospital	-	-	-	2	1	1
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	44	26	18	28	16	12
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	-	1	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	7	2	5	5	2	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	2	-	2	1	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	2	2	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	-	1	2	-	2
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	2	-	2	2	1	1
Diabetes mellitus (250)	2	2	-	1	-	1
Major cardiovascular diseases (390-448)	9	5	4	6	5	1
Diseases of the heart (390-398, 402, 404-429)	8	4	4	4	3	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	1	1	-
Ischemic heart disease (410-414)	4	2	2	1	1	-
Other heart diseases (415-429)	4	2	2	2	1	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	1	1	-	2	2	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	1	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	2	-	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	1	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	1	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	1	-	1
All other disease (Residual)	8	5	3	3	1	2
Motor vechile accidents (E810-E825)	3	1	2	2	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	2	1	4	[illegible]	1
Suicide (E950-E959)	2	2	-	2	1	1
Homicide and legal intervention (E960-E978)	4	4	-	1	1	-
All other external causes (E980-E999)	2	1	1	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	45-49					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	10	3	7	10	3	7
Physician in hospital	8	2	6	8	2	6
Physician not in hospital	1	-	1	1	-	1
Midwife, other, or unknown	1	1	-	1	1	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	599	380	219	521	328	193
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	2	2	-	2	2	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	3	3	-	2	2	-
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	176	88	88	160	80	80
Malignant neoplasm of digestive organs and peritoneum (150-159)	29	13	16	25	11	14
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	59	41	18	54	37	17
Malignant neoplasm of breast (174-175)	23	-	23	22	-	22
Malignant neoplasm of genital organs (179-187)	15	1	14	15	1	14
Malignant neoplasm of urinary organs (188-189)	5	4	1	5	4	1
Leukemia (204-208)	3	-	3	1	-	1
Other malignant neoplasms (140-149, 170-173 190-203)	42	29	13	38	27	11
Diabetes mellitus (250)	7	5	2	5	4	1
Major cardiovascular diseases (390-448)	192	139	53	164	118	46
Diseases of the heart (390-398, 402, 404-429)	167	127	40	145	110	35
Rheumatic fever and rheumatic heart disease (390-398)	4	-	4	4	-	4
Hypertensive heart disease with or without renal disease (402, 404)	7	5	2	5	4	1
Ischemic heart disease (410-414)	113	92	21	100	80	20
Other heart diseases (415-429)	43	30	13	36	26	10
Hypertension with or without renal disease (401, 403)	2	1	1	1	-	1
Cerebrovascular disease (430-438)	20	11	9	17	8	9
Atherosclerosis (440)	1	-	1	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	2	-	2	1	-	1
Pneumonia and influenza (480-487)	12	5	7	10	5	5
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	1	3	4	1	3
Ulcer of stomach and duodenum (531-533)	1	-	1	1	-	1
Chronic liver disease and cirrhosis (571)	27	18	9	20	13	7
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	1	3	2	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	1	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	1	1	2	1	1
All other disease (Residual)	48	33	15	37	25	12
Motor vechile accidents (E810-E825)	42	26	16	41	25	16
All other accidents and adverse effects (E800-E807, E826-E949)	29	33	6	24	19	5
Suicide (E950-E959)	34	22	12	34	22	12
Homicide and legal intervention (E960-E978)	11	10	1	8	7	1
All other external causes (E980-E999)	4	2	2	4	2	2

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	45-49					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	50	33	17	28	19	9
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	1	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	11	6	5	5	2	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	2	1	1	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	3	1	1	1	-
Malignant neoplasm of breast (174-175)	1	-	1	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	1	-	1	1	-	1
Other malignant neoplasms (140-149, 170-173 190-203)	2	1	1	2	1	1
Diabetes mellitus (250)	2	1	1	-	-	-
Major cardiovascular diseases (390-448)	21	15	6	7	6	1
Diseases of the heart (390-398, 402, 404-429)	15	11	4	7	6	1
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	1	1	-	-	-
Ischemic heart disease (410-414)	9	8	1	4	4	-
Other heart diseases (415-429)	4	2	2	3	2	1
Hypertension with or without renal disease (401, 403)	1	1	-	-	-	-
Cerebrovascular disease (430-438)	3	3	-	-	-	-
Atherosclerosis (440)	1	-	1	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	1	-	1	-	-	-
Pneumonia and influenza (480-487)	-	-	-	2	-	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	-	2	5	5	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	2	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	9	7	2	2	1	1
Motor vechile accidents (E810-E825)	-	-	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	2	1	2	2	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	1	-	2	2	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	50-54					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	952	621	331	826	548	278
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	8	6	2	6	5	1
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	350	187	163	313	169	144
Malignant neoplasm of digestive organs and peritoneum (150-159)	47	25	22	42	24	18
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	157	105	52	143	97	46
Malignant neoplasm of breast (174-175)	37	-	37	36	-	36
Malignant neoplasm of genital organs (179-187)	20	1	19	15	-	15
Malignant neoplasm of urinary organs (188-189)	10	7	3	9	6	3
Leukemia (204-208)	8	6	2	7	5	2
Other malignant neoplasms (140-149, 170-173 190-203)	71	43	28	61	37	24
Diabetes mellitus (250)	12	7	5	8	5	3
Major cardiovascular diseases (390-448)	358	266	92	305	234	71
Diseases of the heart (390-398, 402, 404-429)	321	246	75	276	218	58
Rheumatic fever and rheumatic heart disease (390-398)	3	2	1	3	2	1
Hypertensive heart disease with or without renal disease (402, 404)	10	6	4	6	5	1
Ischemic heart disease (410-414)	219	172	47	191	155	36
Other heart diseases (415-429)	89	66	23	76	56	20
Hypertension with or without renal disease (401, 403)	1	-	1	-	-	-
Cerebrovascular disease (430-438)	31	16	15	25	13	12
Atherosclerosis (440)	1	1	-	1	1	-
Other diseases of arteries, arterioles and capillaries (441-448)	4	3	1	3	2	1
Pneumonia and influenza (480-487)	12	7	5	9	6	3
Chronic obstructive pulmonary disease and allied conditions (490-496)	20	9	11	18	8	10
Ulcer of stomach and duodenum (531-533)	4	3	1	4	3	1
Chronic liver disease and cirrhosis (571)	28	22	6	21	18	3
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	3	-	3	3	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	3	3	-	3	3	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	1	1	-	1	1	-
All other disease (Residual)	62	38	24	51	30	21
Motor vechile accidents (E810-E825)	39	27	12	35	24	11
All other accidents and adverse effects (E800-E807, E826-E949)	24	20	4	23	19	4
Suicide (E950-E959)	21	16	5	20	15	5
Homicide and legal intervention (E960-E978)	5	5	-	4	4	-
All other external causes (E980-E999)	2	1	1	2	1	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	50-54					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	82	40	42	44	33	11
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	2	1	1	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	24	9	15	13	9	4
Malignant neoplasm of digestive organs and peritoneum (150-159)	4	-	4	1	1	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	9	5	4	5	3	2
Malignant neoplasm of breast (174-175)	1	-	1	-	-	-
Malignant neoplasm of genital organs (179-187)	4	1	3	1	-	1
Malignant neoplasm of urinary organs (188-189)	-	-	-	1	1	-
Leukemia (204-208)	-	-	-	1	1	-
Other malignant neoplasms (140-149, 170-173 190-203)	6	3	3	4	3	1
Diabetes mellitus (250)	2	-	2	2	2	-
Major cardiovascular diseases (390-448)	37	21	16	16	11	5
Diseases of the heart (390-398, 402, 404-429)	31	19	12	14	9	5
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	4	1	3	-	-	-
Ischemic heart disease (410-414)	19	11	8	9	6	3
Other heart diseases (415-429)	8	7	1	5	3	2
Hypertension with or without renal disease (401, 403)	1	-	1	-	-	-
Cerebrovascular disease (430-438)	4	1	3	2	2	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	1	1	-	-	-	-
Pneumonia and influenza (480-487)	2	-	2	1	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	-	1	1	1	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	1	-	1	6	4	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	7	4	3	4	4	-
Motor vechile accidents (E810-E825)	4	3	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	1	1	-
Suicide (E950-E959)	1	1	-	-	-	-
Homicide and legal intervention (E960-E978)	1	1	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	55-59					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	1506	956	550	1325	848	477
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-013)	1	1	-	-	-	-
Syphilis (090-097)	1	-	1	1	-	1
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	11	6	5	9	5	4
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	533	312	221	474	280	194
Malignant neoplasm of digestive organs and peritoneum (150-159)	107	58	49	93	52	41
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	225	161	64	205	146	59
Malignant neoplasm of breast (174-175)	40	-	40	32	-	32
Malignant neoplasm of genital organs (179-187)	34	10	24	32	8	24
Malignant neoplasm of urinary organs (188-189)	10	7	3	8	6	2
Leukemia (204-208)	13	9	4	13	9	4
Other malignant neoplasms (140-149, 170-173 190-203)	104	67	37	91	59	32
Diabetes mellitus (250)	25	13	12	15	8	7
Major cardiovascular diseases (390-448)	600	407	193	534	368	166
Diseases of the heart (390-398, 402, 404-429)	529	370	159	471	334	137
Rheumatic fever and rheumatic heart disease (390-398)	6	2	4	4	1	3
Hypertensive heart disease with or without renal disease (402, 404)	11	8	3	9	6	3
Ischemic heart disease (410-414)	378	271	107	344	250	94
Other heart diseases (415-429)	134	89	45	114	77	37
Hypertension with or without renal disease (401, 403)	4	1	3	3	1	2
Cerebrovascular disease (430-438)	45	24	21	40	21	19
Atherosclerosis (440)	7	2	5	7	2	5
Other diseases of arteries, arterioles and capillaries (441-448)	15	10	5	13	10	3
Pneumonia and influenza (480-487)	18	12	6	15	9	6
Chronic obstructive pulmonary disease and allied conditions (490-496)	64	38	26	60	35	25
Ulcer of stomach and duodenum (531-533)	5	4	1	5	4	1
Chronic liver disease and cirrhosis (571)	25	15	10	20	12	8
Nephritis, nephrotic syndrome and nephrosis (580-589)	14	8	6	11	7	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	1	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	8	7	1	7	6	1
All other disease (Residual)	104	60	44	88	52	36
Motor vechile accidents (E810-E825)	28	20	8	24	16	8
All other accidents and adverse effects (E800-E807, E826-E949)	28	22	6	24	18	6
Suicide (E950-E959)	26	21	5	26	21	5
Homicide and legal intervention (E960-E978)	13	9	4	10	6	4
All other external causes (E980-E999)	1	-	1	1	-	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	55-59					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	125	78	47	56	30	26
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	1	1	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	2	1	1
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	44	26	18	15	6	9
Malignant neoplasm of digestive organs and peritoneum (150-159)	10	4	6	4	2	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	17	13	4	3	2	1
Malignant neoplasm of breast (174-175)	6	-	6	2	-	2
Malignant neoplasm of genital organs (179-187)	2	2	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	1	1	-	1	-	1
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	8	6	2	5	2	3
Diabetes mellitus (250)	3	2	1	7	3	4
Major cardiovascular diseases (390-448)	46	27	19	20	12	8
Diseases of the heart (390-398, 402, 404-429)	41	25	16	17	11	6
Rheumatic fever and rheumatic heart disease (390-398)	1	1	-	1	-	1
Hypertensive heart disease with or without renal disease (402, 404)	1	1	-	1	1	-
Ischemic heart disease (410-414)	22	13	9	12	8	4
Other heart diseases (415-429)	17	10	7	3	2	1
Hypertension with or without renal disease (401, 403)	1	-	1	-	-	-
Cerebrovascular disease (430-438)	2	2	-	3	1	2
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	2	-	2	-	-	-
Pneumonia and influenza (480-487)	3	3	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	2	-	2	1	1
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	3	1	2	2	2	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	1	1	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	1	1	-	-	-	-
All other disease (Residual)	11	5	6	5	3	2
Motor vechile accidents (E810-E825)	4	4	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	3	-	1	1	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	3	3	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	60-64					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	2244	1422	822	1994	1264	730
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-013)	2	2	-	2	2	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	23	11	12	18	10	8
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	758	433	325	689	391	298
Malignant neoplasm of digestive organs and peritoneum (150-159)	155	86	69	136	76	60
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	330	235	95	302	216	86
Malignant neoplasm of breast (174-175)	62	-	62	58	-	58
Malignant neoplasm of genital organs (179-187)	62	18	44	58	17	41
Malignant neoplasm of urinary organs (188-189)	18	15	3	14	11	3
Leukemia (204-208)	17	12	5	16	11	5
Other malignant neoplasms (140-149, 170-173 190-203)	114	67	47	105	60	45
Diabetes mellitus (250)	44	18	26	29	12	17
Major cardiovascular diseases (390-448)	960	658	302	861	594	267
Diseases of the heart (390-398, 402, 404-429)	810	575	235	735	524	211
Rheumatic fever and rheumatic heart disease (390-398)	9	2	7	9	2	7
Hypertensive heart disease with or without renal disease (402, 404)	15	10	5	13	9	4
Ischemic heart disease (410-414)	583	415	168	540	386	154
Other heart diseases (415-429)	203	148	55	173	127	46
Hypertension with or without renal disease (401, 403)	6	4	2	6	4	2
Cerebrovascular disease (430-438)	108	53	55	88	42	46
Atherosclerosis (440)	11	10	1	9	8	1
Other diseases of arteries, arterioles and capillaries (441-448)	25	16	9	23	16	7
Pneumonia and influenza (480-487)	26	19	7	23	17	6
Chronic obstructive pulmonary disease and allied conditions (490-496)	105	71	34	99	66	33
Ulcer of stomach and duodenum (531-533)	1	1	-	1	1	-
Chronic liver disease and cirrhosis (571)	32	22	10	27	20	7
Nephritis, nephrotic syndrome and nephrosis (580-589)	26	15	11	17	9	8
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	4	2	2	3	1	2
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	13	8	5	10	6	4
All other disease (Residual)	148	87	61	125	71	54
Motor vechile accidents (E810-E825)	34	25	9	32	23	9
All other accidents and adverse effects (E800-E807, E826-E949)	35	28	7	29	23	6
Suicide (E950-E959)	23	16	7	22	15	7
Homicide and legal intervention (E960-E978)	8	5	3	6	3	3
All other external causes (E980-E999)	2	1	1	1	-	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	60-64					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	164	104	60	86	54	32
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	4	1	3	1	-	1
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	46	30	16	23	12	11
Malignant neoplasm of digestive organs and peritoneum (150-159)	12	8	4	7	2	5
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	23	16	7	5	3	2
Malignant neoplasm of breast (174-175)	3	-	3	1	-	1
Malignant neoplasm of genital organs (179-187)	3	1	2	1	-	1
Malignant neoplasm of urinary organs (188-189)	2	2	-	2	2	-
Leukemia (204-208)	1	1	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	2	2	-	7	5	2
Diabetes mellitus (250)	9	3	6	6	3	3
Major cardiovascular diseases (390-448)	68	43	25	31	21	10
Diseases of the heart (390-398, 402, 404-429)	52	34	18	23	17	6
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	1	1	-	-	-
Ischemic heart disease (410-414)	29	18	11	14	11	3
Other heart diseases (415-429)	21	15	6	9	6	3
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	14	9	5	6	2	4
Atherosclerosis (440)	-	-	-	2	2	-
Other diseases of arteries, arterioles and capillaries (441-448)	2	-	2	-	-	-
Pneumonia and influenza (480-487)	1	1	-	2	1	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	4	3	1	2	2	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	2	1	1	3	1	2
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	3	1	5	3	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	1	1	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	1	1	1	1	-
All other disease (Residual)	16	11	5	7	5	2
Motor vechile accidents (E810-E825)	2	2	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	1	1	4	4	-
Suicide (E950-E959)	1	1	-	-	-	-
Homicide and legal intervention (E960-E978)	2	2	-	-	-	-
All other external causes (E980-E999)	1	1	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	65-69					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	2670	1625	1045	2406	1481	925
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	2	-	2	2	-	2
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	25	18	7	22	17	5
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	837	485	352	767	451	316
Malignant neoplasm of digestive organs and peritoneum (150-159)	188	109	79	169	98	71
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	309	234	75	291	220	71
Malignant neoplasm of breast (174-175)	60	-	60	51	-	51
Malignant neoplasm of genital organs (179-187)	84	34	50	76	32	44
Malignant neoplasm of urinary organs (188-189)	30	17	13	29	17	12
Leukemia (204-208)	23	14	9	21	12	9
Other malignant neoplasms (140-149, 170-173 190-203)	143	77	66	130	72	58
Diabetes mellitus (250)	55	23	32	37	16	21
Major cardiovascular diseases (390-448)	1216	772	444	1096	702	394
Diseases of the heart (390-398, 402, 404-429)	1021	666	357	917	605	312
Rheumatic fever and rheumatic heart disease (390-398)	10	3	7	10	3	7
Hypertensive heart disease with or without renal disease (402, 404)	15	7	8	12	5	7
Ischemic heart disease (410-414)	762	505	257	686	461	225
Other heart diseases (415-429)	234	151	83	209	136	73
Hypertension with or without renal disease (401, 403)	3	3	-	2	2	-
Cerebrovascular disease (430-438)	148	74	74	134	66	68
Atherosclerosis (440)	10	6	4	10	6	4
Other diseases of arteries, arterioles and capillaries (441-448)	34	23	11	33	23	10
Pneumonia and influenza (480-487)	49	36	13	46	35	11
Chronic obstructive pulmonary disease and allied conditions (490-496)	145	99	46	138	93	45
Ulcer of stomach and duodenum (531-533)	8	6	2	7	6	1
Chronic liver disease and cirrhosis (571)	30	13	17	27	12	15
Nephritis, nephrotic syndrome and nephrosis (580-589)	37	18	19	33	15	18
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	4	2	2	4	2	2
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	10	4	6	9	3	6
All other disease (Residual)	161	79	82	141	70	71
Motor vechile accidents (E810-E825)	31	19	12	26	15	11
All other accidents and adverse effects (E800-E807, E826-E949)	33	28	5	27	24	3
Suicide (E950-E959)	19	17	2	17	15	2
Homicide and legal intervention (E960-E978)	7	5	2	6	4	2
All other external causes (E980-E999)	1	1	-	1	1	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	65-69					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	172	97	75	92	47	45
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	-	1	2	1	1
Malignant neoplasms, including neoplasms of Lymphatic and hematopoietic tissues (140-208)	47	24	23	23	10	13
Malignant neoplasm of digestive organs and peritoneum (150-159)	11	6	5	8	5	3
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	14	11	3	4	3	1
Malignant neoplasm of breast (174-175)	6	-	6	3	-	3
Malignant neoplasm of genital organs (179-187)	5	1	4	3	1	2
Malignant neoplasm of urinary organs (188-189)	-	-	-	1	-	1
Leukemia (204-208)	1	1	-	1	1	-
Other malignant neoplasms (140-149, 170-173 190-203)	10	5	5	3	-	3
Diabetes mellitus (250)	7	3	4	11	4	7
Major cardiovascular diseases (390-448)	86	52	34	34	18	16
Diseases of the heart (390-398, 402, 404-429)	72	44	28	32	17	15
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	2	1	1	1	1	-
Ischemic heart disease (410-414)	51	31	20	25	13	12
Other heart diseases (415-429)	19	12	7	6	3	3
Hypertension with or without renal disease (401, 403)	1	1	-	-	-	-
Cerebrovascular disease (430-438)	13	7	6	1	1	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	1	-	1
Pneumonia and influenza (480-487)	1	-	1	2	1	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	3	-	4	3	1
Ulcer of stomach and duodenum (531-533)	1	-	1	-	-	-
Chronic liver disease and cirrhosis (571)	1	-	1	2	1	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	2	1	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	1	1	-	-	-	-
All other disease (Residual)	11	3	8	9	6	3
Motor vehicle accidents (E810-E825)	3	3	-	2	1	1
All other accidents and adverse effects (E800-E807, E826-E949)	4	3	1	2	1	1
Suicide (E950-E959)	2	2	-	-	-	-
Homicide and legal intervention (E960-E978)	1	1	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	70-74					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	3651	2187	1464	3376	2061	1315
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	34	19	15	29	17	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1004	600	404	914	547	367
Malignant neoplasm of digestive organs and peritoneum (150-159)	238	134	104	205	115	90
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	330	244	86	307	227	80
Malignant neoplasm of breast (174-175)	79	2	77	74	2	72
Malignant neoplasm of genital organs (179-187)	96	58	38	88	53	35
Malignant neoplasm of urinary organs (188-189)	63	44	19	55	39	16
Leukemia (204-208)	39	26	13	37	26	11
Other malignant neoplasms (140-149, 170-173, 190-203)	159	92	67	148	85	63
Diabetes mellitus (250)	56	23	33	40	16	24
Major cardiovascular diseases (390-448)	1805	1061	744	1641	977	664
Diseases of the heart (390-398, 402, 404-429)	1470	874	596	1345	811	534
Rheumatic fever and rheumatic heart disease (390-398)	8	2	6	3	2	1
Hypertensive heart disease with or without renal disease (402, 404)	33	12	21	18	7	11
Ischemic heart disease (410-414)	1085	659	426	1012	619	393
Other heart diseases (415-429)	344	201	143	308	183	125
Hypertension with or without renal disease (401, 403)	11	8	3	9	8	1
Cerebrovascular disease (430-438)	247	131	116	218	113	105
Atherosclerosis (440)	27	14	13	23	12	11
Other diseases of arteries, arterioles and capillaries (441-448)	50	34	16	48	32	16
Pneumonia and influenza (480-487)	98	65	33	91	59	32
Chronic obstructive pulmonary disease and allied conditions (490-496)	223	164	59	214	156	58
Ulcer of stomach and duodenum (531-533)	13	7	6	13	7	6
Chronic liver disease and cirrhosis (571)	23	16	7	21	15	6
Nephritis, nephrotic syndrome and nephrosis (580-589)	39	28	11	34	25	9
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	2	1	1	2	1	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	17	8	9	15	7	8
All other disease (Residual)	242	132	110	216	117	99
Motor vehicle accidents (E810-E825)	32	20	12	29	17	12
All other accidents and adverse effects (E800-E807, E826-E949)	34	19	15	28	16	12
Suicide (E950-E959)	22	19	3	22	19	3
Homicide and legal intervention (E960-E978)	5	5	-	4	4	-
All other external causes (E980-E999)	2	-	2	2	-	2

Table XI

Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	70-74					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	227	125	102	108	61	47
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	4	2	2	1	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	59	35	24	31	18	13
Malignant neoplasm of digestive organs and peritoneum (150-159)	22	13	9	11	6	5
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	13	10	3	10	7	3
Malignant neoplasm of breast (174-175)	4	-	4	1	-	1
Malignant neoplasm of genital organs (179-187)	7	4	3	1	1	-
Malignant neoplasm of urinary organs (188-189)	4	3	1	4	2	2
Leukemia (204-208)	2	-	2	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	7	5	2	4	2	2
Diabetes mellitus (250)	10	4	6	6	3	3
Major cardiovascular diseases (390-448)	111	54	57	53	30	23
Diseases of the heart (390-398, 402, 404-429)	84	42	42	41	21	20
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	1	-	1
Hypertensive heart disease with or without renal disease (402, 404)	10	2	8	5	3	2
Ischemic heart disease (410-414)	47	28	19	26	12	14
Other heart diseases (415-429)	27	12	15	9	6	3
Hypertension with or without renal disease (401, 403)	1	-	1	1	1	-
Cerebrovascular disease (430-438)	22	10	12	9	6	3
Atherosclerosis (440)	3	1	2	1	1	-
Other diseases of arteries, arterioles and capillaries (441-448)	1	1	-	1	1	-
Pneumonia and influenza (480-487)	5	4	1	2	2	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	7	6	1	2	2	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	1	-	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	4	3	1	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	1	1	-	-	-
All other disease (Residual)	18	11	7	8	4	4
Motor vechile accidents (E810-E825)	2	2	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	5	3	2	1	-	1
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	1	1	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	75-79					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	4050	2152	1898	3715	1877	1838
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	7	6	1	6	5	1
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	30	14	16	25	13	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	867	489	378	795	443	352
Malignant neoplasm of digestive organs and peritoneum (150-159)	247	131	116	230	120	110
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	221	157	64	207	146	61
Malignant neoplasm of breast (174-175)	47	-	47	42	-	42
Malignant neoplasm of genital organs (179-187)	115	78	37	96	62	34
Malignant neoplasm of urinary organs (188-189)	34	18	16	32	17	15
Leukemia (204-208)	34	20	14	32	19	13
Other malignant neoplasms (140-149, 170-173, 190-203)	169	85	84	156	79	77
Diabetes mellitus (250)	69	26	43	55	21	34
Major cardiovascular diseases (390-448)	2142	1088	1054	1961	997	964
Diseases of the heart (390-398, 402, 404-429)	1635	854	781	1498	777	721
Rheumatic fever and rheumatic heart disease (390-398)	10	3	7	9	2	7
Hypertensive heart disease with or without renal disease (402, 404)	34	8	26	26	4	22
Ischemic heart disease (410-414)	1198	643	555	1111	594	517
Other heart diseases (415-429)	393	200	193	352	177	175
Hypertension with or without renal disease (401, 403)	10	2	8	10	2	8
Cerebrovascular disease (430-438)	403	177	226	367	165	202
Atherosclerosis (440)	51	27	24	48	26	22
Other diseases of arteries, arterioles and capillaries (441-448)	43	28	15	38	27	11
Pneumonia and influenza (480-487)	140	87	53	132	81	51
Chronic obstructive pulmonary disease and allied conditions (490-496)	223	148	75	215	142	73
Ulcer of stomach and duodenum (531-533)	19	7	12	19	7	12
Chronic liver disease and cirrhosis (571)	18	8	10	16	7	9
Nephritis, nephrotic syndrome and nephrosis (580-589)	64	35	29	57	34	23
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	-	1	1	-	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	16	7	9	16	7	9
All other disease (Residual)	345	173	172	313	159	154
Motor vehicle accidents (E810-E825)	43	26	17	42	26	16
All other accidents and adverse effects (E800-E807, E826-E949)	46	24	22	43	22	21
Suicide (E950-E959)	17	12	5	17	12	5
Homicide and legal intervention (E960-E978)	3	2	1	2	1	1
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	75-79					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	215	105	110	120	70	50
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	3	1	2	2	-	2
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	47	29	18	25	17	8
Malignant neoplasm of digestive organs and peritoneum (150-159)	14	9	5	3	2	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	9	6	3	5	5	-
Malignant neoplasm of breast (174-175)	3	-	3	2	-	2
Malignant neoplasm of genital organs (179-187)	10	9	1	9	7	2
Malignant neoplasm of urinary organs (188-189)	1	-	1	1	1	-
Leukemia (204-208)	2	1	1	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	8	4	4	5	2	3
Diabetes mellitus (250)	6	2	4	8	3	5
Major cardiovascular diseases (390-448)	117	54	63	64	37	27
Diseases of the heart (390-398, 402, 404-429)	85	43	42	52	34	18
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	1	1	-
Hypertensive heart disease with or without renal disease (402, 404)	4	2	2	4	2	2
Ischemic heart disease (410-414)	56	28	28	31	21	10
Other heart diseases (415-429)	25	13	12	16	10	6
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	28	10	18	8	2	6
Atherosclerosis (440)	3	1	2	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	1	-	1	4	1	3
Pneumonia and influenza (480-487)	7	5	2	1	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	3	2	3	3	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	2	1	1
Nephritis, nephrotic syndrome and nephrosis (580-589)	6	1	5	1	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	20	7	13	12	7	5
Motor vechile accidents (E810-E825)	1	-	1	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	2	-	1	-	1
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	1	1	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	80-84					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	4012	1803	2209	3690	1663	2027
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	1	1	-	1	1	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	37	13	24	34	12	22
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	656	346	310	594	316	278
Malignant neoplasm of digestive organs and peritoneum (150-159)	195	84	111	176	77	99
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	150	108	42	142	102	40
Malignant neoplasm of breast (174-175)	39	-	39	35	-	35
Malignant neoplasm of genital organs (179-187)	93	67	28	80	55	25
Malignant neoplasm of urinary organs (188-189)	47	23	24	40	20	20
Leukemia (204-208)	30	13	17	28	13	15
Other malignant neoplasms (140-149, 170-173 190-203)	102	51	51	93	49	44
Diabetes mellitus (250)	65	21	44	52	16	36
Major cardiovascular diseases (390-448)	2368	1008	1360	2193	934	1259
Diseases of the heart (390-398, 402, 404-429)	1715	750	965	1591	695	896
Rheumatic fever and rheumatic heart disease (390-398)	2	-	2	2	-	2
Hypertensive heart disease with or without renal disease (402, 404)	24	12	12	20	10	10
Ischemic heart disease (410-414)	1223	553	670	1140	515	625
Other heart diseases (415-429)	466	185	281	429	170	259
Hypertension with or without renal disease (401, 403)	11	5	6	10	5	5
Cerebrovascular disease (430-438)	516	198	318	477	185	292
Atherosclerosis (440)	88	36	52	80	33	47
Other diseases of arteries, arterioles and capillaries (441-448)	38	19	19	35	16	19
Pneumonia and influenza (480-487)	172	75	97	156	67	89
Chronic obstructive pulmonary disease and allied conditions (490-496)	138	91	47	131	89	42
Ulcer of stomach and duodenum (531-533)	12	4	8	11	4	7
Chronic liver disease and cirrhosis (571)	23	9	14	23	9	14
Nephritis, nephrotic syndrome and nephrosis (580-589)	76	35	41	65	29	36
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	2	1	1	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	29	10	19	28	10	18
All other disease (Residual)	344	142	202	315	130	185
Motor vechile accidents (E810-E825)	21	12	9	21	12	9
All other accidents and adverse effects (E800-E807, E826-E949)	51	22	29	49	21	28
Suicide (E950-E959)	12	9	3	12	9	3
Homicide and legal intervention (E960-E978)	4	3	1	4	3	1
All other external causes (E980-E999)	1	1	-	1	1	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	80-84					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	214	93	121	108	47	61
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	-	1	2	1	1
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	40	20	20	22	10	12
Malignant neoplasm of digestive organs and peritoneum (150-159)	13	5	8	6	2	4
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	4	3	1	4	3	1
Malignant neoplasm of breast (174-175)	4	-	4	-	-	-
Malignant neoplasm of genital organs (179-187)	11	10	1	2	2	-
Malignant neoplasm of urinary organs (188-189)	4	2	2	3	1	2
Leukemia (204-208)	1	-	1	1	-	1
Other malignant neoplasms (140-149, 170-173 190-203)	3	-	3	6	2	4
Diabetes mellitus (250)	11	4	7	2	1	1
Major cardiovascular diseases (390-448)	113	44	69	62	30	32
Diseases of the heart (390-398, 402, 404-429)	80	32	48	44	23	21
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	3	1	2	1	1	-
Ischemic heart disease (410-414)	53	24	29	30	14	16
Other heart diseases (415-429)	24	7	17	13	8	5
Hypertension with or without renal disease (401, 403)	1	-	1	-	-	-
Cerebrovascular disease (430-438)	26	9	17	13	4	9
Atherosclerosis (440)	5	2	3	3	1	2
Other diseases of arteries, arterioles and capillaries (441-448)	1	1	-	2	2	-
Pneumonia and influenza (480-487)	6	5	1	10	3	7
Chronic obstructive pulmonary disease and allied conditions (490-496)	5	1	4	2	1	1
Ulcer of stomach and duodenum (531-533)	1	-	1	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	11	6	5	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	1	-	1	-	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	1	-	1	-	-	-
All other disease (Residual)	22	11	11	7	1	6
Motor vechile accidents (E810-E825)	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	1	1	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	85-89					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	3221	1207	2014	3009	1120	1889
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	1	1	-	1	1	-
Syphilis (090-097)	1	-	1	1	-	1
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	33	16	17	32	16	16
Malignant neoplasms, including neoplasm of lymphatic and hematopoietic tissues (140-208)	383	172	211	351	158	193
Malignant neoplasm of digestive organs and peritoneum (150-159)	116	31	85	100	26	74
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	64	46	18	60	42	18
Malignant neoplasm of breast (174-175)	23	-	23	21	-	21
Malignant neoplasm of genital organs (179-187)	67	44	23	61	39	22
Malignant neoplasm of urinary organs (188-189)	24	12	12	23	12	11
Leukemia (204-208)	20	11	9	20	11	9
Other malignant neoplasms (140-149, 170-173 190-203)	69	28	41	66	28	38
Diabetes mellitus (250)	38	11	27	35	10	25
Major cardiovascular diseases (390-448)	2029	708	1321	1901	660	1241
Diseases of the heart (390-398, 402, 404-429)	1456	533	923	1375	502	873
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	1	-	1
Hypertensive heart disease with or without renal disease (402, 404)	33	14	19	30	13	~~17~~
Ischemic heart disease (410-414)	972	359	613	916	338	578
Other heart diseases (415-429)	450	160	290	428	151	277
Hypertension with or without renal disease (401, 403)	9	2	7	8	2	6
Cerebrovascular disease (430-438)	443	133	310	405	122	283
Atherosclerosis (440)	84	23	61	79	20	59
Other diseases of arteries, arterioles and capillaries (441-448)	37	17	20	34	14	20
Pneumonia and influenza (480-487)	182	75	107	170	68	102
Chronic obstructive pulmonary disease and allied conditions (490-496)	72	49	23	69	47	22
Ulcer of stomach and duodenum (531-533)	9	2	7	7	2	5
Chronic liver disease and cirrhosis (571)	7	1	6	6	1	5
Nephritis, nephrotic syndrome and nephrosis (580-589)	68	27	41	65	26	39
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	1	-	1	1	-	1
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	30	7	23	29	7	22
All other disease (Residual)	303	113	190	280	100	180
Motor vechile accidents (E810-E825)	9	7	2	8	6	2
All other accidents and adverse effects (E800-E807, E826-E949)	50	15	35	48	15	33
Suicide (E950-E959)	4	3	1	4	3	1
Homicide and legal intervention (E960-E978)	1	-	1	1	-	1
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	85-89					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	155	63	92	57	24	33
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	-	1	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	23	11	12	9	3	6
Malignant neoplasm of digestive organs and peritoneum (150-159)	10	4	6	6	1	5
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	3	-	1	1	-
Malignant neoplasm of breast (174-175)	2	-	2	-	-	-
Malignant neoplasm of genital organs (179-187)	5	4	1	1	1	-
Malignant neoplasm of urinary organs (188-189)	1	-	1	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	2	-	2	1	-	1
Diabetes mellitus (250)	2	1	1	1	-	1
Major cardiovascular diseases (390-448)	95	33	62	33	15	18
Diseases of the heart (390-398, 402, 404-429)	60	22	38	21	9	12
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	3	1	2	-	-	-
Ischemic heart disease (410-414)	41	14	27	15	7	8
Other heart diseases (415-429)	16	7	9	6	2	4
Hypertension with or without renal disease (401, 403)	1	-	1	-	-	-
Cerebrovascular disease (430-438)	27	6	21	11	5	6
Atherosclerosis (440)	5	3	2	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	2	2	-	1	1	-
Pneumonia and influenza (480-487)	9	7	2	3	-	3
Chronic obstructive pulmonary disease and allied conditions (490-496)	2	1	1	1	1	-
Ulcer of stomach and duodenum (531-533)	1	-	1	1	-	1
Chronic liver disease and cirrhosis (571)	1	-	1	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	3	1	2	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	1	-	1	-	-	-
All other disease (Residual)	15	8	7	8	5	3
Motor vechile accidents (E810-E825)	1	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	-	1	1	-	1
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	90-94					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	1845	611	1234	1718	560	1158
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	5	3	2	5	3	2
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	20	8	12	20	8	12
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	152	66	86	136	58	78
Malignant neoplasm of digestive organs and peritoneum (150-159)	61	18	43	54	16	38
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	15	12	3	11	8	3
Malignant neoplasm of breast (174-175)	10	-	10	7	-	7
Malignant neoplasm of genital organs (179-187)	26	20	6	24	18	6
Malignant neoplasm of urinary organs (188-189)	4	3	1	4	3	1
Leukemia (204-208)	5	2	3	5	2	3
Other malignant neoplasms (140-149, 170-173 190-203)	31	11	20	31	11	20
Diabetes mellitus (250)	23	7	16	21	6	15
Major cardiovascular diseases (390-448)	1211	347	864	1129	320	809
Diseases of the heart (390-398, 402, 404-429)	866	265	601	810	244	566
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	1	-	1
Hypertensive heart disease with or without renal disease (402, 404)	18	3	15	18	3	15
Ischemic heart disease (410-414)	546	177	369	514	165	349
Other heart diseases (415-429)	301	85	216	277	76	201
Hypertension with or without renal disease (401, 403)	9	2	7	6	1	5
Cerebrovascular disease (430-438)	255	55	200	237	50	187
Atherosclerosis (440)	61	19	42	58	19	39
Other diseases of arteries, arterioles and capillaries (441-448)	20	6	14	18	6	12
Pneumonia and influenza (480-487)	123	48	75	117	45	72
Chronic obstructive pulmonary disease and allied conditions (490-496)	29	23	6	29	23	6
Ulcer of stomach and duodenum (531-533)	8	1	7	8	1	7
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	40	19	21	38	18	20
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	21	6	15	20	5	15
All other disease (Residual)	177	67	110	163	59	104
Moter vechile accidents (E810-E825)	2	2	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	31	11	20	28	10	18
Suicide (E950-E959)	2	2	-	2	2	-
Homicide and legal intervention (E960-E978)	1	1	-	1	1	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	90-94					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	88	37	51	39	14	25
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	13	7	6	3	1	2
Malignant neoplasm of digestive organs and peritoneum (150-159)	6	2	4	1	-	1
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	3	3	-	1	1	-
Malignant neoplasm of breast (174-175)	2	-	2	1	-	1
Malignant neoplasm of genital organs (179-187)	2	2	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	1	-	1	1	1	-
Major cardiovascular diseases (390-448)	55	18	37	27	9	18
Diseases of the heart (390-398, 402, 404-429)	37	15	22	19	6	13
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	21	9	12	11	3	8
Other heart diseases (415-429)	16	6	10	8	3	5
Hypertension with or without renal disease (401, 403)	3	1	2	-	-	-
Cerebrovascular disease (430-438)	13	2	11	5	3	2
Atherosclerosis (440)	1	-	1	2	-	2
Other diseases of arteries, arterioles and capillaries (441-448)	1	-	1	1	-	1
Pneumonia and influenza (480-487)	2	1	1	4	2	2
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	1	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	1	1	-	-	-	-
All other disease (Residual)	11	7	4	3	1	2
Motor vechile accidents (E810-E825)	1	1	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	1	1	1	-	1
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	95-99					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	674	172	502	622	155	467
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	4	1	3	4	1	3
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	34	12	22	30	10	20
Malignant neoplasm of digestive organs and peritoneum (150-159)	12	5	7	12	5	7
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	5	3	2	4	2	2
Malignant neoplasm of breast (174-175)	4	-	4	4	-	4
Malignant neoplasm of genital organs (179-187)	5	2	3	4	1	3
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	1	-	1	1	-	1
Other malignant neoplasms (140-149, 170-173 190-203)	7	2	5	5	2	3
Diabetes mellitus (250)	7	-	7	7	-	7
Major cardiovascular diseases (390-448)	464	113	351	430	103	327
Diseases of the heart (390-398, 402, 404-429)	317	82	235	294	73	221
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	6	1	5	6	1	5
Ischemic heart disease (410-414)	190	51	139	174	45	129
Other heart diseases (415-429)	121	30	91	114	27	87
Hypertension with or without renal disease (401, 403)	2	2	-	2	2	-
Cerebrovascular disease (430-438)	99	19	80	91	18	73
Atherosclerosis (440)	41	10	31	39	10	29
Other diseases of arteries, arterioles and capillaries (441-448)	5	-	5	4	-	4
Pneumonia and influenza (480-487)	50	13	37	46	12	34
Chronic obstructive pulmonary disease and allied conditions (490-496)	3	1	2	3	1	2
Ulcer of stomach and duodenum (531-533)	4	2	2	3	1	2
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	13	5	8	12	4	8
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	13	3	10	11	2	9
All other disease (Residual)	69	19	50	64	18	46
Motor vechile accidents (E810-E825)	1	1	-	1	1	-
All other accidents and adverse effects (E800-E807, E826-E949)	12	2	10	11	2	9
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	95-99					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	38	15	23	14	2	12
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	4	2	2	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	1	1	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	1	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	2	-	2	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	24	9	15	10	1	9
Diseases of the heart (390-398, 402, 404-429)	17	8	9	6	1	5
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	11	5	6	5	1	4
Other heart diseases (415-429)	6	3	3	1	-	1
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	5	1	4	3	-	3
Atherosclerosis (440)	2	-	2	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	1	-	1
Pneumonia and influenza (480-487)	3	1	2	1	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	1	1	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	1	1	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	1	1	-	-	-
All other disease (Residual)	4	1	3	1	-	1
Motor vechile accidents (E810-E825)	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	1	-	1
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	100 or More					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	122	31	91	102	23	79
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)		-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	1	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	7	3	4	5	2	3
Malignant neoplasm of digestive organs and peritoneum (150-159)	3	1	2	2	-	2
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	-	1	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	3	2	1	3	2	1
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	93	21	72	80	17	63
Diseases of the heart (390-398, 402, 404-429)	66	16	50	57	13	44
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	43	10	33	38	8	30
Other heart diseases (415-429)	22	6	16	19	5	14
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	22	5	17	19	4	15
Atherosclerosis (440)	4	-	4	3	-	3
Other diseases of arteries, arterioles and capillaries (441-448)	1	-	1	1	-	1
Pneumonia and influenza (480-487)	7	-	7	5	-	5
Chronic obstructive pulmonary disease and allied conditions (490-496)	1	-	1	1	-	1
Ulcer of stomach and duodenum (531-533)	1	1	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	2	1	1	2	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	2	-	2	2	-	2
All other disease (Residual)	6	2	4	5	1	4
Motor vechile accidents (E810-E825)	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	2	2	-	2	2	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes
By Age, Race and Sex, Oklahoma, 1984

	100 or More					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	-	-	-	-	-	-
Physician in hospital	-	-	-	-	-	-
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	19	8	11	1	-	1
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	1	1	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2	1	1	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	1	1	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	1	-	1	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	13	4	9	-	-	-
Diseases of the heart (390-398, 402, 404-429)	9	3	6	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	1	-	1	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	5	2	3	-	-	-
Other heart diseases (415-429)	3	1	2	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	3	1	2	-	-	-
Atherosclerosis (440)	1	-	1	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	-	1	1	-	1
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	1	1	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	1	1	-	-	-	-
Motor vechile accidents (E810-E825)	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	-	-	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	-	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1981

	Unknown					
	TOTAL			WHITE		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	10	4	6	6	2	4
Physician in hospital	10	4	6	6	2	4
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	29	13	16	24	12	12
Physician in hospital	27	11	16	23	11	12
Physician not in hospital	2	2	-	1	1	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	35	32	3	30	28	2
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173, 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5	5	-	2	2	-
Diseases of the heart (390-398, 402, 404-429)	4	4	-	1	1	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	3	3	-	-	-	-
Other heart diseases (415-429)	1	1	-	1	1	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	1	1	-	1	1	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	1	1	-	1	1	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	-	-	-	-	-	-
Motor vehicle accidents (E810-E825)	21	21	-	21	21	-
All other accidents and adverse effects (E800-E807, E826-E949)	3	1	2	2	1	1
Suicide (E950-E959)	2	2	-	1	1	-
Homicide and legal intervention (E960-E978)	1	1	-	1	1	-
All other external causes (E980-E999)	2	1	1	2	1	1

Table XI
Resident Births, Fetal Deaths (Stillbirths), Deaths by 34 Selected Causes By Age, Race and Sex, Oklahoma, 1984

	Unknown					
	BLACK			INDIAN		
	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
Live Births	3	2	1	1	-	1
Physician in hospital	3	2	1	1	-	1
Physician not in hospital	-	-	-	-	-	-
Midwife, other, or unknown	-	-	-	-	-	-
Stillbirths	3	-	3	2	1	1
Physician in hospital	3	-	3	1	-	1
Physician not in hospital	-	-	-	1	1	-
Midwife, other, or unknown	-	-	-	-	-	-
Total deaths, all causes	5	4	1	-	-	-
Deaths under 1 year	-	-	-	-	-	-
Deaths under 1 month	-	-	-	-	-	-
Tuberculosis (010-018)	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-
Residual of infectious and parasitic diseases (001-009, 020-088, 098-139)	-	-	-	-	-	-
Malignant neoplasms, including neoplasm of Lymphatic and hematopoietic tissues (140-208)	-	-	-	-	-	-
Malignant neoplasm of digestive organs and peritoneum (150-159)	-	-	-	-	-	-
Malignant neoplasm of respiratory and intrathoracic organs (160-165)	-	-	-	-	-	-
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-
Malignant neoplasm of genital organs (179-187)	-	-	-	-	-	-
Malignant neoplasm of urinary organs (188-189)	-	-	-	-	-	-
Leukemia (204-208)	-	-	-	-	-	-
Other malignant neoplasms (140-149, 170-173 190-203)	-	-	-	-	-	-
Diabetes mellitus (250)	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	3	3	-	-	-	-
Diseases of the heart (390-398, 402, 404-429)	3	3	-	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-
Hypertensive heart disease with or without renal disease (402, 404)	-	-	-	-	-	-
Ischemic heart disease (410-414)	3	3	-	-	-	-
Other heart diseases (415-429)	-	-	-	-	-	-
Hypertension with or without renal disease (401, 403)	-	-	-	-	-	-
Cerebrovascular disease (430-438)	-	-	-	-	-	-
Atherosclerosis (440)	-	-	-	-	-	-
Other diseases of arteries, arterioles and capillaries (441-448)	-	-	-	-	-	-
Pneumonia and influenza (480-487)	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions (490-496)	-	-	-	-	-	-
Ulcer of stomach and duodenum (531-533)	-	-	-	-	-	-
Chronic liver disease and cirrhosis (571)	-	-	-	-	-	-
Nephritis, nephrotic syndrome and nephrosis (580-589)	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-
Congenital anomalies (740-759)	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-
Symptoms, signs and ill-defined conditions (780-799)	-	-	-	-	-	-
All other disease (Residual)	-	-	-	-	-	-
Motor vechile accidents (E810-E825)	-	-	-	-	-	-
All other accidents and adverse effects (E800-E807, E826-E949)	1	1	-	-	-	-
Suicide (E950-E959)	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	1	-	1	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-

Table XII
LEADING CAUSES OF DEATHS, NUMBER AND RANK, BY RACE AND SEX, OKLAHOMA, 1984

CAUSE OF DEATH	TOTAL		SEX				RACE					
			MALE		FEMALE		WHITE		BLACK		INDIAN	
	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK
Diseases of the Heart	10648	1	5566	1	5082	1	9748	1	616	1	284	1
Malignant Neoplasms	6085	2	3347	2	2738	2	5523	2	380	2	182	2
Cerebrovascular Disease	2387	3	925	4	1462	3	2156	3	167	3	64	4
Accidents of All Types	1560	4	1081	3	479	4	1371	4	118	4	71	3
Chronic Obstructive Pulmonary Disease	1045	5	706	5	339	6	993	5	32	8	20	7
Pneumonia and Influenza	925	6	466	6	459	5	850	6	42	6	33	6
Suicide	444	7	349	7	95	10	416	7	17	10	11	8.5
Diabetes Mellitus	424	8	166	9	258	7	320	10	58	5	46	5
Nephritis, Nephrotic and Nephrosis Syndrome	401	9	206	8	195	9	352	9	38	7	11	8.5
Arteriosclerosis	386	10	148	10	238	8	357	8	21	9	8	10

Table XIII
LEADING CAUSES OF DEATH, NUMBER AND RANK, BY AGE, OKLAHOMA, 1984

CAUSES OF DEATHS	AGE													
	ALL AGES		-5		5 - 24		25 - 44		45 - 64		65 - 84		85+	
	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK	NUMBER	RANK
Diseases of the Heart	10648	1	20	2	24	4	231	3	1827	1	5841	1	2705	1
Malignant Neoplasms	6085	2	13	3	50	3	265	2	1817	2	3364	2	576	3
Cerebrovascular Disease	2387	3	4	5	8	5	38	5	204	4	1314	3	819	2
Accidents of All Types	1560	4	71	1	386	1	446	1	259	3	291	6	107	7
Chronic Obstructive Pulmonary Disease	1045	5	3	6	5	6.5	10	9	193	5	729	4	105	8
Pneumonia and Influenza	925	6	10	4	5	6.5	21	6	68	8	459	5	362	4
Suicide	444	7	1	8	74	2	189	4	104	6	70	10	6	10
Diabetes Mellitus	424	8	1	8	2	8	20	7	88	7	245	7	68	9
Nephritis, Nephrotic and Nephrosis Syndrome	401	9	1	8	1	9	13	8	47	9	216	8	123	6
Arteriosclerosis	386	10	-	-	-	-	-	-	20	10	176	9	190	5

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
ALL CAUSES		28635	868.3	25828	1884	923
INFECTIOUS AND PARASITIC DISEASES	001-139	296	8.9	256	28	12
Intestional infectious diseases	001-009	2	0.1	2	-	-
Cholera	001	-	-	-	-	-
Typhoid and paratyphoid fevers	002	-	-	-	-	-
Other salmonella infections	003	-	-	-	-	-
Shigellosis	004	-	-	-	-	-
Other food poisoning (bacterial)	005	-	-	-	-	-
Amoebiasis	006	-	-	-	-	-
Other protozoal intestinal diseases	007	-	-	-	-	-
Intestinal infections due to other organisms	008	-	-	-	-	-
Ill-defined intestinal infections	009	2	0.1	2	-	-
Tuberculosis	010-018	23	0.7	19	3	1
Primary tuberculous infection	010	-	-	-	-	-
Pulmonary tuberculosis	011	21	0.6	18	2	1
Other respiratory tuberculosis	012	-	-	-	-	-
Tuberculosis of meninges and central nervous system	013	-	-	-	-	-
Tuberculosis of intestines, peritoneum, and mesenteric glands.	014	-	-	-	-	-
Tuberculosis of bones and joints	015	-	-	-	-	-
Tuberculosis of genitourinary system	016	-	-	-	-	-
Tuberculosis of other organs	017	1	0.0	-	1	-
Miliary tuberculosis	018	1	0.0	1	-	-
Zoonotic bacterial diseases	020-027	1	0.0	1	-	-
Plague	020	-	-	-	-	-
Tularaemia	021	1	0.0	1	-	-
Anthrax	022	-	-	-	-	-
Brucellosis	023	-	-	-	-	-
Glanders	024	-	-	-	-	-
Melioidosis	025	-	-	-	-	-
Rat-bite fever	026	-	-	-	-	-
Other zoonotic bacterial diseases	027	-	-	-	-	-
Other bacterial diseases	030-041	209	6.3	180	21	8
Leprosy	030	-	-	-	-	-
Diseases due to other mycobacteria	031	2	0.1	2	-	-
Diphtheria	032	-	-	-	-	-
Whooping cough	033	-	-	-	-	-
Streptococcal sore throat and scarlatina	034	-	-	-	-	-
Erysipelas	035	-	-	-	-	-
Meningococcal infection	036	4	0.1	4	-	-
Tetanus	037	1	0.0	1	-	-
Septicaemia	038	193	5.9	165	20	8
Actinomycotic infections	039	1	0.0	1	-	-
Other bacterial diseases	040	2	0.1	2	-	-
Bacterial infection in conditions classified elsewhere and of unspecified site	041	6	0.2	5	1	-
Poliomyelitis and other non-arthropod-borne viral diseases of central nervous system	045-049	2	0.1	2	-	-
Acute poliomyelitis	045	-	-	-	-	-
Slow virus infection of central nervous system	046	-	-	-	-	-
Meningitis due to enterovirus	047	-	-	-	-	-
Other enterovirus diseases of central nervous system	048	-	-	-	-	-
Other non-arthropod-borne viral diseases of central nervous system	049	2	0.1	2	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

		TOTAL		WHITE	BLACK	INDIAN
CAUSE OF DEATH	ICDA NUMBER	NO.	RATE	NO.	NO.	NO.
INFECTIOUS AND PARASITIC DIESESES-CONT						
Viral diseases accompanied by exanthem	050-057	7	0.2	7	-	-
Smallpox	050	-	-	-	-	-
Cowpox and paravaccinia	051	-	-	-	-	-
Chickenpox	052	2	0.1	2	-	-
Herpes zoster	053	2	0.1	2	-	-
Herpes simplex	054	3	0.1	3	-	-
Measles	055	-	-	-	-	-
Rubella	056	-	-	-	-	-
Other viral exanthemata	057	-	-	-	-	-
Anthropod-borne viral diseases	060-066	-	-	-	-	-
Yellow fever	060	-	-	-	-	-
Dengue	061	-	-	-	-	-
Mosquito-borne viral encephalitis	062	-	-	-	-	-
Tick-borne viral encephalitis	063	-	-	-	-	-
Viral encephalitis transmitted by other and unspecified arthropods	064	-	-	-	-	-
Arthropod-borne haemorrhagic fever	065	-	-	-	-	-
Other arthropod-borne viral diseases	066	-	-	-	-	-
Other diseases due to viruses and Chlamydiae	070-079	15	0.5	15	-	-
Viral hepatitis	070	10	0.3	10	-	-
Rabies	071	-	-	-	-	-
Mumps	072	-	-	-	-	-
Ornithosis	073	-	-	-	-	-
Specific diseases due to Coxsackie virus	074	-	-	-	-	-
Infectious mononucleosis	075	-	-	-	-	-
Trachoma	076	-	-	-	-	-
Other diseases of conjunctiva due to viruses and Chlamydiae	077	-	-	-	-	-
Other diseases due to viruses and Chlamydiae	078	1	0.0	1	-	-
Viral infection in conditions classified elsewhere and of unspecified site	079	4	0.1	4	-	-
Rickettsioses and other anthropod-borne diseases	080-088	4	0.1	3	-	1
Louse-borne (epidemic) typhus	080	-	-	-	-	-
Other typhus	081	-	-	-	-	-
Tick-borne rickettsioses	082	4	0.1	3	-	1
Other rickettsioses	083	-	-	-	-	-
Malaria	084	-	-	-	-	-
Leishmaniasis	085	-	-	-	-	-
Trypanosomiasis	086	-	-	-	-	-
Relapsing fever	087	-	-	-	-	-
Other arthropod-borne diseases	088	-	-	-	-	-
Syphilis and other venereal diseases	090-099	3	0.1	3	-	-
Congenital syphilis	090	1	0.0	1	-	-
Early syphilis, symptomatic	091	-	-	-	-	-
Early syphilis, latent	092	-	-	-	-	-
Cardiovascular syphilis	093	1	0.0	1	-	-
Neurosyphilis	094	1	0.0	1	-	-
Other forms of late syphilis, with syptoms	095	-	-	-	-	-
Late syphilis, latent	096	-	-	-	-	-
Other and unspecified syphilis	097	-	-	-	-	-
Gonococcal infections	098	-	-	-	-	-
Other venereal diseases	099	-	-	-	-	-
Other spirochaetal diseases	100-104	-	-	-	-	-
Leptospirosis	100	-	-	-	-	-
Vincent's angina	101	-	-	-	-	-
Yaws	102	-	-	-	-	-
Pinta	103	-	-	-	-	-
Other spirochaetal infection	104	-	-	-	-	-

Table XIV
Resident Deaths By Three Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
INFECTIOUS AND PARASITIC DISEASES - CON'T						
Mycoses	110-118	11	0.3	11	-	-
Dermatophytosis	110	-	-	-	-	-
Dermatomycosis, other and unspecified	111	-	-	-	-	-
Candidiasis	112	7	0.2	7	-	-
Coccidioidomycosis	114	-	-	-	-	-
Histoplasmosis	115	2	0.1	2	-	-
Blastomycotic infection	116	-	-	-	-	-
Other mycoses	117	2	0.1	2	-	-
Opportunistic mycoses	118	-	-	-	-	-
Helminthiases	120-129	-	-	-	-	-
Schistosomiasis (bilharziasis)	120	-	-	-	-	-
Other trematode infections	121	-	-	-	-	-
Echinococcosis	122	-	-	-	-	-
Other cestode infection	123	-	-	-	-	-
Trichinosis	124	-	-	-	-	-
Filarial infection and dracontiasis	125	-	-	-	-	-
Ancylostomiasis and necatoriasis	126	-	-	-	-	-
Other intestinal helminthiases	127	-	-	-	-	-
Other and unspecified helminthiases	128	-	-	-	-	-
Intestinal parasitism, unspecified	129	-	-	-	-	-
Other infectious and parasitic diseases	130-136	12	0.4	8	4	-
Toxoplasmosis	130	-	-	-	-	-
Trichomoniasis	131	-	-	-	-	-
Pediculosis and phthirus infestation	132	-	-	-	-	-
Acariasis	133	-	-	-	-	-
Other infestation	134	-	-	-	-	-
Sarcoidosis	135	4	0.1	-	4	-
Other and unspecified infectious and parasitic diseases	136	8	0.2	8	-	-
Late effects of infectious and parasitic diseases	137-139	7	0.2	5	-	2
Late effects of tuberculosis	137	3	0.1	1	-	2
Late effects of acute poliomyelitis	138	4	0.1	4	-	-
Late effects of other infectious and parasitic diseases	139	-	-	-	-	-
NEOPLASM	140-239	6155	186.6	5587	385	183
Malignant neoplasm of lip, oral cavity and pharynx	140-149	108	3.3	98	7	3
Malignant neoplasm of lip	140	8	0.2	8	-	-
Malignant neoplasm of tongue	141	22	0.7	21	1	-
Malignant neoplasm of major salivary glands	142	7	0.2	7	-	-
Malignant neoplasm of gum	143	-	-	-	-	-
Malignant neoplasm of floor of mouth	144	5	0.2	5	-	-
Malignant neoplasm of other and unspecified parts of mouth	145	17	0.5	15	2	-
Malignant neoplasm of oropharynx	146	13	0.4	11	1	1
Malignant neoplasm of nasopharynx	147	9	0.3	9	-	-
Malignant neoplasm of hypopharynx	148	10	0.3	9	1	-
Malignant neoplasm of other and ill-defined sites within the lip, oral cavity and pharynx	149	17	0.5	13	2	2
Malignant neoplasm of digestive organs and peritoneum	150-159	1447	43.9	1284	113	50
Malignant neoplasm of oesophagus	150	73	2.2	59	9	5
Malignant neoplasm of stomach	151	141	4.3	122	16	3
Malignant neoplasm of small intestine, including duodenum	152	7	0.2	7	-	-
Malignant neoplasm of colon	153	678	20.6	618	43	17
Malignant neoplasm of rectum, recosigmoid junction and anus	154	80	2.4	71	6	3
Malignant neoplasm of liver and intrahepatic bile ducts	155	82	2.5	63	12	7

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
NEOPLASM-CON'T						
Malignant neoplasm of digestive organs and peritoneum Con't						
Malignant neoplasm of gallbladder and extrahepatic bile ducts	156	53	1.6	43	5	5
Malignant neoplasm of pancreas	157	320	9.7	288	22	10
Malignant neoplasm of retroperitoneum and peritoneum	158	4	0.1	4	-	-
Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum	159	9	0.3	9	-	-
Malignant neoplasm of respiratory and intathoracic organs	160-165	1910	57.9	1769	102	39
Malignant neoplasm of nasal cavities, middle ear and accessory sinuses	160	6	0.2	6	-	-
Malignant neoplasm of larynx	161	40	1.2	39	1	-
Malignant neoplasm of trachea, bronchus and lung	162	1856	56.3	1716	101	39
Malignant neoplasm of pleura	163	4	0.1	4	-	-
Malignant neoplasm of thymus, heart and mediastinum	164	4	0.1	4	-	-
Malignant neoplasm of other and ill-defined sites within the respiratory system and intathoracic organs	165	-	-	-	-	-
Malignant neoplasm of bone, connective tissue, skin and breast	170-175	638	19.3	587	37	14
Malignant neoplasm of bone and articular cartilage	170	14	0.4	11	-	3
Malignant neoplasm of connective and other soft tissue	171	27	0.8	23	3	1
Malignant melanoma of skin	172	97	2.9	96	1	-
Other malignant neoplasm of skin	173	33	1.0	33	-	-
Malignant neoplasm of female breast	174	464	14.1	421	33	10
Malignant neoplasm of male breast	175	3	0.1	3	-	-
Malignant neoplasm of genitourinary organs	179-189	903	27.4	804	66	33
Malignant neoplasm of uterus, part unspecified	179	11	0.3	9	1	1
Malignant neoplasm of cervix uteri	180	57	1.7	47	8	2
Malignant neoplasm of placenta	181	1	0.0	1	-	-
Malignant neoplasm of body of uterus	182	77	2.3	72	3	2
Malignant neoplasm of ovary and other uterine adnexa	183	150	4.5	143	4	3
Malignant neoplasm of other and unspecified female genital organs	184	15	0.5	14	1	-
Malignant neoplasm of prostate	185	330	10.0	283	35	12
Malignant neoplasm of testis	186	2	0.1	2	-	-
Malignant neoplasm of penis and other male genital organs	187	3	0.1	3	-	-
Malignant neoplasm of bladder	188	107	3.2	99	7	1
Malignant neoplasm of kidney and other and unspecified urinary organs	189	150	4.5	131	7	12
Malignant neoplasm of other and unspecified sites	190-199	548	16.6	482	37	29
Malignant neoplasm of eye	190	-	-	-	-	-
Malignant neoplasm of brain	191	144	4.4	136	2	6
Malignant neoplasm of other and unspecified parts of nervous system	192	5	0.2	5	-	-
Malignant neoplasm of thyroid gland	193	11	0.3	10	1	-
Malignant neoplasm of other endocrine glands and related structures	194	11	0.3	10	1	-
Malignant neoplasm of other and ill-defined sites	195	43	1.3	38	5	-
Secondary and unspecified malignant neoplasm of lymph nodes	196	-	-	-	-	-
Secondary malignant neoplasm of respiratory and digestive systems	197	1	0.0	1	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
NEOPLASM - CON'T						
Malignant neoplasm of other and unspecified site con't						
Secondary malignant neoplasm of other specified sites	198	-	-	-	-	-
Malignant neoplasm without specification of site	199	333	10.1	282	28	23
Malignant neoplasm of lymphatic and haematopoietic tissue	200-208	531	16.1	499	18	14
Lymphosarcoma and reticulosarcoma	200	50	1.5	46	1	3
Hodgkin's disease	201	23	0.7	23	-	-
Other malignant neoplasm of lympoid and histiocytic tissue	202	128	3.9	124	2	2
Multiple myeloma and immunoproliferative neoplasms	203	105	3.2	98	4	3
Lymphoid leukaemia	204	75	2.3	67	5	3
Myeloid leukaemia	205	102	3.1	95	4	3
Monocytic leukaemia	206	4	0.1	4	-	-
Other specified leukaemia	207	5	0.2	5	-	-
Leukaemia of unspecified cell type	208	39	1.2	37	2	-
Benign neoplasms	210-229	9	0.3	7	2	-
Benign neoplasm of lip, oral cavity and pharynx	210	-	-	-	-	-
Benign neoplasm of other parts of digestive system	211	1	0.0	1	-	-
Benign neoplasm of respiratory and intrathoracic organs	212	-	-	-	-	-
Benign neoplasm of bone and articular carilage	213	-	-	-	-	-
Lipoma	214	-	-	-	-	-
Other benign neoplasm of connective and other soft tissue	215	2	0.1	2	-	-
Benign neoplasm of skin	216	-	-	-	-	-
Benign neoplasm of breast	217	-	-	-	-	-
Uterine leiomyoma	218	-	-	-	-	-
Other benign neoplasm of uterus	219	-	-	-	-	-
Benign neoplasm of ovary	220	-	-	-	-	-
Benign neoplasm of other female genital organs	221	-	-	-	-	-
Benign neoplasm of male genital organs	222	-	-	-	-	-
Benign neoplasm of kidney and other urinary organs	223	-	-	-	-	-
Benign neoplasm of eye	224	-	-	-	-	-
Benign neoplasm of brain and other part of nervous system	225	5	0.2	3	2	-
Benign neoplasm of thyroid gland	226	-	-	-	-	-
Benign neoplasm of other endocrine glands and related structures	227	-	-	-	-	-
Haemangioma and lymphangioma, any site	228	1	0.0	1	-	-
Benign neoplasm of other and unspecified sites	229	-	-	-	-	-
Carcinoma in situ	230-234	2	0.1	2	-	-
Carcinoma in situ of digestive organs	230	-	-	-	-	-
Carcinoma in situ of respiratory system	231	-	-	-	-	-
Carcinoma in situ of skin	232	-	-	-	-	-
Carcinoma in situ of breast and genitourinary system	233	2	0.1	2	-	-
Carcinoma in situ of other and unspecified sites	234	-	-	-	-	-
Neoplasms of uncertain behaviour	235-238	18	0.5	16	2	-
Neoplasm of uncertain begaviour of digestive and respiratory systems	235	1	0.0	1	-	-
Neoplasm of uncertain behaviour of genitourinary organs	236	1	0.9	1	-	-
Neoplasm of uncertain behaviour of endocrine glands and nervous system	237	5	0.2	5	-	-
Neoplasm of uncertain behaviour of other and unspecified sites and tissues	238	11	0.3	9	2	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
NEOPLASM - CON'T						
Neoplasms of unspecified nature	239	41	1.2	39	1	1
Neoplasm of unspecified nature	239	41	1.2	39	1	1
Endocrine, Nutritional and metabolic diseases and immunity disorders	240-279	620	18.8	488	80	52
Disorders of thyroid gland	240-246	5	0.2	5	-	-
Simple and unspecified goitre	240	-	-	-	-	-
Nontoxic nodular goitre	241	-	-	-	-	-
Thyrotoxicosis with or without goitre	242	2	0.1	2	-	-
Congenital hypothyroidism	243	-	-	-	-	-
Acquired hypothyroidism	244	3	0.1	3	-	-
Thyroiditis	245	-	-	-	-	-
Other disorders of thyroid	246	-	-	-	-	-
Diseases of other endocrine glands	250-259	437	13.3	331	59	47
Diabetes mellitus	250	424	12.9	320	58	46
Other disorders of pancreatic internal secretion	251	2	0.1	1	1	-
Disorders of parathyroid gland	252	1	0.0	1	-	-
Disorders of the pituitary gland and its hypothalamic control	253	2	0.1	2	-	-
Diseases of thymus gland	254	-	-	-	-	-
Disorders of adrenal glands	255	6	0.2	5	-	1
Ovarian dysfunction	256	-	-	-	-	-
Testicular dysfunction	257	-	-	-	-	-
Polyglandular dysfunction and related disorders	258	-	-	-	-	-
Other endocrine disorders	259	2	0.1	2	-	-
Nutritional deficiencies	260-269	41	1.2	34	3	4
Kwashiorkor	260	2	0.1	2	-	-
Nutritional marasmus	261	3	0.1	3	-	-
Other severe protein-calorie malnutrition	262	2	0.1	1	-	1
Other and unspecified protein-calorie malnutrition	263	32	1.0	26	3	3
Vitamin A deficiency	264	1	0.0	1	-	-
Thiamine and niacin deficiency states	265	-	-	-	-	-
Deficiency of B-complex components	266	-	-	-	-	-
Ascorbic acid deficiency	267	-	-	-	-	-
Vitamin D deficiency	268	-	-	-	-	-
Other nutritional deficiencies	269	1	0.0	1	-	-
Other metabolic disorders and immunity disorders	270-279	137	4.2	118	18	1
Disorders of amino-acid transport and metabolism	270	1	0.0	1	-	-
Disorders of carbohydrate transport and metabolism	271	-	-	-	-	-
Disorders of lipoid metabolism	272	3	0.1	3	-	-
Disorders of plasma protein metabolism	273	3	0.1	3	-	-
Gout	274	1	0.0	1	-	-
Disorders of mineral metabolism	275	5	0.2	5	-	-
Disorders of fluid, electrolyte and acid-base balance	276	66	2.0	56	10	-
Other and unspecified disorders of metabolism	277	31	0.9	27	3	1
Obesity and other hyperalimentation	278	12	0.4	10	2	-
Disorders involving the immune mechanism	279	15	0.5	12	3	-
Diseases of Blood and Blood-forming organs	280-289	88	2.7	78	7	3
Iron deficiency anaemias	280	3	0.1	3	-	-
Other deficiency anaemias	281	3	0.1	3	-	-
Hereditary haemolytic anaemias	282	6	0.2	4	2	-
Acquired haemolytic anaemias	283	3	0.1	3	-	-
Aplastic anaemia	284	12	0.4	11	-	1

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-CON'T						
Other and unspecified anaemias	285	15	0.5	12	2	1
Coagulation defects	286	10	0.3	7	2	1
Purpura and other haemorrhagic conditions	287	11	0.3	11	-	-
Diseases of white blood cells	288	5	0.2	5	-	-
Other diseases of blood and blood-forming organs	289	20	0.6	19	1	-
MENTAL DISORDERS	290-319	238	7.2	204	24	10
Organic psychotic conditions	290-294	36	1.1	32	4	-
Senile and presenile organic psychotic conditions	290	33	1.0	29	4	-
Alcoholic psychoses	291	3	0.1	3	-	-
Drug psychoses	292	-	-	-	-	-
Transient organic psychotic conditions	293	-	-	-	-	-
Other organic psychotic conditions (chronic)	294	-	-	-	-	-
Other psychoses	295-299	16	0.5	12	3	1
Schizophrenic psychoses	295	1	0.0	-	1	-
Affective psychoses	296	-	-	-	-	-
Paranoid states	297	-	-	-	-	-
Other nonorganic psychoses	298	15	0.5	12	2	1
Psychoses with origin specific to childhood	299	-	-	-	-	-
Neurotic disorders, personality disorders and other nonpsychotic mental disorders	300-316	176	5.3	151	16	9
Neurotic disorders	300	1	0.0	1	-	-
Personality disorders	301	-	-	-	-	-
Sexual deviations and disorders	302	-	-	-	-	-
Alcohol dependence syndrome	303	75	2.3	60	9	6
Drug dependence	304	1	0.0	1	-	-
Nondependent abuse of drugs	305	8	0.2	5	2	1
Physiological malfunction arising from mental factors	306	-	-	-	-	-
Special symptoms or syndromes not elsewhere classified	307	6	0.2	4	2	-
Acute reaction to stress	308	-	-	-	-	-
Adjustment reaction	309	-	-	-	-	-
Specific nonpsychotic mental disorders following organic brain damage	310	83	2.5	78	3	2
Depressive disorder, not elsewhere classified	311	2	0.1	2	-	-
Disturbance of conduct not elsewhere classified	312	-	-	-	-	-
Disturbance of emotions specific to childhood and adolescence	313	-	-	-	-	-
Hyperkinetic syndrome of childhood	314	-	-	-	-	-
Specific delays in development	315	-	-	-	-	-
Psychic factors associated with diseases classified elsewhere	316	-	-	-	-	-
Mental retardation	317-319	10	0.3	9	1	-
Mild mental retardation	317	-	-	-	-	-
Other specified mental retardation	318	4	0.1	3	1	-
Unspecified mental retardation	319	6	0.2	6	-	-
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	320-389	393	11.9	351	28	14
Inflammatory diseases of the central nervous system	320-326	27	0.8	18	7	2
Bacterial meningitis	320	15	0.5	11	4	-
Meningitis due to other organisms	321	-	-	-	-	-
Meningitis of unspecified cause	322	5	0.2	3	1	1

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS - CON'T						
Inflammatory disease of the central nervous system con't						
Encephalitis, myelitis and encephalomyelitis	323	1	0.0	1	-	-
Intracranial and intraspinal abscess	324	6	0.2	3	2	1
Phlebitis and thrombophlebitis of intracranial venous sinuses	325	-	-	-	-	-
Late effects of intracranial abscess or pyogenic infection	326	-	-	-	-	-
Hereditary and degenerative diseases of the central nervous system	330-337	222	6.7	210	8	4
Cerebral degenerations usually manifest in childhood	330	-	-	-	-	-
Other cerebral degenerations	331	107	3.2	103	4	-
Parkinson's disease	332	58	1.8	54	2	2
Other extrapyramidal disease and abnormal movement disorders	333	5	0.2	4	-	1
Spinocerebellar disease	334	2	0.1	2	-	-
Anterior horn cell disease	335	48	1.5	45	2	1
Other diseases of spinal cord	336	2	0.1	2	-	-
Disorders of the autonomic nervous system	337	-	-	-	-	-
Other disorders of the central nervous system	340-349	116	3.5	98	12	6
Multiple sclerosis	340	19	0.6	17	2	-
Other demyelinating diseases of central nervous system	341	3	0.1	3	-	-
Hemiplegia	342	-	-	-	-	-
Infantile cerebral palsy	343	12	0.4	9	2	1
Other paralytic syndromes	344	13	0.4	12	-	1
Epilepsy	345	21	0.6	17	4	-
Migraine	346	-	-	-	-	-
Cataplexy and narcolepsy	347	-	-	-	-	-
Other conditions of brain	348	43	1.3	36	3	4
Other and unspecified disorders of the nervous system	349	5	0.2	4	1	-
Disorders of the peripheral nervous system	350-359	24	0.7	22	-	2
Trigeminal nerve disorders	350	-	-	-	-	-
Facial nerve disorders	351	-	-	-	-	-
Disorders of other cranial nerves	352	-	-	-	-	-
Nerve root and plexus disorders	353	-	-	-	-	-
Mononeuritis of upper limb and mononeuritis multiplex	354	-	-	-	-	-
Mononeuritis of lower limb	355	-	-	-	-	-
Hereditary and idiopathic peripheral neuropathy	356	2	0.1	2	-	-
Inflammatory and toxic neuropathy	357	3	0.1	2	-	1
Myoneural disorders	358	6	0.2	6	-	-
Muscular dystrophies and other myopathies	359	13	0.4	12	-	1
Disorders of the eye and adnexa	360-379	-	-	-	-	-
Disorders of the globe	360	-	-	-	-	-
Retinal detachments and defects	361	-	-	-	-	-
Other retinal disorders	362	-	-	-	-	-
Chorioretinal inflammations and scars and other disorders of choroid	363	-	-	-	-	-
Disorders of iris and ciliary body	364	-	-	-	-	-
Glaucoma	365	-	-	-	-	-
Cataract	366	-	-	-	-	-
Disorders of refraction and accommodation	367	-	-	-	-	-
Visual disturbances	368	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS - CON'T						
Disorders of the eye and adnexa Con't						
Blindness and low vision	369	-	-	-	-	-
Keratitis	370	-	-	-	-	-
Corneal opacity and other disorders of cornea	371	-	-	-	-	-
Disorders of conjunctiva	372	-	-	-	-	-
Inflammation of eyelids	373	-	-	-	-	-
Other disorders of eyelids	374	-	-	-	-	-
Disorders of lacrimal system	375	-	-	-	-	-
Disorders of the orbit	376	-	-	-	-	-
Disorders of optic nerve and visual pathways	377	-	-	-	-	-
Strabismus and other disorders of binocular eye movements	378	-	-	-	-	-
Other disorders of eye	379	-	-	-	-	-
Diseases of the ear and mastoid process	380-389	4	0.1	3	1	-
Disorders of external ear	380	-	-	-	-	-
Nonsuppurative otitis media and Eustachian tube disorders	381	-	-	-	-	-
Suppurative and unspecified otitis media	382	3	0.1	2	1	-
Mastoiditis and related conditions	383	1	0.0	1	-	-
Other disorders of tympanic membrane	384	-	-	-	-	-
Other disorders of middle ear and mastoid	385	-	-	-	-	-
Vertiginous syndromes and other disorders of vestibular system	386	-	-	-	-	-
Otosclerosis	387	-	-	-	-	-
Other disorders of ear	388	-	-	-	-	-
Deafness	389	-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM	390-459	13831	419.4	12629	832	370
Acute rheumatic fever	390-392	4	0.1	3	-	1
Rheumatic fever without mention of heart involvement	390	1	0.0	1	-	-
Rheumatic fever with heart involvement	391	3	0.1	2	-	1
Rheumatic chorea	392	-	-	-	-	-
Chronic rheumatic heart disease	393-398	56	1.7	50	3	3
Chronic rheumatic pericarditis	393	-	-	-	-	-
Diseases of mitral valve	394	24	0.7	20	2	2
Diseases of aortic valve	395	-	-	-	-	-
Diseases of mitral and aortic valves	396	3	0.1	3	-	-
Diseases of other endocardial structures	397	5	0.2	5	-	-
Other rheumatic heart disease	398	24	0.7	22	1	1
Hypertensive disease	401-405	278	8.4	223	41	14
Essential hypertension	401	32	1.0	28	4	-
Hypertensive heart disease	402	185	5.6	148	25	12
Hypertensive renal disease	403	38	1.2	31	6	1
Hypertensive heart and renal disease	404	23	0.7	16	6	1
Secondary hypertension	405	-	-	-	-	-
Ischaemic heart disease	410-414	7462	226.3	6899	378	185
Acute myocardial infarction	410	4186	126.9	3888	193	105
Other acute and subacute form of ischaemic heart disease	411	338	10.2	303	27	8
Old myocardial infarction	412	7	0.2	7	-	-
Angina pectoris	413	8	0.2	6	1	1
Other forms of chronic ischaemic heart disease	414	2923	88.6	2695	157	71

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE CIRCULATORY SYSTEM - CON'T						
Diseases of pulmonary circulation	415-417	179	5.4	160	16	3
Acute pulmonary heart disease	415	161	4.9	144	14	3
Chronic pulmonary heart disease	416	17	0.5	15	2	-
Other diseases of pulmonary circulation	417	1	0.0	1	-	-
Other forms of heart disease	420-429	2739	83.1	2472	188	79
Acute pericarditis	420	2	0.1	2	-	-
Acute and subacute endocarditis	421	13	0.4	12	1	-
Acute myocarditis	422	7	0.2	7	-	-
Other diseases of pericardium	423	9	0.3	6	2	1
Other diseases of endocardium	424	103	3.1	87	9	7
Cardiomyopathy	425	168	5.1	137	23	8
Conduction disorders	426	15	0.5	12	2	1
Cardiac dysrhythmias	427	720	21.8	645	47	28
Heart failure	428	784	23.8	725	45	14
Ill-defined descriptions and complications of heart disease	429	918	27.8	839	59	20
Cerebrovascular disease	430-438	2387	72.4	2156	167	64
Subarachnoid haemorrhage	430	65	2.0	57	6	2
Intracerebral haemorrhage	431	181	5.5	168	11	2
Other and unspecified intracranial haemorrhage	432	27	0.8	23	2	2
Occlusion and stenosis of precerebral arteries	433	16	0.5	16	-	-
Occlusion of cerebral arteries	434	302	9.2	277	19	6
Transcient cerebral ischaemia	435	5	0.2	5	-	-
Acute but ill-defined cerebrovascular disease	436	1644	49.8	1471	123	50
Other and ill-defined cerebrovascular disease	437	129	3.9	122	5	2
Late effects of cerebrovascular disease	438	18	0.5	17	1	-
Diseases of arteries, arterioles and capillaries	440-448	664	20.1	612	33	19
Atherosclerosis	440	386	11.7	357	21	8
Aortic aneurysm	441	193	5.9	182	7	4
Other aneurysm	442	12	0.4	11	1	-
Other peripheral vascular disease	443	23	0.7	18	3	2
Arterial embolism and thrombosis	444	26	0.8	22	1	3
Polyarteritis nodosa and allied conditions	446	8	0.2	8	-	-
Other disorders of arteries and arterioles	447	16	0.5	14	-	2
Diseases of capillaries	448	-	-	-	-	-
Diseases of veins and lymphatics, and other diseases of circulatory system	451-459	62	1.9	54	6	2
Phlebitis and thrombophlebitis	451	24	0.7	21	2	1
Portal vein thrombosis	452	-	-	-	-	-
Other venous embolism and thrombosis	453	8	0.2	8	-	-
Varicose veins of lower extremities	454	4	0.1	4	-	-
Haemorrhoids	455	-	-	-	-	-
Varicose veins of other sites	456	5	0.2	4	-	1
Noninfective disorders of lymphatic channels	457	1	0.0	1	-	-
Hypotension	458	9	0.3	6	3	-
Other disorders of circulatory system	459	11	0.3	10	1	-
DISEASES OF THE RESPIRATORY SYSTEM	460-519	2223	67.4	2070	87	66
Acute respiratory infections	460-466	11	0.3	10	-	1
Acute nasopharyngitis (common cold)	460	-	-	-	-	-
Acute sinusitis	461	-	-	-	-	-
Acute pharyngitis	462	-	-	-	-	-
Acute tonsillitis	463	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE RESPIRATORY SYSTEM - CON'T						
Acute respiratory infections Con't						
Acute laryngitis and tracheitis	464	-	-	-	-	-
Acute upper respiratory infections of multiple or unspecified sites	465	3	0.1	3	-	-
Acute bronchitis and bronchiolitis	466	8	0.2	7	-	1
Other diseases of upper respiratory tract	470-478	2	0.1	2	-	-
Deflected nasal septum	470	-	-	-	-	-
Nasal polyps	471	-	-	-	-	-
Chronic pharyngitis and nasopharyngitis	472	-	-	-	-	-
Chronic sinusitis	473	-	-	-	-	-
Chronic disease of tonsils and adenoids	474	-	-	-	-	-
Peritonsillar abscess	475	-	-	-	-	-
Chronic laryngitis and laryngotracheitis	476	-	-	-	-	-
Allergic rhinitis	477	-	-	-	-	-
Other diseases of upper respiratory tract	478	2	0.1	2	-	-
Pneumonia and influenza	480-487	925	28.0	850	42	33
Viral pneumonia	480	14	0.4	13	1	-
Pneumococcal pneumonia	481	19	0.6	18	1	-
Other bacterial pneumonia	482	35	1.1	32	2	1
Pneumonia due to other specified organism	483	-	-	-	-	-
Pneumonia in infectious diseases classified elsewhere	484	-	-	-	-	-
Bronchopneumonia, organism unspecified	485	94	2.9	91	-	3
Pneumonia, organism unspecified	486	739	22.4	672	38	29
Influenza	487	24	0.7	24	-	-
Chronic obstructive pulmonary disease and allied conditions	490-496	1045	31.7	993	32	20
Bronchitis, not specified as acute or chronic	490	9	0.3	9	-	-
Chronic bronchitis	491	24	0.7	22	1	1
Emphysema	492	210	6.4	200	5	5
Asthma	493	46	1.4	39	4	3
Bronchiectasis	494	8	0.2	8	-	-
Extrinsic allergic alveolitis	495	-	-	-	-	-
Chronic airways obstruction, not elsewhere classified	496	748	22.7	715	22	11
Pneumoconioses and other lung diseases due to external agents	500-508	83	2.5	76	6	1
Coalworkers' pneumoconiosis	500	2	0.1	2	-	-
Asbestosis	501	-	-	-	-	-
Pneumoconiosis due to other silica or silicates	502	1	0.0	1	-	-
Pneumoconiosis due to other inorganic dust	503	-	-	-	-	-
Pneumopathy due to inhalation of other dust	504	-	-	-	-	-
Pneumoconiosis, unspecified	505	-	-	-	-	-
Respiratory conditions due to chemical fumes and vapours	506	-	-	-	-	-
Pneumonitis due to solids and liquids	507	80	2.4	73	6	1
Respiratory conditions due to other and unspecified external agents	508	-	-	-	-	-
Other diseases of respiratory system	510-519	157	4.8	139	7	11
Empyema	510	6	0.2	6	-	-
Pleurisy	511	6	0.2	5	1	-
Pneumothorax	512	4	0.1	4	-	-
Abscess of lung and mediastinum	513	15	0.5	12	1	2

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE RESPIRATORY SYSTEM - CON'T						
Other diseases of respiratory system-Con't						
Pulmonary congestion and hypostasis	514	8	0.2	7	-	1
Postinflammatory pulmonary fibrosis	515	53	1.6	49	2	2
Other alveolar and parietoalveolar pneumopathy	516	12	0.4	9	1	2
Lung involvement in conditions classified elsewhere	517	-	-	-	-	-
Other diseases of lung	518	45	1.4	39	2	4
Other diseases of respiratory system	519	8	0.2	8	-	-
DISEASES OF THE DIGESTIVE SYSTEM	520-579	880	26.7	778	45	57
Diseases of oral cavity, salivary glands and jaws	520-529	2	0.1	1	1	-
Disorders of tooth development and eruption	520	-	-	-	-	-
Diseases of hard tissues of teeth	521	-	-	-	-	-
Diseases of pulp and periapical tissues	522	-	-	-	-	-
Gingival and periodontal diseases	523	-	-	-	-	-
Dentofacial anomalies, including malocclusion	524	-	-	-	-	-
Other diseases and conditions of the teeth and supporting structures	525	-	-	-	-	-
Diseases of the jaws	526	-	-	-	-	-
Diseases of the salivary glands	527	-	-	-	-	-
Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue	528	2	0.1	1	1	-
Diseases and other conditions of the tongue	529	-	-	-	-	-
Diseases of oesophagus, stomach and duodenum	530-537	120	3.6	112	4	4
Diseases of oesophagus	530	20	0.6	19	-	1
Gastric ulcer	531	29	0.9	26	3	-
Duodenal ulcer	532	21	0.6	19	1	1
Peptic ulcer, site unspecified	533	36	1.1	35	-	1
Gastrojejunal ulcer	534	-	-	-	-	-
Gastritis and duodenitis	535	5	0.2	4	-	1
Disorders of function of stomach	536	1	0.0	1	-	-
Other disorders of stomach and duodenum	537	8	0.2	8	-	-
Appendicitis	540-543	7	0.2	6	1	-
Acute appendicitis	540	7	0.2	6	1	-
Appendicitis, unqualified	541	-	-	-	-	-
Other appendicitis	542	-	-	-	-	-
Other diseases of appendix	543	-	-	-	-	-
Hernia of abdominal cavity	550-553	18	0.5	16	2	-
Inguinal hernia	550	1	0.0	-	1	-
Other hernia of abdominal cavity, with gangrene	551	-	-	-	-	-
Other hernia of abdominal cavity, with obstruction without mention of gangrene	552	3	0.1	3	-	-
Other hernia of abdominal cavity without mention of obstruction or gangrene	553	14	0.4	13	1	-
Noninfective enteritis and colitis	555-558	110	3.3	104	1	5
Regional enteritis	555	4	0.1	4	-	-
Idiopathic proctocolitis	556	5	0.2	5	-	-
Vascular insufficiency of intestine	557	86	2.6	81	1	4
Other noninfective gastroenteritis and colitis	558	15	0.5	14	-	1

Table XIV
Resident Deaths By Three-Digit ICDA Codes Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
DISEASES OF THE DIGESTIVE SYSTEM - CON'T						
Other diseases of intestines and pertoneum	560-569	142	4.3	127	10	5
Intestinal obstruction without mention of hernia	560	63	1.9	60	1	2
Diverticula of intestine	562	32	1.0	29	3	-
Functional digestive disorders, not elsewhere classified	564	4	0.1	4	-	-
Anal fissure and fistula	565	-	-	-	-	-
Abcess of anal and rectal regions	566	1	0.0	1	-	-
Peritonitis	567	22	0.7	17	4	1
Other disorders of peritoneum	568	3	0.1	2	-	1
Other disorders of intestine	569	17	0.5	14	2	1
Other diseases of digestive system	570-579	481	14.6	412	26	43
Acute and subacute necrosis of liver	570	5	0.2	3	1	1
Chronic liver disease and cirrhosis	571	247	7.5	207	11	29
Liver abscess and sequelae of chronic liver disease	572	58	1.8	46	4	8
Other disorders of liver	573	15	0.5	14	-	1
Cholelithiasis	574	13	0.4	11	1	1
Other disorders of gallbladder	575	23	0.7	20	1	2
Other disorders of biliary tract	576	14	0.4	13	1	-
Diseases of pancreas	577	26	0.8	24	2	-
Gastrointestinal haemorrhage	578	79	2.4	73	5	1
Intestinal malabsorption	579	1	0.0	1	-	-
DISEASES OF THE GENITOURINARY SYSTEM	580-629	690	20.9	604	67	19
Nephritis, nephrotic syndrome and nephrosis	580-589	401	12.2	352	38	11
Acute glomerulonephritis	580	1	0.0	1	-	-
Nephrotic syndrome	581	2	0.1	2	-	-
Chronic glomerulonephritis	582	27	0.8	26	1	-
Nephritis and nephropathy, not specified as acute or chronic	583	9	0.3	9	-	-
Acute renal failure	584	66	2.0	61	4	1
Chronic renal failure	585	63	1.9	53	7	3
Renal failure, unspecified	586	230	7.0	199	24	7
Renal sclerosis, unspecified	587	2	0.1	1	1	-
Disorders resulting from impaired renal function	588	1	0.0	-	1	-
Small kidney of unknown cause	589	-	-	-	-	-
Other diseases of urinary system	590-599	276	8.4	239	29	8
Infections of kidney	590	56	1.7	51	5	-
Hydronephrosis	591	1	0.0	1	-	-
Calculus of kidney and ureter	592	8	0.2	7	1	-
Other disorders of kidney and ureter	593	41	1.2	30	9	2
Calculus of lower urinary tract	594	2	0.1	1	-	1
Cystitis	595	1	0.0	1	-	-
Other disorders of bladder	596	4	0.1	3	-	1
Urethritis, not sexually transmitted, and urethral syndrome	597	-	-	-	-	-
Urethral stricture	598	-	-	-	-	-
Other disorders of urethra and urinary tract	599	163	4.9	145	14	4
Diseases of male genital organs	600-608	11	0.3	11	-	-
Hyperplasia of prostate	600	7	0.2	7	-	-
Inflammatory diseases of prostate	601	3	0.1	3	-	-
Other disorders of prostate	602	1	0.0	1	-	-
Hydrocele	603	-	-	-	-	-
Orchitis and epididymitis	604	-	-	-	-	-
Redundant prepuce and phimosis	605	-	-	-	-	-
Infertility, male	606	-	-	-	-	-
Disorders of penis	607	-	-	-	-	-
Other disorders of male genital orgnas	608	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE GENITOURINARY SYSTEM - CON'T						
Disorders of breast	610-611	-	-	-	-	-
Benign mammary dysplasias	610	-	-	-	-	-
Other disorders of breast	611	-	-	-	-	-
Inflammatory disease of female pelvic organs	614-616	1	0.0	1	-	-
Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue and peritoneum	614	-	-	-	-	-
Inflammatory diseases of uterus, except cervix	615	-	-	-	-	-
Inflammatory disease of cervix, vagina and vulva	616	1	0.0	1	-	-
Other disorders of female genital tract	617-629	1	0.0	1	-	-
Endometriosis	617	-	-	-	-	-
Genital prolapse	618	-	-	-	-	-
Fistulae involving female genital tract	619	1	0.0	1	-	-
Noninflammatory disorders of ovary, fallopian tube and broad ligament	620	-	-	-	-	-
Disorders of uterus, not elswhere classified	621	-	-	-	-	-
Noninflammatory disorders of cervix	622	-	-	-	-	-
Noninflammatory disorders of vagina	623	-	-	-	-	-
Noninflammatory disorders of vulva and perineum	624	-	-	-	-	-
Pain and other symptoms associanted with female genital organs	625	-	-	-	-	-
Disorders of menstruation and other abnormal bleeding from female genital tract	626	-	-	-	-	-
Menopausal and postmenopausal disorders	627	-	-	-	-	-
Infertility, female	628	-	-	-	-	-
Other disorders of female genital organs	629	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	630-676	3	0.1	2	1	-
Pregnancy with abortive outcome	630-639	1	0.0	1	-	-
Hydatidiform mole	630	-	-	-	-	-
Other abnormal product of conception	631	-	-	-	-	-
Missed abortion	632	-	-	-	-	-
Ectopic pregnancy	633	1	0.0	1	-	-
Spontaneous abortion	634	-	-	-	-	-
Legally induced abortion	635	-	-	-	-	-
Illegally induced abortion	636	-	-	-	-	-
Unspecified abortion	637	-	-	-	-	-
Failed attempted abortion	638	-	-	-	-	-
Complications following abortion and ectopic and molar pregnancies	639	-	-	-	-	-
Complications mainly related to pregnancy	640-648	1	0.0	-	1	-
Haemorrhage in early pregnancy	640	-	-	-	-	-
Antepartum haemorrhage, abruptio placentae, and placenta praevia	641	1	0.0	-	1	-
Hypertension complicating pregnancy, childbirth and the puerperium	642	-	-	-	-	-
Excessive vomiting in pregnancy	643	-	-	-	-	-
Early or threatened labour	644	-	-	-	-	-
Prolonged pregnancy	645	-	-	-	-	-
Other complications of pregnancy, not elsewhere classified	646	-	-	-	-	-
Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium	647	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM - CON'T						
Complications mainly related to pregnancy Con't						
Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth and the puerperium	648	-	-	-	-	-
Normal delivery, and other indications for care in pregnancy, labour and delivery	650-659	-	-	-	-	-
Delivery in a comletely normal case	650	-	-	-	-	-
Multiple gestation	651	-	-	-	-	-
Malposition and malpresentation of fetus	652	-	-	-	-	-
Disproportion	653	-	-	-	-	-
Abnormality of organs and soft tissues of pelvis	654	-	-	-	-	-
Known or suspected fetal abnormality affecting management of mother	655	-	-	-	-	-
Other fetal and placental problems affecting managment of mother	656	-	-	-	-	-
Polyhydramnios	657	-	-	-	-	-
Other problems associated with amniotic cavity and membranes	658	-	-	-	-	-
Other indications for care or intervention related to labour and delivery and not elsewhere classified	659	-	-	-	-	-
Complications occurring mainly in the course of labour and delivery	660-669	1	0.0	1	-	-
Obstructed labour	660	-	-	-	-	-
Abnormality of forces of labour	661	-	-	-	-	-
Long labour	662	-	-	-	-	-
Umbilical cord complications	663	-	-	-	-	-
Trauma to perineum and vulva during delivery	664	-	-	-	-	-
Other obstetrical trauma	665	-	-	-	-	-
Postpartum haemorrhage	666	-	-	-	-	-
Retained placenta or membranes, without haemorrhage	667	-	-	-	-	-
Complications of the administration of anaesthetic or other sedation in labour and delivery	668	-	-	-	-	-
Other complications of labour and delivery, not elsewhere classified	669	1	0.0	1	-	-
Complications of the puerperium	670-676	-	-	-	-	-
Major puerperal infection	670	-	-	-	-	-
Venous complications in pregnancy and the puerperium	671	-	-	-	-	-
Pyrexia of unknown origin during the puerperium	672	-	-	-	-	-
Obstetrical pulmonary embolism	673	-	-	-	-	-
Other and unspecified complications of the puerperium, not elsewhere classified	674	-	-	-	-	-
Infections of the breast and nipple associated with childbirth	675	-	-	-	-	-
Other disorders of the breast associated with childbirth, and disorders of lactation	676	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

		TOTAL		WHITE	BLACK	INDIAN
CAUSE OF DEATH	ICDA NUMBER	NO.	RATE	NO.	NO.	NO.
DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	680-709	52	1.6	39	11	2
Infections of skin and subcutaneous tissue	680-686	8	0.2	6	-	2
Carbuncle and furuncle	680	-	-	-	-	-
Cellulitis and abscess of finger and toe	681	-	-	-	-	-
Other cellulitis and abscess	682	8	0.2	6	-	2
Acute lymphadenitis	683	-	-	-	-	-
Impetigo	684	-	-	-	-	-
Pilonidal cyst	685	-	-	-	-	-
Other local infections of skin and subcutaneous tissue	686	-	-	-	-	-
Other inflammatory conditions of skin and subcutaneous tissue	690-698	10	0.3	8	2	-
Erythematosquamous dermatosis	690	-	-	-	-	-
Atopic dermatitis and related conditions	691	-	-	-	-	-
Contact dermatitis and other eczema	692	1	0.0	1	-	-
Dermatitis due to taken internally substances	693	-	-	-	-	-
Bullous dermatoses	694	1	0.0	1	-	-
Erythematous conditions	695	8	0.2	6	2	-
Psoriasis and similar disorders	696	-	-	-	-	-
Lichen	697	-	-	-	-	-
Pruritus and related conditions	698	-	-	-	-	-
Other diseases of skin and subcutaneous tissue	700-709	34	1.0	25	9	-
Corns and callosities	700	-	-	-	-	-
Other hypertrophic and atrophic conditions of skin	701	-	-	-	-	-
Other dermatoses	702	-	-	-	-	-
Diseases of nail	703	-	-	-	-	-
Diseases of hair and hair follicles	704	-	-	-	-	-
Disorders of sweat glands	705	-	-	-	-	-
Diseases of sebaceous glands	706	-	-	-	-	-
Chronic ulcer of skin	707	34	1.0	25	9	-
Urticaria	708	-	-	-	-	-
Other disorders of skin and subcutaneous tissue	709	-	-	-	-	-
DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	710-739	82	2.5	70	9	3
Arthropathies and related disorders	710-719	62	1.9	52	8	2
Diffuse diseases of connective tissue	710	32	1.0	24	6	2
Arthropathy associated with infections	711	1	0.0	1	-	-
Crystal arthropathies	712	-	-	-	-	-
Arthropathy associated with other disorders classified elsewhere classified	713	-	-	-	-	-
Rheumatoid arthritis and other inflammatory polyarthropathies	714	18	0.5	18	-	-
Osteoarthrosis and allied disorders	715	6	0.2	5	1	-
Other and unspecified arthropathies	716	3	0.1	2	1	-
Internal derangement of knee	717	-	-	-	-	-
Other derangement of joint	718	-	-	-	-	-
Other and unspecified disorder of joint	719	2	0.1	2	-	-
Dorsopathies	720-724	3	0.1	2	1	-
Ankylosing spondylitis and other inflammatory spondylopathies	720	2	0.1	2	-	-
Spondylosis and allied disorders	721	1	0.0	-	1	-
Intervertebral disc disorders	722	-	-	-	-	-
Other disorders of cervical region	723	-	-	-	-	-
Other and unspecified disorders of back	724	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE - CON'T						
Rheumatism, excluding the back	725-729	4	0.1	3	-	1
Polymyalgia rheumatica	725	-	-	-	-	-
Peripheral enthesopathies and allied syndromes	726	-	-	-	-	-
Other disorders of synovium, tendon and bursa	727	-	-	-	-	-
Disorders of muscle, ligament and fascia	728	2	0.1	1	-	1
Other disorders of soft tissues	729	2	0.1	2	-	-
Osteopathies, chondropathies and acquired musculoskeletal deformities	730-739	13	0.4	13	-	-
Osteomyelitis, periostitis and other infections involving bone	730	5	0.2	5	-	-
Osteitis demormans and osteopathies associated with other disorders classified elsewhere	731	-	-	-	-	-
Osteochondropathies	732	-	-	-	-	-
Other disorders of bone and cartilage	733	6	0.2	6	-	-
Flat foot	734	-	-	-	-	-
Acquired deformities of toe	735	-	-	-	-	-
Other acquired deformities of limbs	736	-	-	-	-	-
Curvature of spine	737	2	0.1	2	-	-
Other acquired deformity	738	-	-	-	-	-
Nonallopathic lesions, not elsewhere classified	739	-	-	-	-	-
CONGENITAL ANOMALIES	740-759	201	6.1	179	15	7
Anencephalus and similar anomalies	740	13	0.4	11	2	-
Spina bifida	741	5	0.2	5	-	-
Other congenital anomalies of nervous system	742	17	0.5	17	-	-
Congenital anomalies of eye	743	-	-	-	-	-
Congenital anomalies of ear, face and neck	744	-	-	-	-	-
Bulbus cordis anomalies and anomalies of cardiac septal closure	745	26	0.8	20	3	3
Other congenital anomalies of heart	746	55	1.7	50	4	1
Other congenital anomalies of circulatory system	747	19	0.6	17	1	1
Congenital anomalies of respiratory system	748	17	0.5	14	2	1
Cleft palate and cleft lip	749	-	-	-	-	-
Other congenital anomalies of upper alimentary tract	750	-	-	-	-	-
Other congenital anomalies of digestive system	751	3	0.1	3	-	-
Congenital anomalies of genital organs	752	-	-	-	-	-
Congenital anomalies of urinary system	753	13	0.4	12	1	-
Certain congenital musculoskeletal deformities	754	1	0.0	1	-	-
Other congenital anomalies of limbs	755	-	-	-	-	-
Other congenital musculoskeletal anomalies	756	10	0.3	10	-	-
Congenital anomalies of the integument	757	-	-	-	-	-
Chromosomal anomalies	758	11	0.3	10	1	-
Other and unspecified congenital anomalies	759	11	0.3	9	1	1
CERTAIN CONDITIONS ORGINATING IN THE PERINATAL PERIOD	760-779	257	7.8	200	40	17
Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy	760	-	-	-	-	-
Fetus or newborn affected by maternal complications of pregnancy	761	6	0.2	4	2	-
Fetus or newborn affected by complications of placenta, cord and membranes	762	12	0.4	9	2	1
Fetus or newborn affected by other complications of labour and delivery	763	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD - CON'T						
Slow fetal growth and fetal malnutrition	764	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight	765	45	1.4	33	11	1
Disorders relating to long gestation and high birthweight	766	-	-	-	-	-
Birth Trauma	767	5	0.2	3	2	-
Intrauterine hypoxia and birth asphyxia	768	17	0.5	13	1	3
Respiratory distress syndrome	769	59	1.8	51	6	2
Other respiratory conditions of fetus and newborn	770	51	1.5	40	7	4
Infections specific to the perinatal period	771	16	0.5	12	3	1
Fetal and neonatal haemorrhage	772	7	0.2	6	1	-
Haemolytic disease of fetus or newborn, due to isoimmunization	773	-	-	-	-	-
Other perinatal jaundice	774	-	-	-	-	-
Endocrine and metabolic disturbances specific to the fetus and newborn	775	2	0.1	1	-	1
Haematological disorders of fetus and newborn	776	-	-	-	-	-
Perinatal disorders of fetus and newborn	777	6	0.2	4	2	-
Conditions involving the integument and temperature regulation of fetus and newborn	778	1	0.0	1	-	-
Other and ill-defined conditions originating in the perinatal period	779	30	0.9	23	3	4
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	780-799	286	8.7	249	26	11
Symptoms	780-789	29	0.9	25	3	1
General symptoms	780	6	0.2	4	1	1
Symptoms involving nervous and musculoskeletal systems	781	-	-	-	-	-
Symptoms involving skin and other integumentary tissue	782	-	-	-	-	-
Symptoms concerning nutrition, metabolism and development	783	-	-	-	-	-
Symptoms involving head and neck	784	-	-	-	-	-
Symptoms involving cardiovascular system	785	21	0.6	19	2	-
Symptoms involving respiratory system and other chest symptoms	786	1	0.0	1	-	-
Symptoms involving digestive system	787	-	-	-	-	-
Symptoms involving urinary system	788	1	0.0	1	-	-
Other symptoms involving abdomen and pelvis	789	-	-	-	-	-
Nonspecific abnormal findings	790-796	4	0.1	4	-	-
Nonspecific findings on examination of blood	790	3	0.1	3	-	-
Nonspecific findings on examination of urine	791	-	-	-	-	-
Nonspecific abnormal findings in other body substances	792	-	-	-	-	-
Nonspecific abnormal findings on radiological and other examination of body structure	793	-	-	-	-	-
Nonspecific abnormal results of function studies	794	1	0.0	1	-	-
Nonspecific abnormal histological and immunological findings	795	-	-	-	-	-
Other nonspecific abnormal findings	796	-	-	-	-	-
Ill-defined and unknown causes of morbidity and mortality	797-799	253	7.7	220	23	10
Senility without mention of psychosis	797	18	0.5	13	-	-
Sudden death, cause unknown	798	96	2.9	78	11	7
Other ill-defined and unknown causes of morbidity and mortality	799	139	4.2	124	12	3

Table XIV
Resident Deaths By Three-Digit ICDA Codes Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
EXTERNAL CAUSE OF INJURY AND POISONING	E800-E999	2320	70.3	2024	199	97
Railway accidents	E800-E807	10	0.3	4	1	5
Railway accident involving collision with rolling stock	E800	-	-	-	-	-
Railway accident involving collision with other object	E801	-	-	-	-	-
Railway accident involving derailment without antecedent collision	E802	-	-	-	-	-
Railway accident involving explosion, fire or burning	E803	-	-	-	-	-
Fall in, on or from railway train	E804	-	-	-	-	-
Hit by rolling stock	E805	10	0.3	4	1	5
Other specified railway accident	E806	-	-	-	-	-
Railway accident of unspecified nature	E807	-	-	-	-	-
Motor vehicle traffic accidents	E810-E819	833	25.3	735	58	40
Motor vehicle traffic accident involving collision with train	E810	20	0.6	18	2	-
Motor vehicle traffic accident involving re-entrant collision with another motor vehicle	E811	2	0.1	2	-	-
Other motor vehicle traffic accident involving collision with another motor vehicle	E812	406	12.3	361	27	18
Motor vehicle traffic accident involving collision with other vehicle	E813	8	0.2	8	-	-
Motor vehicle traffic accident involving collision with pedestrian	E814	98	3.0	79	12	7
Other motor vehicle traffic accident involving collision on the highway	E815	138	4.2	126	6	6
Motor vehicle traffic accident due to loss of control, without collision on the highway	E816	85	2.6	76	6	3
Noncollision motor vehicle traffic accident while boarding or alighting	E817	3	0.1	2	1	-
Other noncollision motor vehicle traffic accident	E818	7	0.2	5	-	2
Motor vehicle traffic accident of unspecified nature	E819	66	2.0	58	4	4
Motor vehicle nontraffic accidents	E820-E825	24	0.7	21	1	2
Nontraffic accident involving motor-driven snow vehicle	E820	-	-	-	-	-
Nontraffic accident involving other off-road motor vehicle	E821	-	-	-	-	-
Other motor vehicle nontraffic accident involving collision with moving object	E822	6	0.2	6	-	-
Other motor vehicle nontraffic accident involving collision with stationary object	E823	-	-	-	-	-
Other motor vehicle nontraffic accident while boarding and alighting	E824	-	-	-	-	-
Other motor vehicle nontraffic accident of other and unspecified nature	E825	18	0.5	15	1	2
Other road vehicle accidents	E826-E829	2	0.1	2	-	-
Pedal cycle accident	E826	1	0.0	1	-	-
Animal-drawn vehicle accident	E827	-	-	-	-	-
Accident involving animal being ridden	E828	1	0.0	1	-	-
Other road vehicle accidents	E829	-	-	-	-	-
Water transport accidents	E830-E838	12	0.4	10	2	-
Accident to watercraft causing submersion	E830	6	0.2	4	2	-
Accident to watercraft causing other injury	E831	1	0.0	1	-	-
Other accidental submersion or drowning in water transport accident	E832	5	0.2	5	-	-
Fall on stairs or ladders in water transport	E833	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
Water transport accidents - Con't						
Other fall from one level to another in water transport	E834	-	-	-	-	-
Other and unspecified fall in water transport	E835	-	-	-	-	-
Machinery accident in water transport	E836	-	-	-	-	-
Explosion, fire or burning in watercraft	E837	-	-	-	-	-
Other and unspecified water transport accident	E838	-	-	-	-	-
Air and space transport accidents	E840-E845	23	0.7	23	-	-
Accident to powered aircraft at takeoff or landing	E840	-	-	-	-	-
Accident to powered aircraft, other and unspecified	E841	22	0.7	22	-	-
Accident to unpowered aircraft	E842	-	-	-	-	-
Fall in, on or from aircraft	E843	-	-	-	-	-
Other specified air transport accidents	E844	1	0.0	1	-	-
Accident involving spacecraft	E845	-	-	-	-	-
Vehicle accidents not elsewhere classifiable	E846-E848	-	-	-	-	-
Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment	E846	-	-	-	-	-
Accidents involving cable cars not running on rails	E847	-	-	-	-	-
Accidents involving other vehicles not elsewhere classifiable	E848	-	-	-	-	-
Accidental poisoning by drugs, medicaments and biologicals	E850-E858	26	0.8	21	4	1
Accidental poisoning by analgesics, antipyretics, antirheumatics	E850	8	0.2	7	-	1
Accidental poisoning by barbiturates	E851	-	-	-	-	-
Accidental poisoning by other sedatives and hypnotics	E852	2	0.1	2	-	-
Accidental poisoning by tranquillizers	E853	2	0.1	2	-	-
Accidental poisoning by other psychotropic agents	E854	1	0.0	1	-	-
Accidental poisoning by other drugs acting on central and autonomic nervous systems	E855	6	0.2	4	2	-
Accidental poisoning by antibiotics	E856	-	-	-	-	-
Accidental poisoning by anti-infectives	E857	-	-	-	-	-
Accidental poisoning by other drugs	E858	7	0.2	5	2	-
Accidental poisoning by other solid and liquid substances, gases and vapours	E860-E869	33	1.0	25	6	2
Accidental poisoning by alcohol, not elsewhere classified	E860	7	0.2	6	1	-
Accdiental poisoning by cleansing and polishing agents, disinfectants, paints and varnishes	E861	1	0.0	1	-	-
Accidental poisoning by petroleum products, other solvents and their vapours, not elswhere classified	E862	4	0.1	2	1	1
Accidental poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	E863	1	0.0	-	1	-
Accidental poisoning by corrosives and caustics, not elsewhere classified	E864	1	0.0	1	-	-
Accidental poisoning from foodstuffs and poisonous plants	E865	-	-	-	-	-
Accidental poisoning by other and unspecified solid and liquid substances	E866	1	0.0	1	-	-
Accidental poisoning by gas distributed by pipeline	E867	2	0.1	2	-	-
Accidental poisoning by other utility gas and other carbon monoxide	E868	11	0.3	7	3	1

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL NO.	TOTAL RATE	WHITE NO.	BLACK NO.	INDIAN NO.
Accidental poisoning by other solid and liquid substances, gases and vapours - Con't						
Accidental poisoning by other gases and vapours	E869	5	0.2	5	-	-
Misadventures to patients during surgical and medical care	E870-E876	1	0.0	1	-	-
Accidental cut, puncture, perforation or haemorrhage during medical care	E870	1	0.0	1	-	-
Foreign object left in body during procedure	E871	-	-	-	-	-
Failure of sterile precautions during procedure	E872	-	-	-	-	-
Failure in dosage	E873	-	-	-	-	-
Mechanical failure of instrument or apparatus during procedure	E874	-	-	-	-	-
Contaminated or infected blood, other fluid, drug or biological substance	E875	-	-	-	-	-
Other and unspecified misadventures during medical care	E876	-	-	-	-	-
Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventure at the time of procedure	E878-E879	6	0.2	6	-	-
Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation	E878	6	0.2	6	-	-
Other procedures, without mention of misadventure at the time of procedure, as the cause of abnormal reaction of patient, or of later complication	E879	-	-	-	-	-
Accidental falls	E880-E888	159	4.8	149	2	8
Fall on or from stairs or steps	E880	2	0.1	2	-	-
Fall on or from ladders or scaffolding	E881	5	0.2	5	-	-
Fall from, or out of building or other structure	E882	11	0.3	9	-	2
Fall into hole or other opening in surface	E883	3	0.1	-	1	2
Other fall from one level to another	E884	14	0.4	14	-	-
Fall on same level from slipping, tripping or stumbling	E885	12	0.4	12	-	-
Fall on same level from collision, pushing or shoving, by or with other person	E886	-	-	-	-	-
Fracture, cause unspecified	E887	16	0.5	16	-	-
Other and unspecified fall	E888	96	2.9	91	1	4
Accidents caused by fire and flames	E890-E899	72	2.2	56	15	1
Conflagration in private dwelling	E890	51	1.5	38	13	-
Conflagration in other and unspecified building or structure	E891	-	-	-	-	-
Conflagration not in building or structure	E892	-	-	-	-	-
Accident caused by ignition of clothing	E893	15	0.5	13	1	1
Ignition of highly inflammable material	E894	1	0.0	1	-	-
Accident caused by controlled fire in private dwelling	E895	-	-	-	-	-
Accident caused by controlled fire in other and unspecified building or structure	E896	-	-	-	-	-
Accident caused by controlled fire not in building or structure	E897	1	0.0	1	-	-
Accident caused by other specified fire and flames	E898	-	-	-	-	-
Accident caused by unspecified fire	E899	4	0.1	3	1	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
Accidents due to natural and environmental factors	E900-E909	42	1.3	36	5	1
Excessive heat	E900	4	0.1	3	1	-
Excessive cold	E901	6	0.2	3	2	1
High and low air pressure and changes in air pressure	E902	-	-	-	-	-
Travel and motion	E903	-	-	-	-	-
Hunger, thirst, exposure, neglect	E904	1	0.0	1	-	-
Venomous animals and plants as the cause of poisoning and toxic reactions	E905	1	0.0	1	-	-
Other injury caused by animals	E906	2	0.1	2	-	-
Lightning	E907	-	-	-	-	-
Cataclysmic storms, and floods resulting from storms	E908	28	0.8	26	2	-
Cataclysmic earth surface movements and eruptions	E909	-	-	-	-	-
Accidents caused by submersion, suffocation and foreign bodies	E910-E915	153	4.6	130	14	9
Accidental drowning and submersion	E910	71	2.2	56	10	5
Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	E911	23	0.7	22	-	1
Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	E912	39	1.2	33	4	2
Accidental mechanical suffocation	E913	19	0.6	18	-	1
Foreign body accidentally entering eye and adnexa	E914	-	-	-	-	-
Foreign body accidentally entering other orifice	E915	1	0.0	1	-	-
Other accidents	E916-E928	145	4.4	137	7	1
Struck accidentally by falling object	E916	20	0.6	19	-	1
Striking against or struct accidentally by objects or persons	E917	2	0.1	2	-	-
Caught accidentally in or between objects	E918	-	-	-	-	-
Accidents caused by machinery	E919	39	1.2	38	1	-
Accidents caused by cutting and piercing instruments or objects	E920	2	0.1	1	1	-
Accident caused by explosion of pressure vessel	E921	-	-	-	-	-
Accident caused by firearm missile	E922	31	0.9	28	3	-
Accident caused by explosive material	E923	6	0.2	6	-	-
Accident caused by hot substance or object, caustic or corrosive material and steam	E924	2	0.1	2	-	-
Accident caused by electric current	E925	24	0.7	23	1	-
Exposure to radiation	E926	-	-	-	-	-
Overexertion and strenuous movements	E927	-	-	-	-	-
Other and unspecified environmental and accidental causes	E928	19	0.6	18	1	-
Late effects of accidental injury	E929	18	0.5	14	3	1
Late effects of accidental injury	E929	18	0.5	14	3	1
Drugs, medicatments and biological substances causing adverse effects in therapeutic use	E930-E949	1	0.0	1	-	-
Antibiotics	E930	-	-	-	-	-
Other anti-infectives	E931	-	-	-	-	-
Hormones and synthetic substitutes	E932	-	-	-	-	-
Primarily systemic agents	E933	-	-	-	-	-
Agents primarily affecting blood constituents	E934	-	-	-	-	-
Analgesics, antipyretics and antirheumatics	E935	-	-	-	-	-
Anticonvulsants and anti-Parkinsonism drugs	E936	-	-	-	-	-
Sedatives and hypnotics	E937	-	-	-	-	-
Other central nervous system depressants	E938	-	-	-	-	-
Psychotropic agents	E939	-	-	-	-	-

Table XIV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
Drugs, medicaments and biological substances causing adverse effects in therapeutic use Con't						
Central nervous system stimulants	E940	-	-	-	-	-
Drugs primarily affecting the autonomic nervous system	E941	-	-	-	-	-
Agents primarily affecing the cardiovascular system	E942	-	-	-	-	-
Agents primarily affecting gastrointestinal system	E943	-	-	-	-	-
Water, mineral and uric acid metabolism drugs	E944	-	-	-	-	-
Agents primarily acting on the smooth and skeletal muscles and respiratory system	E945	-	-	-	-	-
Agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological and dental drugs	E946	-	-	-	-	-
Other and unspecified drugs and medicaments	E947	1	0.0	1	-	-
Bacterial vaccines	E948	-	-	-	-	-
Other vaccines and biological substances	E949	-	-	-	-	-
Suicide and selfinflicted injury	E950-E959	444	13.5	416	17	11
Suicide and selfinflicted poisoning by solid or liquid substances	E950	37	1.1	34	1	2
Suicide and selfinflicted poisoning by gases in domestic use	E951	1	0.0	1	-	-
Suicide and selfinflicted poisoning by other gases and vapours	E952	35	1.1	35	2	1
Suicide and selfinflicted injury by hanging, strangulation and suffocation	E953	56	1.7	47	4	5
Suicide and selfinflicted injury by submersion (drowning)	E954	3	0.1	2	1	-
Suicide and selfinflicted injury by firearms and explosives	E955	305	9.2	294	9	2
Suicide and selfinflicted injury by cutting and piercing instruments	E956	2	0.1	1	-	1
Suicide and selfinflicted injuries by jumping from high place	E957	1	0.0	1	-	-
Suicide and selfinflicted injury by other and unspecified means	E958	3	0.1	3	-	-
Late effects of selfinflicted injury	E959	1	0.0	1	-	-
Homicide and injury purposely inflicted by other persons	E960-E969	273	8.3	205	54	14
Fight, brawl, rape	E960	2	0.1	2	-	-
Assault by corrosive or caustic substance, except poisoning	E961	-	-	-	-	-
Assault by poisoning	E962	1	0.0	1	-	-
Assault by hanging and strangulation	E963	14	0.4	13	1	-
Assault by submersion (drowning)	E964					
Assault by firearms and explosives	E965	163	4.9	118	37	8
Assault by cutting and piercing instruments	E966	50	1.5	39	9	2
Child battering and other maltreatment	E967	4	0.1	3	1	-
Assault by other and unspecified means	E968	36	1.1	26	6	4
Late effects of injury purposely inflicted by other person	E969	1	0.0	1	-	-
Legal intervention	E970-E978	9	0.3	2	6	1
Injury due to legal intervention by firearms	E970	9	0.3	2	6	1
Injury due to legan intervention by explosives	E971	-	-	-	-	-
Injury due to legal intervention by gas	E972	-	-	-	-	-
Injury due to legal intervention by blunt object	E973	-	-	-	-	-
Injury due to legal intervention by cutting and piercing instruments	E974	-	-	-	-	-

Table XlV
Resident Deaths By Three-Digit ICDA Codes
Number and Rate and Race, Oklahoma, 1984

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
Legal intervention - Con't						
Injury due to legal intervention by other specified means	E975	-	-	-	-	-
Injury due to legal intervention by unspecified means	E976	-	-	-	-	-
Late effects of injuries due to legal intervention	E977	-	-	-	-	-
Legal execution	E978	-	-	-	-	-
Injury undetermined whether accidentally or purposely inflicted	E980-E989	34	1.0	30	4	-
Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted	E980	13	0.4	12	1	-
Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted	E981	-	-	-	-	-
Poisoning by other gases, undetermined whether accidentally or purposely inflicted	E982	3	0.1	3	-	-
Hanging, strangulation or suffocation, undetermined whether accidentally or purposely inflicted	E983	2	0.1	2	-	-
Submersion (drowning), undetermined whether accidentally or purposely inflicted	E984	3	0.1	2	1	-
Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted	E985	8	0.2	8	-	-
Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted	E986	-	-	-	-	-
Falling from high place, undetermined whether accidentally or purposely inflicted	E987	-	-	-	-	-
Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted	E988	5	0.2	3	2	-
Late effects of injury, undetermined whether accidentally or purposely inflicted	E989	-	-	-	-	-
Injury resulting from operations of war	E990-E999	-	-	-	-	-
Injury due to war operations by fires and conflagrations	E990	-	-	-	-	-
Injury due to war operations by bullets and fragments	E991	-	-	-	-	-
Injury due to war operations by explosion of marine weapons	E992	-	-	-	-	-
Injury due to war operations by other explosion	E993	-	-	-	-	-
Injury due to war operations by destruction of aircraft	E994	-	-	-	-	-
Injury due to war operations by other and unspecified forms of conventional warfare	E995	-	-	-	-	-
Injury due to war operations by nuclear weapons	E996	-	-	-	-	-
Injury due to war operations by other forms of unconventional warfare	E997	-	-	-	-	-
Injury due to war operations but occurring after cessation of hostilities	E998	-	-	-	-	-
Late effects of injury due to war operations	E999	-	-	-	-	-

Table XV
Fetal Deaths By ICDA, By Race
Oklahoma, 1984
Per 1000 Live Births

CAUSE OF DEATH	ICDA NUMBER	TOTAL		WHITE	BLACK	INDIAN
		NO.	RATE	NO.	NO.	NO.
Total	740-779	389	7.2	312	47	30
Anencephalus and similar anomalies	740	16	0.3	16	-	-
Spinal bifida	741	-	-	-	-	-
Other congenital anomalies of nervous system	742	2	0.0	2	-	-
Congenital anomalies of eye	743	-	-	-	-	-
Congenital anomalies of ear, face and neck	744	-	-	-	-	-
Bulbus cordis anomalies and anomalies of cardiac septal closure	745	1	0.0	1	-	-
Other congenital anomalies of heart	746	-	-	-	-	-
Other congenital anomalies of circulatory system	747	2	0.0	2	-	-
Congenital anomalies of respiratory system	748	-	-	-	-	-
Cleft palate and cleft lip	749	-	-	-	-	-
Other congenital anomalies of upper alimentary tract	750	-	-	-	1	-
Other congenital anomalies of digestive system	751	-	-	-	-	-
Congenital anomalies of genital organs	752	-	-	-	-	-
Congenital anomalies of urinary system	753	1	0.0	1	-	-
Certain congenital musculoskeletal deformities	754	-	-	-	-	-
Other congenital anomalies of limbs	755	-	-	-	-	-
Other congenital musculoskeletal anomalies	756	1	0.0	1	-	-
Congenital anomalies of the integument	757	-	-	-	-	-
Chromosomal anomalies	758	3	0.1	2	1	-
Other and unspecified congenital anomalies	759	6	0.1	4	1	1
Fetus or newborn affected by maternal conditions which may be related to present pregnancy	760	32	0.6	21	5	6
Fetus or newborn affected by maternal complications of pregnancy	761	40	0.7	32	5	3
Fetus or newborn affected by complications of placenta, cord and membranes	762	152	2.8	122	21	9
Fetus or newborn affected by other complications of labour and delivery	763	8	0.1	7	-	1
Slow fetal growth and fetal malnutrition	764	1	0.0	1	-	-
Disorders relating to short gestation and unspecified low birth-weight	765	3	0.1	3	-	-
Disorders relating to long gestation and high birth-weight	766	-	-	-	-	-
Birth trauma	767	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia	768	32	0.6	27	2	3
Respiratory distress syndrome	769	-	-	-	-	-
Other respiratory conditions of fetus and newborn	770	3	0.1	3	-	-
Infections specific to the perinatal period	771	1	0.0	-	-	1
Fetal and neonatal haemorrhage	772	1	0.0	1	-	-
Haemolytic disease of fetus or newborn, due to isoimmunization	773	2	0.0	2	-	-
Other perinatal jaundice	774	-	-	-	-	-
Endocrine and metabolic disturbance specific to the fetus and newborn	775	3	0.1	3	-	-
Haematological disorder of fetus and newborn	776	-	-	-	-	-
Perinatal disorder of digestive system	777	-	-	-	-	-
Conditions involving the integument and temperature regulation of fetus and newborn	778	1	0.0	1	-	-
Other and ill-defined conditions origination in the perinatal period	779	78	1.4	60	12	6

Table XVI
Births And Deaths of Oklahoma Residence By State Of Occurrence And Births And Deaths Of Out-of-State Residents Occurring In Oklahoma By State Of Residence, 1984

STATE	Oklahoma Occurrence for Out-of-State Residents		Out-of-State Occurence for Oklahoma Residents	
	BIRTHS	DEATHS	BIRTHS	DEATHS
TOTAL	621	638	1856	1279
Alabama	-	6	2	3
Alaska	-	-	-	-
Arizona	-	14	4	14
Arkansas	89	64	873	398
California	6	42	1	33
Colorado	6	16	2	30
Connecticut	-	1	-	-
Delaware	-	-	-	-
District of Columbia	-	-	-	1
Florida	3	12	1	7
Georgia	2	4	1	3
Hawaii	1	-	-	-
Idaho	1	1	-	1
Illinois	6	12	2	7
Indiana	-	8	2	2
Iowa	-	9	2	3
Kansas	213	136	292	172
Kentucky	-	4	2	1
Louisiana	2	4	5	8
Maine	-	-	-	-
Maryland	-	3	-	-
Massachusetts	1	-	-	1
Michigan	3	6	-	-
Minnesota	1	7	2	6
Mississippi	1	2	2	3
Missouri	50	64	110	93
Montana	-	1	-	5
Nebraska	2	8	4	1
Nevada	1	2	-	1
New Hampshire	-	1	-	-
New Jersey	-	4	-	-
New Mexico	3	12	4	10
New York	-	7	6	4
North Carolina	-	2	2	1
North Dakota	-	2	-	1
Ohio	1	7	2	5
Oregon	-	-	2	-
Pennsylvania	2	4	1	4
Rhode Island	-	-	-	-
South Carolina	3	1	1	1
South Dakota	-	5	-	1
Tennessee	-	4	2	16
Texas	217	141	525	423
Utah	-	1	1	3
Vermont	-	-	-	-
Virginia	-	1	-	5
Washington	2	8	-	5
West Virginia	-	1	-	2
Wisconsin	-	6	2	2
Wyoming	2	-	1	1
Other Countries	3	5	-	2

Table XVII

Births, Fetal Deaths (Stillbirths), Deaths, Infant and Neonatal Deaths
By County Of Residence and Occurrence
Oklahoma, 1984

COUNTY	BIRTHS		STILLBIRTHS		DEATHS		INFANT DEATHS		NEONATAL DEATHS	
	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.
ENTIRE STATE	54323	52467	392	377	28635	27356	568	543	358	338
Adair	330	78	5	2	181	112	5	4	1	1
Alfalfa	77	42	2	1	87	66	-	-	-	-
Atoka	176	34	1	1	145	111	1	1	1	1
Beaver	103	65	2	1	61	47	1	1	1	1
Beckham	416	470	4	6	257	239	4	3	1	-
Blaine	230	179	5	2	194	158	4	1	-	-
Bryan	450	379	2	2	357	272	3	1	3	1
Caddo	614	124	3	1	344	218	6	4	1	1
Canadian	1179	200	10	1	380	215	15	1	11	-
Carter	735	944	2	2	498	488	6	3	3	1
Cherokee	522	994	2	5	293	266	4	4	3	2
Choctaw	222	110	1	-	207	155	2	1	1	1
Cimarron	45	39	2	1	35	27	1	1	1	1
Cleveland	2438	1770	21	17	711	626	17	8	12	3
Coal	87	6	1	1	85	66	5	2	4	1
Comanche	2548	3013	21	22	725	772	25	12	16	7
Cotton	87	-	1	-	104	48	-	-	-	-
Craig	178	91	1	1	189	157	3	3	2	1
Creek	996	341	5	2	570	433	14	4	10	1
Custer	568	784	4	5	263	242	9	5	7	4
Delaware	347	146	3	1	291	213	4	2	4	2
Dewey	86	47	-	1	78	64	-	-	-	-
Ellis	63	199	-	1	68	71	-	-	-	-
Garfield	1118	1425	4	8	588	684	16	18	6	9
Garvin	438	252	4	3	322	263	3	1	1	1
Grady	720	669	5	2	405	339	10	5	8	3
Grant	100	8	-	-	92	49	-	-	-	-
Greer	68	63	1	1	99	75	-	-	-	-
Harmon	71	38	1	1	63	52	1	1	1	1
Harper	60	25	-	-	54	32	-	-	-	-
Haskell	145	36	1	-	151	100	5	-	3	-
Hughes	167	60	2	2	212	179	3	1	1	-
Jackson	679	705	3	5	247	252	6	4	4	2
Jefferson	102	42	-	-	111	77	1	1	1	1
Johnston	132	25	1	-	110	80	2	1	1	-
Kay	832	874	7	5	520	492	9	4	6	3
Kingfisher	326	260	1	-	124	81	3	2	3	2
Kiowa	203	156	1	1	188	114	3	1	2	-
Latimer	127	178	1	-	105	103	-	-	-	-
Leflore	584	217	7	1	437	256	4	1	3	-
Lincoln	422	84	3	-	289	199	4	2	2	-
Logan	521	80	6	2	278	206	2	-	2	-
Love	107	4	3	-	91	74	2	2	-	-
McClain	370	56	1	-	185	146	4	3	2	1
McCurtain	564	305	1	-	359	256	5	1	4	1
McIntosh	225	22	2	-	191	111	4	1	2	-
Major	156	72	-	-	99	75	-	-	-	-
Marshall	125	64	-	-	139	118	1	-	1	-
Mayes	515	232	6	1	348	274	3	1	2	1
Murray	177	39	1	-	136	116	-	-	-	-
Muskogee	1195	1145	12	11	775	999	12	8	6	4
Noble	199	79	-	-	137	109	3	-	2	-
Nowata	150	60	1	-	131	85	-	-	-	-
Okfuskee	165	83	2	1	135	77	1	-	1	-
Oklahoma	11883	14964	87	122	5014	6376	127	243	72	161
Okmulgee	645	577	5	2	496	401	2	2	1	-
Osage	589	84	6	2	320	203	7	2	6	1
Ottawa	428	338	3	1	367	262	7	2	-	2
Pawnee	268	161	-	1	162	101	-	-	-	-
Payne	955	1216	4	6	439	414	9	5	5	3
Pittsburg	574	657	2	4	476	466	7	4	2	1
Pontotoc	523	1275	5	10	369	382	6	6	5	5
Pottawatomie	997	1062	5	8	641	565	10	4	7	1
Pushmataha	161	119	-	-	146	132	1	1	-	-
Roger Mills	87	35	-	-	61	25	2	-	-	-
Rogers	817	1189	13	11	339	270	9	2	6	2
Seminole	441	187	3	-	333	213	5	1	4	-
Sequoyah	506	196	1	-	294	179	6	1	5	1
Stephens	685	588	3	3	445	389	10	4	7	1
Texas	357	195	5	4	147	95	5	2	4	1
Tillman	157	52	3	-	159	124	3	-	2	-
Tulsa	8753	10660	57	77	3958	4618	87	132	63	96
Wagoner	656	97	2	-	249	147	4	2	1	-
Washington	822	954	3	5	478	468	14	9	9	4
Washita	217	55	6	1	157	111	2	-	-	-
Woods	137	98	2	-	142	112	4	-	4	-
Woodward	403	295	2	-	177	163	5	2	4	1
Unknown	2	-	-	-	22	-	-	-	-	-

Table XVIII
Marriages and Divorces, By County, Number and Rate Per 1000 Population
Oklahoma, 1984

COUNTY	MARRIAGES		DIVORCES		ANNULMENTS		DIVORCES & ANNULMENTS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
ENTIRE STATE	39219	11.9	23946	7.3	184	0.1	24130	7.3
Adair	176	8.8	111	5.5	1	0.0	112	5.6
Alfalfa	40	5.6	28	3.9	-	-	28	3.9
Atoka	121	8.9	136	10.0	-	-	136	10.0
Beaver	47	6.4	41	5.6	-	-	41	5.6
Beckham	208	7.8	174	6.5	3	0.1	177	6.7
Blaine	122	8.5	84	5.9	-	-	84	5.9
Bryan	807	25.3	232	7.3	3	0.1	235	7.4
Caddo	281	8.2	202	5.9	4	0.1	206	6.0
Canadian	500	7.3	534	7.8	1	0.0	535	7.8
Carter	702	15.0	343	7.3	1	0.0	344	7.3
Cherokee	351	10.4	204	6.0	-	-	204	6.0
Choctaw	326	19.6	129	7.8	3	0.2	132	8.0
Cimarron	37	9.3	11	2.8	2	0.5	13	3.3
Cleveland	1258	8.1	1075	6.9	7	0.0	1082	7.0
Coal	56	9.5	28	4.7	1	0.2	29	4.9
Comanche	1566	13.1	928	7.8	8	0.1	936	7.8
Cotton	47	6.6	52	7.3	-	-	52	7.3
Craig	93	6.1	105	6.9	2	0.1	107	7.0
Creek	705	10.1	448	6.4	14	0.2	462	6.6
Custer	266	7.8	203	6.0	-	-	203	6.0
Delaware	160	5.8	121	4.4	1	0.0	122	4.4
Dewey	2	0.3	15	2.3	-	-	15	2.3
Ellis	33	5.2	27	4.3	-	-	27	4.3
Garfield	772	11.8	478	7.3	1	0.0	479	7.3
Garvin	252	8.3	204	6.7	3	0.1	207	6.8
Grady	375	8.4	279	6.2	2	0.0	281	6.3
Grant	53	7.9	18	2.7	-	-	18	2.7
Greer	44	6.1	47	6.5	2	0.3	49	6.8
Harmon	30	6.8	31	7.0	-	-	31	7.0
Harper	24	5.0	21	4.4	-	-	21	4.4
Haskell	147	12.5	84	7.1	2	0.2	86	7.3
Hughes	95	6.4	94	6.3	1	0.1	95	6.4
Jackson	304	9.9	218	7.1	3	0.1	221	7.2
Jefferson	81	9.3	40	4.6	-	-	40	4.6
Johnston	69	6.4	53	4.9	1	0.1	54	5.0
Kay	584	11.0	372	7.0	-	-	372	7.0
Kingfisher	176	10.8	115	7.1	1	0.1	116	7.1
Kiowa	63	4.9	75	5.9	-	-	75	5.9
Latimer	67	6.6	79	7.8	-	-	79	7.8
Leflore	556	13.0	373	8.7	1	0.0	374	8.7
Lincoln	256	8.6	190	6.4	-	-	190	6.4
Logan	274	9.0	186	6.1	1	0.0	187	6.1
Love	153	19.1	55	6.9	-	-	55	6.9
McClain	231	9.5	117	4.8	1	0.0	118	4.9
McCurtain	418	11.6	176	4.9	1	0.0	177	4.9
McIntosh	123	7.2	84	4.9	2	0.1	86	5.1
Major	52	5.5	34	3.6	-	-	34	3.6
Marshall	116	10.3	56	5.0	1	0.1	57	5.0
Mayes	270	7.8	224	6.5	1	0.0	225	6.5
Murray	84	6.4	74	5.6	1	0.1	75	5.7
Muskogee	699	10.0	594	8.5	2	0.0	596	8.5
Noble	109	9.1	71	5.9	-	-	71	5.9
Nowata	75	6.5	74	6.4	-	-	74	6.4
Okfuskee	75	6.3	77	6.5	-	-	77	6.5
Oklahoma	8545	13.7	4344	7.0	39	0.1	4383	7.0
Okmulgee	380	9.5	320	8.0	3	0.1	323	8.0
Osage	96	2.3	234	5.6	1	0.0	235	5.6
Ottawa	4573	135.7	232	6.9	4	0.1	236	7.0
Pawnee	124	7.4	98	5.8	-	-	98	5.8
Payne	647	9.9	360	5.5	2	0.0	362	5.5
Pittsburg	431	10.1	211	5.0	6	0.1	217	5.1
Pontotoc	383	11.2	231	6.7	2	0.1	233	6.8
Pottawatomie	640	10.4	469	7.6	1	0.0	470	7.7
Pushmataha	83	7.0	75	6.3	-	-	75	6.3
Roger Mills	23	3.8	32	5.2	1	0.2	33	5.4
Rogers	388	7.2	392	7.2	1	0.0	393	7.3
Seminole	263	3.2	198	2.4	-	-	198	2.4
Sequoyah	289	8.7	201	6.1	1	0.0	202	6.1
Stephens	370	8.1	389	8.5	4	0.1	393	8.6
Texas	179	9.9	95	5.2	1	0.1	96	5.3
Tillman	76	6.4	66	5.6	1	0.1	67	5.7
Tulsa	5925	11.6	5095	10.0	28	0.1	5123	10.0
Wagoner	279	5.6	407	8.1	6	0.1	413	8.3
Washington	517	9.9	371	7.1	3	0.1	374	7.2
Washita	93	5.6	78	4.7	1	0.1	79	4.7
Woods	117	10.7	47	4.3	-	-	47	4.3
Woodward	267	11.7	177	7.7	1	0.0	178	7.8
Unknown	-	-	-	-	-	-	-	-

Life Expectancy Tables for Oklahoma

A life table is designed essentially to measure mortality, but it is employed by a variety of specialists in a variety of ways. It is used by public health workers, demographers, actuaries, and may others in studies of longevity, fertility, migrations, and population growth, as well as in making projections of populations size and characteristics and in studies of widowhood, orphanhood, length of married life, length of working life, and length of disability-free life. In the simplest form of a life table, the entire table is generated from age-specific mortality rates and the resulting values are used to measure mortality, survivorship, and life expectation.

Life tables are in essence one form of combining mortality rates of a population at different ages into a single statistical model. They are principally used to measure the level of mortality of the population involved. One of the main advantages over other methods of measuring mortality is that they do not reflect the effects of the age distribution of an actual population and do not require the adoption of a standard population for acceptable comparisons of levels of mortality in different populations. Another is that a life table readily permits making mortality allowances for age cohorts, eliminating the burdensome task of compiling death statistics for age cohorts from annual death statistics by age even when the latter are available.

Column 1 - Age interval (X to X+N)
The age interval shown in column 1 is the interval between the exact ages indicated.

Column 2 - Death Rate (nMx)
Column 2 represents number of persons dying per 100,000 within that age group.

Column 3 - Proportion Dying (nQx)
This column shows the proportion of the cohorts who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 4 - Number Surviving (lx)
This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The lx values are computed from the nQx values which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval.

Column 5 - Number Dying (nDx)
This column shows the number dying in each successive age interval out of 100,000 live births. Each figure in Column 5 is the difference between two successive figures in Column 4.

Column 6 - Number of Persons in the Population (nLx)
The number of person-years that would be lived within the indicated age interval (x to x+m) by the cohort of 100,000 births assumed.

Column 7 - Number of Persons in all Subsequent Age Intervals (Tx)
The total number of person-years that would be lived after the beginning of the indicated age interval by the cohort of 100,000 births assumed.

Column 8 - Average Remaining Lifetime (Ex)
The average remaining lifetime (in years) for a person who survives to the beginning of the indicated age interval.

Care must be exercised in drawing conclusions from the figures in Column 8. This table in no way reflects the lifetime of a person to be only a certain length of time. There will always be persons dying before and living longer than the time indicated. Remember these are only approximations.

Table XIX

Life Expectancy

Oklahoma, 1984

AGE IN YEARS	DEATH RATE	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
PERIOD OF LIFE BETWEEN TWO EXACT AGES STARTED IN YEARS	NUMBER OF PERSONS DYING PER 100,000	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING YEAR	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVLA
1	2	3	4	5	6	7	8
X TO X + N	nMx	nQx	lx	nDx	nLx	Tx	Ex
0-4	2.56	0.002560	100000.0	256	99820.8	7361030.6	73.6
5-17	0.44	0.005703	99744.0	568.8	1292974.8	7261209.8	72.7
18-44	1.51	0.039955	99175.2	3962.5	2624236.6	5968235.0	60.1
45-64	8.64	0.159057	95212.7	15144.2	1752812.0	3343998.4	35.1
65+	50.32	1.000000	80068.5	80068.5	1591186.4	1591186.4	19.8

Table XX

Estimated Average Life Expectancy

By County and Age, Oklahoma, 1984

County	0-4	5-17	18-44	45-64	65+
State Total	73.6	72.7	60.1	35.1	19.8
Adair	73.8	73.0	60.5	36.4	22.4
Alfalfa	77.2	76.2	63.9	38.8	22.5
Atoka	72.4	71.7	59.0	34.4	19.6
Beaver	77.3	76.5	63.5	37.5	20.1
Beckham	77.6	76.8	64.4	39.5	24.3
Blaine	70.5	69.7	57.0	31.7	16.6
Bryan	72.4	71.5	58.8	33.5	20.8
Caddo	74.6	73.8	61.4	37.2	22.2
Canadian	76.6	75.7	63.0	37.5	21.6
Carter	72.4	71.5	59.0	35.0	19.1
Cherokee	73.2	72.3	59.9	34.4	20.5
Choctaw	71.1	70.2	57.5	32.4	17.9
Cimarron	77.0	76.3	63.3	41.5	25.1
Cleveland	74.9	74.0	61.3	35.8	19.7
Coal	70.6	70.3	57.3	32.2	18.3
Comanche	71.3	70.5	57.6	32.1	17.3
Cotton	71.4	70.4	57.4	30.9	14.6
Craig	72.1	71.3	59.2	33.4	18.3
Creek	74.2	73.4	61.1	35.9	20.5
Custer	77.2	76.5	64.5	39.5	23.1
Delaware	76.6	75.8	63.3	37.4	22.6
Dewey	74.9	73.9	60.9	36.2	21.5
Ellis	76.1	75.3	63.1	37.3	19.6
Garfield	73.5	72.8	60.3	35.4	20.0
Garvin	75.6	74.7	62.2	37.8	23.6
Grady	74.3	73.6	61.0	35.7	20.5
Grant	72.7	71.7	58.7	36.7	20.4
Greer	76.8	76.0	63.0	38.4	22.4
Harmon	74.9	74.1	61.1	36.2	19.9
Harper	72.8	71.8	59.9	37.6	22.1
Haskell	70.8	70.3	57.3	33.0	19.9
Hughes	72.6	71.8	59.4	33.7	18.0
Jackson	72.7	71.9	59.5	33.7	18.6
Jefferson	73.8	72.9	60.4	35.2	18.6
Johnston	75.4	74.6	61.6	37.7	26.5
Kay	75.5	74.8	61.9	36.9	21.7
Kingfisher	80.2	79.3	66.6	41.0	24.3
Kiowa	71.1	70.3	58.1	34.1	18.9
Latimer	73.5	72.5	59.5	34.9	21.1

Table XX

Estimated Average Life Expectancy

By County and Age, Oklahoma, 1984

County	0-4	5-17	18-44	45-64	65+
Leflore	73.0	72.1	59.4	34.9	19.7
Lincoln	74.4	73.6	61.2	35.6	21.3
Logan	74.2	73.3	60.6	35.9	19.9
Love	71.8	71.2	59.8	34.6	19.2
McClain	75.8	75.0	62.6	37.3	21.3
McCurtain	70.6	69.7	57.0	33.0	19.1
McIntosh	76.3	75.6	62.6	39.3	23.8
Major	74.1	73.1	60.6	34.7	19.2
Marshall	75.3	74.4	61.4	36.6	22.3
Mayes	73.0	72.1	59.7	34.4	19.2
Murray	76.6	75.7	62.7	36.8	22.0
Muskogee	70.9	70.0	57.5	32.7	17.9
Noble	72.2	71.4	58.8	34.3	18.4
Nowata	72.6	71.6	59.0	34.4	18.0
Okfuskee	75.2	74.4	61.4	36.8	22.6
Oklahoma	72.7	71.9	59.3	34.4	19.0
Okmulgee	70.0	69.1	56.7	32.6	16.9
Osage	77.7	76.9	64.1	39.4	23.6
Ottawa	70.9	70.1	57.9	32.7	16.6
Pawnee	74.8	73.8	61.3	36.2	24.0
Payne	74.2	73.4	60.7	35.0	19.2
Pittsburg	73.1	72.2	59.6	34.4	19.2
Pontotoc	73.1	72.3	60.0	35.7	19.4
Pottawatomie	71.8	71.0	58.3	33.4	18.1
Pushmataha	71.5	70.6	57.6	32.4	19.2
Roger Mills	76.2	75.5	62.5	39.2	26.2
Rogers	75.9	75.1	62.4	37.5	21.8
Seminole	72.7	71.9	59.4	34.6	20.1
Sequoyah	70.7	69.9	57.1	35.3	19.9
Stephens	74.4	73.6	61.1	36.0	20.5
Texas	72.7	72.0	59.2	33.7	19.8
Tillman	71.2	70.4	57.4	31.9	16.8
Tulsa	72.7	71.9	59.2	34.1	18.8
Wagoner	82.7	81.7	69.2	44.4	30.3
Washington	73.8	73.0	60.0	34.4	18.6
Washita	76.8	75.9	62.9	37.9	21.9
Woods	73.1	72.5	60.1	34.6	19.2
Woodward	74.3	73.5	60.7	35.0	20.9

TECHNICAL APPENDIX

DEFINITIONS

Birth Weight	Weight of infant at time of delivery
Fetal Death (Stillbirth)	Death prior to the complete expulsion or extraction from its mother of a product of human conception after a period of gestation as prescribed by the State Board of Health. The death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles
Infant Death	Death occurring to individuals of less than one year of age
Live Birth	The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached
Low-Weight Birth	Birth wherein the weight is equivalent to or less than 5 lb. 8 oz
Maternal Death	Death in which the physician has designated a condition related to pregnancy, childbirth, or the puerperium as the underlying cause of death
Neonatal Death	Death occurring to individuals of less than 28 days of age
Occurrence	Place where the event occurred
Out-of-Wedlock Birth	Birth wherein there is no marital tie between mother and father
Perinatal Death	Death occurring to a fetus 20 weeks gestation or more, or to an infant 28 days or less
Residence	The usual place of residence of the individual. For deaths, this is defined as the usual residence of the decedent as indicated on the certificate; for births and fetal deaths, the residence is defined as the usual place of residence of the mother
Metropolitan Statistical Area (MSA)	A county or group of contiguous counties which contains at least one city of 50,000 inhabitants or more
Underlying Cause of Death	That disease or condition which gave rise to the chain of morbid events leading to death OR the circumstances of the accident or violence that produced the fatal injury

RATES AND RATIOS

Cause-Specific Death Rate $= \frac{\text{Number of Resident Deaths from a Particular Cause}}{\text{Total Resident Population}} \times 100{,}000$

Crude Birth Rate $= \frac{\text{Number of Resident Births}}{\text{Total Resident Population}} \times 100{,}000$

Crude Death Rate $= \frac{\text{Number of Resident Deaths}}{\text{Total Resident Population}} \times 100{,}000$

Divorce Rate $= \frac{\text{Number of Divorces and Annulments}}{\text{Total Resident Population}} \times 1{,}000$

Fertility Rate $= \frac{\text{Number of Resident Live Births}}{\text{Total Female Population (15-44)}} \times 1{,}000$

Fetal Mortality Rate $= \frac{\text{Number of Resident Fetal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}} \times 1{,}000$

Fetal Mortality Ratio $= \frac{\text{Number of Resident Fetal Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Infant Mortality Rate $= \frac{\text{Number of Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Marriage Rate $= \frac{\text{Number of Marriages}}{\text{Total Resident Population}} \times 1{,}000$

Maternal Mortality Rate $= \frac{\Sigma \text{ Number of Maternal Deaths}}{\Sigma \text{ Total Resident Live Births}} \times 10{,}000$

Median Age = That age above and below which one-half of the age distribution lies

Neonatal Mortality Rate $= \frac{\text{Number of Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Perinatal Mortality Rate $= \frac{\text{Number of Perinatal Deaths}}{\text{Total Resident Live Births and Resident Fetal Deaths}} \times 1{,}000$

Post-Neonatal Mortality Rate $\frac{\text{Infant Deaths - Neonatal Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$

Out-of-Wedlock Ratio $= \frac{\text{Number of Resident Out-of-Wedlock Births}}{\text{Total Resident Live Births}} \times 1{,}000$

Sex Ratio $= \frac{\text{Number of Males}}{\text{Number of Females}} \times 100$

NOTE ON THE USE OF RATES

Rates based on a small number of events may exhibit considerable variation from time period to time period or from place to place even though there may be a change or difference of only one or two events. Also, care should be taken in attributing differences in rates between different areas to particular factors since the rate of an area is largely influenced by the demographic composition of the population. Conclusions drawn from comparing vital statistics rates should be evaluated in light of these factors.

STATISTICAL VARIABLES AVAILABLE

BIRTHS/FETAL DEATHS	DEATHS/INFANT AND NEONATAL DEATHS
Race	Race
Sex	Sex
Age of Mother	Age Groups
Attendant	Month
Hospital	34 Causes
	Individual Cause
County of Residence	County of Residence
City of Residence (>2,500 Pop.)	City of Residence (>2,500 Pop.)
Out-of-State Residence	Out-of-State Residence
Out-of-State Occurrence	Out-of-State Occurrence

GENERAL PATTERN OF VITAL STATISTICS REGISTRATION IN OKLAHOMA

RESPONSIBLE PERSON OR AGENCY	BIRTH CERTIFICATE	DEATH CERTIFICATE	FETAL DEATH CERTIFICATE (Stillbirth)
Hospital Administrator or his Designee or Other Attendant	1. Completes entire certificate in consultation with parent(s). 2. Files certificate with Local Registrar.	*********************	*********************
Funeral Director	********************* *********************	1. Obtains personal facts about decedent and completes that portion of the certificate. 2. Delivers certificate to physician for completion of medical certification. 3. Files certificate with Local Registrar. 4. Obtains authorization for disposition of body.	1. Obtains personal data from next of kin. 2. Obtains medical certification of cause of death from physician. 3. Files certificate with Local Registrar. 4. Obtains authorization for disposition of fetus.
Physician or Other Attendant	Provides medical information and signs certificate.	Completes medical certification portion and signs certificate.	Completes medical certification portion and signs certificate.
Local Registrar	1. Verifies accuracy and completeness of certificate and queries incomplete or inconsistent certificates. 2. Sends certificate to State Registrar.	1. Verifies completeness and accuracy of certificate and queries inconsistent or incomplete certificates. 2. Issues authorization for disposition of body and sends certificate to State Registrar.	1. Verifies completeness and accuracy of certificate and queries inconsistent or incomplete certificates. 2. Issues authorization for disposition of fetus and sends certificate to State Registrar.

City and county health departments use data derived from these records in allocating medical and nursing services, follow-ups of infectious diseases, planning programs, measuring effectiveness of services, and conducting studies.

State Registrar, Vital Records Division	1. Queries incomplete or inconsistent information. 2. Maintains files for permanent reference and is the source of certified copies.
Data Management Division, Public Health Statistics Section	1. Develops vital statistics for use in planning, evaluation, and administering State and local health activities and for research studies. 2. Compiles health related statistics for State and vital divisions of State for use of the Health Department and other agencies and groups interested in the fields of medical science, public health, demography, and social welfare. 3. Sends copies of records or data derived from records to the National Center for Health Statistics.
Public Health Service - National Center for Health Statistics	1. Prepares and publishes national statistics of births, deaths, and fetal deaths, and constructs official U.S. life tables and related actuarial tables. 2. Conducts health and social research studies based on vital records and on sampling surveys linked to records. 3. Conducts research and methodological studies in vital statistics methods, including the technical, administrative, and legal aspects of vital records registration and administration. 4. Maintains a continuing technical assistance program to improve the quality and usefulness of vital statistics.

FIGURE 1



1968 REVISION

Use this form for live births occurring on and after July 1, 1968

Type or print with black permanent ink THIS IS A PERMANENT RECORD

DO NOT WRITE BELOW

CODES

Place

Hospital

Oklahoma Residence

Out of State Residence

Nativity

Attendant

Birth Weight

BFM

EFM

PD

VS 152 7-68

CERTIFICATE OF LIVE BIRTH

STATE OF OKLAHOMA – DEPARTMENT OF HEALTH

LOCAL REG. NO

STATE FILE NO **135 -**

SAMPLE

1 CHILD NAME *First* *Middle* *Last* (*Type or print*)

2 DATE OF BIRTH *Month* *Day* *Year*

3 HOUR M

4 SEX

5a THIS BIRTH SINGLE ☐ TWIN ☐ TRIPLET ☐

5b IF TWIN OR TRIPLET WAS CHILD BORN 1st ☐ 2d ☐ 3d ☐

6a COUNTY OF BIRTH

6b CITY, TOWN, OR LOCATION OF BIRTH

6c INSIDE CITY LIMIT Yes ☐ No ☐

6d HOSPITAL – NAME (*If not in hospital, give street and number*)

7 MOTHER MAIDEN NAME *First* *Middle* *Last*

8 AGE (*at time of this birth*)

9 BIRTHPLACE (*State or foreign country*)

10a RESIDENCE – STATE

10b COUNTY

10c CITY, TOWN, OR LOCATION

10d INSIDE CITY LIMIT Yes ☐ No ☐

10e STREET ADDRESS

11 FATHER NAME *First* *Middle* *Last*

12 AGE (*at time of this birth*)

13 BIRTHPLACE (*State or foreign country*)

14a INFORMANT SIGNATURE OF EITHER PARENT

14b IF UNABLE TO OBTAIN ONE OF PARENTS SIGNATURE, STATE REASON THEREFORE

15 MOTHER'S MAILING ADDRESS STREET or R F D NO POSTOFFICE STATE ZIP CODE NO

16a WAS BLOOD OF THIS CHILD'S MOTHER TESTED FOR SYPHILIS? Yes ☐ No ☐

16b DATE TEST MADE

16c IF NO TEST, STATE REASON THEREFORE

17 WEIGHT OF CHILD AT BIRTH LBS OZS

18 WAS PROPHYLACTIC DRUG USED IN BABY'S EYES? Yes ☐ No ☐

I hereby certify that this child was born alive on the date stated above

19a SIGNATURE OF ATTENDANT

19b DATE SIGNED

19c NAME OF ATTENDANT (*Print or Type*)

19d ATTENDANT AT BIRTH M.D. ☐ D.O. ☐ D.C. ☐ Midwife ☐ Other ☐ (*Specify*)

19e ADDRESS OF ATTENDANT STREET or R F D NO POSTOFFICE STATE ZIP CODE NO

20a DATE REC'D BY LOCAL REG

20b LOCAL REGISTRAR'S SIGNATURE

21 DATE RECEIVED BY STATE REGISTRAR

THIS LINE FOR USE OF STATE REGISTRAR

22a DATE CORRECTIONS MADE

22b ITEMS CORRECTED

22c AUTHORITY

22d CLERK

TO BE DETACHED BY STATE REGISTRAR ONLY

DO NOT WRITE IN THIS SPACE

DO NOT WRITE BELOW

CODES

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE – FATHER WHITE, NEGRO, AMERICAN INDIAN, ETC (Specify) 23

24 EDUCATION (Specify highest grade completed) ELEMENTARY 0 1 2 3 4 5 6 7 8 HIGH SCHOOL 9 10 11 12 COLLEGE 1 2 3 4 or 5+

IS MOTHER MARRIED? (Specify Yes or No) Yes No

RACE – MOTHER WHITE, NEGRO, AMERICAN INDIAN, ETC (Specify) 26

27 EDUCATION (Specify highest grade completed) ELEMENTARY 0 1 2 3 4 5 6 7 8 HIGH SCHOOL 9 10 11 12 COLLEGE 1 2 3 4 or 5+

PREVIOUS DELIVERIES

Marital Status

DATE LAST NORMAL MENSES BEGAN Month Day Year

MONTH OF PREGNANCY PRENATAL CARE BEGAN

PRENATAL VISITS

DATE OF LAST LIVE BIRTH Month Day Year

DATE OF LAST FETAL DEATH Month Day Year

Comp. Relat. to Preg.

COMPLICATIONS RELATED TO PREGNANCY (Describe or write "None") 32

Comp. Not Relat.

BIRTH INJURIES TO CHILD (Describe or write "None") 33

Comp. Labor

COMPLICATIONS NOT RELATED TO PREGNANCY (Describe or write "None") 34

Birth Injury

CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Describe or write "None") 35

Cong. Malf.

COMPLICATIONS OF LABOR (Describe or write "None") 36

VS 152 7-68

THIS LINE FOR USE OF STATE REGISTRAR

37a DATE CORRECTIONS MADE

37b ITEMS CORRECTED

37c AUTHORITY

37d CLERK

FIGURE 2



ATTENDING PHYSICIAN
CERTIFICATE OF DEATH
STATE OF OKLAHOMA · DEPARTMENT OF HEALTH

1968 REVISION

Use this form for deaths occurring on and after January 1, 1968.

Type or print with black, permanent ink. THIS IS A PERMANENT RECORD.

DO NOT WRITE BELOW

CODES

Race ______
Age ______
Place ______
Hospital ______
Oklahoma Residence ______
Out-of-state Residence ______
Cause of Death ______
Autopsy ______
Attendant ______
Infant ______
Occupation ______
Spec. Sym. ______
Place ______
Month ______
Hour ______
Nat. Inj. ______
NSC Code ______

VS 154 (7-75)

LOCAL REGISTRAR'S FILE NO.
STATE FILE NO.
DECEASED – NAME First Middle Last
DATE OF DEATH
RACE
UNDER 1 YEAR
UNDER 1 DAY
DATE OF BIRTH
COUNTY OF DEATH
CITY, TOWN OR LOCATION OF DEATH
INSIDE CITY LIMITS
HOSPITAL OR OTHER INSTITUTION
STATE OF BIRTH
CITIZEN OF WHAT COUNTRY
SURVIVING SPOUSE
SOCIAL SECURITY NUMBER
USUAL OCCUPATION
KIND OF BUSINESS OR INDUSTRY
RESIDENCE – STATE
COUNTY
CITY, TOWN OR LOCATION
INSIDE CITY LIMITS
STREET AND NUMBER
FATHER – NAME First Middle Last
MOTHER – MAIDEN NAME First Middle Last
INFORMANT – NAME
MAILING ADDRESS
PART I
DEATH WAS CAUSED BY
18 CAUSE OF DEATH
IMMEDIATE CAUSE
DUE TO OR AS A CONSEQUENCE OF
DUE TO OR AS A CONSEQUENCE OF
Approximate interval between onset and Death
PART II OTHER SIGNIFICANT CONDITIONS
AUTOPSY
IF YES

office of Chief Medical Examiner in Oklahoma City

CERTIFICATION – PHYSICIAN
DEATH OCCURRED
CERTIFIER – NAME (Type or Print)
SIGNATURE OF CERTIFIER
DATE SIGNED
MAILING ADDRESS – CERTIFIER
THE DECEDENT
BURIAL, CREMATION, REMOVAL
DATE
CEMETERY OR CREMATORY – NAME
LOCATION
FUNERAL HOME
FUNERAL DIRECTOR
LOCAL REGISTRAR SIGNATURE
DATE RECD BY LOCAL REG.
DATE RECEIVED BY STATE REGISTRAR

SAMPLE

FIGURE 3



MEDICAL EXAMINER
CERTIFICATE OF DEATH
STATE OF OKLAHOMA – DEPARTMENT OF HEALTH

Type or print with black, permanent ink. THIS IS A PERMANENT RECORD.

DO NOT WRITE BELOW

CODES

Race ______
Age ______
Place ______
Hospital ______
Oklahoma Residence ______
Out-of-state Residence ______
Cause of Death ______
Autopsy ______
Attendant ______
Infant ______
Occupation ______
Spec. Sym ______

MEDICAL CERTIFICATION FOR MEDICAL EXAMINER USE ONLY.

Place ______
Month ______
Hour ______
Nat. Inj. ______
NSC Code ______

VS 154A (8-75)

VALID ONLY WHEN SIGNED BY MEDICAL EXAMINER

LOCAL REGISTRAR'S FILE NO.
STATE FILE NO.
DECEASED – NAME
DATE OF DEATH
SEX
RACE
AGE
UNDER 1 YEAR
UNDER 1 DAY
DATE OF BIRTH
COUNTY OF DEATH
CITY, TOWN OR LOCATION OF DEATH
INSIDE CITY LIMITS Yes ☐ No ☐
HOSPITAL OR OTHER INSTITUTION
STATE OF BIRTH
CITIZEN OF WHAT COUNTRY
Married ☐ Never Married ☐ Widowed ☐ Divorced ☐
SURVIVING SPOUSE
SOCIAL SECURITY NUMBER
USUAL OCCUPATION
KIND OF BUSINESS OR INDUSTRY
RESIDENCE – STATE
COUNTY
CITY, TOWN OR LOCATION
INSIDE CITY LIMITS Yes ☐ No ☐
STREET AND NUMBER
ZIP CODE
FATHER – NAME
MOTHER – MAIDEN NAME
INFORMANT – NAME OF SOURCE OF INFORMATION
PART I
DEATH WAS CAUSED BY
18 CAUSE OF DEATH
IMMEDIATE CAUSE
DUE TO OR AS A CONSEQUENCE OF
DUE TO OR AS A CONSEQUENCE OF
Approximate interval between onset and Death
PART II OTHER SIGNIFICANT CONDITIONS
AUTOPSY Yes ☐ No ☐
AUTOPSY AUTHORIZED BY
DATE OF INJURY
HOUR OF INJURY
HOW INJURY OCCURRED
INJURY AT WORK Yes ☐ No ☐
PLACE OF INJURY
LOCATION OF INJURY
CERTIFICATION – MEDICAL EXAMINER
DEATH OCCURRED
CERTIFIER – NAME (Type or Print)
SIGNATURE OF MEDICAL EXAMINER
DATE SIGNED
MAILING ADDRESS – CERTIFIER
BURIAL, CREMATION, REMOVAL
DATE
CEMETERY OR CREMATORY – NAME
LOCATION
FUNERAL HOME NAME AND ADDRESS
FUNERAL DIRECTOR
LOCAL REGISTRAR SIGNATURE
DATE RECD BY LOCAL REG.
DATE RECEIVED BY STATE REGISTRAR

SAMPLE



CERTIFICATE OF FETAL DEATH (STILLBIRTH)

STATE OF OKLAHOMA – DEPARTMENT OF HEALTH

1968 REVISION

Use this form for fetal deaths (stillbirths) occurring on or after July 1, 1968

Type or print with black permanent ink THIS IS A PERMANENT RECORD

LOCAL REG NO

STATE FILE NO 135-

1 FETUS NAME (If Given) First Middle Last (Type or Print)

2 DATE OF DELIVERY Month Day Year

3 HOUR M

4 SEX

5a THIS BIRTH SINGLE ☐ TWIN ☐ TRIPLET ☐

5b IF TWIN OR TRIPLET, THIS FETUS DELIVERED 1st ☐ 2d ☐ 3d ☐

6a COUNTY OF DELIVERY

6b CITY, TOWN, OR LOCATION OF BIRTH

6c INSIDE CITY LIMIT Yes ☐ No ☐

6d HOSPITAL – NAME (If not in Hospital, give street and number)

7 MOTHER MAIDEN NAME First Middle Last

8 AGE (at time of this birth)

9 BIRTHPLACE (State or foreign country)

10a RESIDENCE – STATE

10b COUNTY

10c CITY, TOWN, OR LOCATION

10d INSIDE CITY LIMIT Yes ☐ No ☐

10e STREET ADDRESS

11 FATHER NAME First Middle Last

12 AGE (at time of this birth)

13 BIRTHPLACE (State or foreign country)

14a INFORMANT

14b RELATION TO FETUS

15 MOTHER'S MAILING ADDRESS STREET POSTOFFICE STATE ZIP CODE NO

16a WAS BLOOD OF THIS CHILD'S MOTHER TESTED FOR SYPHILIS? Yes ☐ No

16c IF NO TEST, STATE REASON THEREFORE

17 WEIGHT OF FETUS LBS OZS

CAUSE OF FETAL DEATH

18 CAUSE OF FETAL DEATH (Enter only one cause per line in Part I)

PART I DIRECT CAUSE State fetal or maternal conditions directly causing fetal death

Immediate Cause (a)

State fetal and/or maternal conditions if any, giving rise to the above cause (a), stating the underlying cause last

Due to (b)

Due to (c)

SPECIFY FETAL OR MATERNAL

19 WHEN DID FETUS DIE?

Before Labor ☐

During Labor or Delivery ☐

Unknown ☐

PART II, OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have contributed to fetal death, but were not related to direct cause stated in Part I (a)

20 AUTOPSY Yes ☐ No ☐

I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.

21a ATTENDANT'S SIGNATURE (Specify if M.D., D.O., D.C., Midwife or other)

21b DATE SIGNED

21c ATTENDANT'S ADDRESS

If not attended by physician

22 SIGNATURE OF AUTHORIZED OFFICIAL (Title)

23a BURIAL, CREMATION, REMOVAL (Specify)

23b DATE

23c NAME OF CEMETERY OR CREMATORY

23d LOCATION (City, town, or county) (State)

24 FUNERAL DIRECTOR ADDRESS

25a LOCAL REGISTRAR'S SIGNATURE

25b DATE REC'D BY LOCAL REG

DO NOT WRITE BELOW

CODES

Place

Hospital

Residence

Name

Attendant

Birth Weight

Causes of fetal death

VS 153 7-68

SAMPLE

TO BE DETACHED BY STATE REGISTRAR ONLY

DO NOT WRITE IN THIS SPACE

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE – FATHER

WHITE, NEGRO, AMERICAN INDIAN, ETC (Specify) 26

27 EDUCATION – Specify highest grade completed

ELEMENTARY (0,1,2,3,4,5,6,7,8)

HIGH SCHOOL (9,10,11,12)

COLLEGE (1,2,3,4, or 5+)

28 IS MOTHER MARRIED? (Specify Yes or No) Yes No

RACE – MOTHER

WHITE, NEGRO, AMERICAN INDIAN, ETC (Specify) 29

30 EDUCATION – Specify highest grade completed

ELEMENTARY (0,1,2,3,4,5,6,7,8)

HIGH SCHOOL (9,10,11,12)

COLLEGE (1,2,3,4, or 5+)

PREVIOUS DELIVERIES – New enter other children

ARE NOW LIVING 31a

WERE BORN ALIVE NOW DEAD 31b

WERE BORN DEAD (FETAL DEATH AT ANY TIME AFTER CONCEPTION) 31c

DATE LAST NORMAL MENSES BEGAN Month Day Year 32

MONTH OF PREGNANCY PRENATAL CARE BEGAN First, Second, Third, etc. (Spfy) 33a

PRENATAL VISITS Total No. (If none, so state) 33b

DATE OF LAST LIVE BIRTH Month Day Year 34a

DATE OF LAST FETAL DEATH Month Day Year 34b

COMPLICATIONS RELATED TO PREGNANCY (Describe or write "None") 35

BIRTH INJURIES TO FETUS (Describe or write "None") 36

COMPLICATIONS NOT RELATED TO PREGNANCY (Describe or write "None") 37

CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "None") 38

COMPLICATIONS OF LABOR (Describe or write "None") 39

THIS LINE FOR USE OF STATE REGISTRAR

40a DATE CORRECTIONS MADE

40b ITEMS CORRECTED

40c AUTHORITY

40d CLERK

DO NOT WRITE BELOW

CODES

Length of Preg

Compl. Rel. to Preg.

Birth Injury

Comp. not Related

Cong. Mal.

Comp. of Labor

VS 153 7-68